

## Universe Parameters

### Definition

Name: Awards

Description:

Connection: Personify731

### General information

Created: 1/10/2011 by Nancy

Modified: 2/17/2011 by Administrator

Comments:

Statistics: 23 Classes  
 344 Objects  
 17 Tables  
 11 Aliases  
 41 Joins  
 0 Contexts  
 0 Hierarchies  
 0 Conditions

### Strategies

Join strategy: Edit Manually (none)

Table strategy: (Built-in) Standard

Object strategy: (Built-in) Standard Renaming

### Controls

Limit size of result set to: 5000 rows  
 Limit size of long text objects to: 1000 characters  
 Limit execution time to: 10 minutes  
 Warn if cost estimate exceeds: unchecked

### SQL parameters

#### Query

Allow use of subqueries: yes  
 Allow use of union, intersect and minus operators: yes  
 Allow complex conditions in Query Panel: yes  
 Cartesian products: warn

#### Multiple paths

Generate several SQL statements for each context: yes  
 Generate several SQL statements for each measure: yes  
 Allow selection of multiple contexts: no

### Links

---

No links for this universe

## Object List

### Award Program Information

Award Code  
Award Name  
Award Description  
Award Program Type  
Award Category Code  
Award Year  
Active Flag  
Reviewer Type  
Nomination Required Flag  
Can Self Nominate Flag  
Sponsored Award Flag  
Nomination Begin Date  
Nomination End Date  
Web Enabled Flag  
Web Display Begin Date  
Web Display End Date  
Decision Date  
Maximum Nominees  
Award Comments  
Staff Name  
Staff Email Address  
Oversight Committee Name  
Oversight Committee Primary Phone  
Oversight Committee Primary Email  
Org ID  
Org Unit ID

### Conditions for Eligibility

Condition Description  
Addoper  
Adddate  
Modoper  
Moddate

### Nomination Questions

Question Sort Order  
Question Type Code  
Question Description  
Response Required Flag  
Addoper  
Adddate  
Modoper  
Moddate

---

**Attachment Requirements**

Document Type Code  
Description  
Number Required  
Required Flag  
Addoper  
Adddate  
Modoper  
Moddate

**Reviewers Identified for this Award**

Reviewer Name  
Master Customer ID of Reviewer  
Sub Customer ID of Reviewer  
Reviewer Status Code

**Additional Details for Reviewers**

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Customer Status Date  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag  
Allow Label Sales Flag  
Allow Solicitation Flag  
Allow Internal Mail Flag  
Gender Code  
Birth Date  
Ethnicity Code  
Annual Income Range Code  
Job Function Code  
Revenue Range Code  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Primary Job Title  
Default Language Code  
Preferred Comm Method Code  
Last First Name

**Recognition**

Nominee that Received this Recognition  
Nominee Recognized Master Customer ID  
Nominee Recognized Sub Customer ID

---

Award Nominee ID  
Recognition Level Code  
Description of Recognition  
Amount  
Award Date  
Comments Related to Recognition

**Details for Customer Recognized for this Award**

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Customer Status Date  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag  
Allow Label Sales Flag  
Allow Solicitation Flag  
Allow Internal Mail Flag  
Gender Code  
Birth Date  
Ethnicity Code  
Annual Income Range Code  
Job Function Code  
Revenue Range Code  
Staff Range Code  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Primary Job Title  
Primary Phone Location Code  
Primary Email Location Code  
Primary Fax Location Code  
Publish Primary Fax Flag  
Publish Primary Phone Flag  
Publish Primary Email Flag  
Publish Home Phone Flag  
Publish Work Phone Flag  
Default Language Code  
Preferred Comm Method Code  
Last First Name

**Sponsors**

Sponsor Name  
Sponsor Master Customer ID

---

Sponsor Sub Customer ID  
Sponsorship Amount  
Sponsor Point of Contact Name  
Sponsor Point of Contact Master Customer ID  
Sponsor Point of Contact Sub Customer ID  
Description of Sponsorship

#### Additional Sponsor Customer Details

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Customer Status Date  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag  
Allow Label Sales Flag  
Allow Solicitation Flag  
Allow Internal Mail Flag  
Annual Income Range Code  
Job Function Code  
Revenue Range Code  
Staff Range Code  
Exhibitor Flag  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Primary Job Title  
Primary Phone Location Code  
Primary Email Location Code  
Primary Fax Location Code  
Preferred Comm Method Code  
Advertiser Flag  
Advertising Agency Flag

#### Additional Sponsor Contact Customer

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Customer Status Date  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag  
Allow Label Sales Flag

---

Allow Solicitation Flag  
Allow Internal Mail Flag  
Job Function Code  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Primary Job Title  
Primary Phone Location Code  
Primary Email Location Code  
Primary Fax Location Code

#### Award Nominees and Nominations

Nominee Name  
Nominee Master Customer ID  
Nominee Sub Customer ID  
Nominee Status Code  
Nominee Status Date  
Nominee Created Online Flag

#### Nominations Received for this Nominee

Nominator Name  
Nominator Master Customer ID  
Nominator Sub Customer ID  
Nomination Date  
First Nomination Flag

#### Questions Answered by Nominator

Award Nomination Question  
Response to Question

#### Attachments Provided by Nominator

Document Type Code  
Url  
Actual File Name  
Description  
Required Flag  
Number Required  
Award Document ID  
Award Nominee Document ID

#### Additional Nominator Details

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag

---

Allow Internal Mail Flag  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Default Language Code  
Preferred Communication Method

### Conditions for Nominee Eligibility

Condition Description  
Validated Flag  
Validated By  
Validation Date

### Reviewer(s) Assigned to Nominee

Reviewer Name  
Reviewer Master Customer ID  
Reviewer Sub Customer ID  
Review Status Code  
Assigned Date  
Review Date  
Score  
Comments

### Additional Reviewer Details

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Customer Status Date  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag  
Allow Label Sales Flag  
Allow Solicitation Flag  
Allow Internal Mail Flag  
Gender Code  
Birth Date  
Ethnicity Code  
Annual Income Range Code  
Job Function Code  
Revenue Range Code  
Staff Range Code  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax

---

Primary Email Address  
Primary Url  
Primary Job Title  
Default Language Code  
Preferred Comm Method Code  
Last First Name  
Cus Volunteer Flag

### Additional Nominee Details

Formal Salutation  
Informal Salutation  
Customer Class Code  
Customer Status Code  
Allow Fax Flag  
Allow Email Flag  
Allow Phone Flag  
Allow Internal Mail Flag  
Gender Code  
Birth Date  
Ethnicity Code  
Annual Income Range Code  
Job Function Code  
Revenue Range Code  
Staff Range Code  
Foundation Flag  
Exhibitor Flag  
Home Phone  
Work Phone  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Primary Job Title  
Publish Primary Fax Flag  
Publish Primary Phone Flag  
Publish Primary Email Flag  
Publish Home Phone Flag  
Publish Work Phone Flag  
Default Language Code  
Preferred Communication Method  
Last First Name  
Volunteer Flag  
Allow System Notification Flag  
Marital Status Code

### Award Nominee Addresses

Address 1  
Address 2



---

Address 3  
Address 4  
City  
State  
Postal Code  
Country Code  
Country Descr  
County  
Formatted Address  
Address Status Code  
One Time Use Flag

**Other Details**

Congressional District  
School District  
Commission District  
Ward District  
Assembly District  
Formatted City State Postal

**Award Nominee Nomination View**

Org ID  
Org Unit ID  
Award ID  
Award Nominee ID  
Nominee Created Online Flag  
Award Nominee Nomination ID  
Nominee Master Customer ID  
Nominee Sub Customer ID  
Nominee Label Name  
Nominee First Name  
Nominee Middle Name  
Nominee Last Name  
Nominee Last First Name  
Nominee Record Type  
Nominator Master Customer ID  
Nominator Sub Customer ID  
Nominator Label Name  
Nominator First Name  
Nominator Middle Name  
Nominator Last Name  
Nominator Last First Name  
Nominator Record Type  
Nomination Date  
Nominee Status Code  
Nominee Status Date  
First Nomination Flag  
Average Score

Potential Duplicate Review Flag  
 Duplicate Reason  
 Potential Match Probability

## Object Properties

Class:	<b>Award Program Information</b>
Description:	Provides a record for every instance of an award, i.e. each cycle where recognition is granted. Some organizations may give out annual awards, others may use a different time frame. A distinct record per program is captured in this table that describes each award, including basic rules, sponsor (if any), recognition, etc.

Object: **Award Code**  
 Type: Character  
 Description: Alphanumeric code defined by the user setting up an award to uniquely identify each record.  
 Select equivalent: AWD\_PROGRAM.AWARD\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 004, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Award Name**  
 Type: Character  
 Description: Name that succinctly describes an award, provided by the user setting up the award, e.g. Young Outstanding Member Award, or Lifetime Achievement Award.  
 Select equivalent: AWD\_PROGRAM.AWARD\_NAME

Where equivalent:

Qualification: dimension  
 List of values: 005, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Award Description  
 Type: Character  
 Description: Lengthy description of an award that is visible on the online nomination form

Select equivalent: AWD\_PROGRAM.AWARD\_DESCRIPTION  
 Where equivalent:

Qualification: dimension  
 List of values: 006, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Award Program Type  
 Type: Character  
 Description: Standard grouping for the award program, for reporting (typically used to identify the series, such as the Young Leader Award, so it can be tracked across multiple years).

Select equivalent: AWD\_PROGRAM.AWARD\_PROGRAM\_TYPE  
 Where equivalent:

Qualification: dimension  
 List of values: 007, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Award Category Code  
 Type: Character

Description: Another grouping option for the award program (e.g. Regional vs. National).

Select equivalent: AWD\_PROGRAM.AWARD\_CATEGORY\_CODE

Where equivalent:

Qualification: dimension

List of values: 008, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Award Year**

Type: Number

Description: Optional field that identifies what year the award was granted.

Select equivalent: AWD\_PROGRAM.AWARD\_YEAR

Where equivalent:

Qualification: dimension

List of values: 009, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Active Flag**

Type: Character

Description: Manually updated flag that indicates if an award is current.

Select equivalent: AWD\_PROGRAM.ACTIVE\_FLAG

Where equivalent:

Qualification: dimension

List of values: 00a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Reviewer Type**

Type: Character

Description: Indicates if the award is reviewed by a committee or individually assigned reviewers.

Select equivalent: AWD\_PROGRAM.REVIEWER\_TYPE

---

Where equivalent:

Qualification: dimension  
 List of values: 00b, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nomination Required Flag**  
 Type: Character  
 Description: Indicates if this program requires that recipients first be nominated for the award.  
 Select equivalent: AWD\_PROGRAM.NOMINATION\_REQUIRED\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 00f, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Can Self Nominate Flag**  
 Type: Character  
 Description: Indicates if a customer can be both the nominator and the nominee.  
 Select equivalent: AWD\_PROGRAM.CAN\_SELF\_NOMINATE\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 00g, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Sponsored Award Flag**  
 Type: Character  
 Description: Indicates if an award is sponsored by a Personify customer.  
 Select equivalent: AWD\_PROGRAM.SPONSORED\_AWARD\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 00h, editable, manual refresh, not exportable

---

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nomination Begin Date**  
 Type: Character  
 Description: Date where nominations can first be accepted.  
 Select equivalent: AWD\_PROGRAM.NOMINATION\_BEGIN\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 00i, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nomination End Date**  
 Type: Character  
 Description: End of the nomination period.  
 Select equivalent: AWD\_PROGRAM.NOMINATION\_END\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 00j, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Web Enabled Flag**  
 Type: Character  
 Description: Indicates if the online nomination form can be, is or was used for this award.  
 Select equivalent: AWD\_PROGRAM.WEB\_ENABLED\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 00k, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** Web Display Begin Date  
**Type:** Character  
**Description:** For web-enabled awards, the date when the online nomination form is first made available to users.  
**Select equivalent:** AWD\_PROGRAM.WEB\_DISPLAY\_BEGIN\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 00l, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Web Display End Date  
**Type:** Character  
**Description:** For web-enabled awards, the date when the online nomination form is no longer available to users.  
**Select equivalent:** AWD\_PROGRAM.WEB\_DISPLAY\_END\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 00m, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Decision Date  
**Type:** Character  
**Description:** Information-only date to inform users of the date the award recipient(s) decision is expected.  
**Select equivalent:** AWD\_PROGRAM.DECISION\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 00n, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

---

**Object:** Maximum Nominees  
**Type:** Number  
**Description:** Reference-only field that identifies the expected cut-off number of nominees for this awards program.  
**Select equivalent:** AWD\_PROGRAM.MAXIMUM\_NOMINEES  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 00o, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Award Comments  
**Type:** Character  
**Description:** Free-form notes about the award that are entered by staff for internal use only.  
**Select equivalent:** AWD\_PROGRAM.AWARD\_COMMENTS  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 00p, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Staff Name  
**Type:** Character  
**Description:** Name of the staff member responsible for this award, if any.  
**Select equivalent:** PSM\_USER.USER\_NAME  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0xv, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---



---

**Object:** Staff Email Address  
**Type:** Character  
**Description:** Email address set up for this staff member with their login credentials and other Personify user information.  
**Select equivalent:** PSM\_USER.EMAIL\_ADDRESS  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0y4, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Oversight Committee Name  
**Type:** Character  
**Description:** Label Name of the committee that has been assigned to this awards program, if any.  
**Select equivalent:** Oversight\_Committee\_Customer.LABEL\_NAME  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0ui, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Oversight Committee Primary Phone  
**Type:** Character  
**Description:** Phone number indicated as the committee's primary.  
**Select equivalent:** Oversight\_Committee\_Customer.PRIMARY\_PHONE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0vu, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

---

**Object:** Oversight Committee Primary Email  
**Type:** Character  
**Description:** Email address indicated as the committee's primary.  
**Select equivalent:** Oversight\_Committee\_Customer.PRIMARY\_EMAIL\_ADDRESS  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0vw, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Org ID  
**Type:** Character  
**Description:** Organization responsible for this award.  
**Select equivalent:** AWD\_PROGRAM.ORG\_ID  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 001, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Org Unit ID  
**Type:** Character  
**Description:** Organization Unit responsible for this award.  
**Select equivalent:** AWD\_PROGRAM.ORG\_UNIT\_ID  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 002, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

<b>Class:</b> Conditions for Eligibility <b>Description:</b> An award program may require nominees to meet certain conditions before they are deemed qualified, e.g. if the award is age-based, then the nominee's age must be
---

verified. These optional conditions are set up by the awards team and are manually verified as nominations are received. The conditions are described in free-form text and the possible responses are yes or no.

Object: Condition Description  
 Type: Character  
 Description: Free-form text that describes a pre-condition for eligibility in the awards program, e.g. age, if desired. More than one condition can be set up if desired.  
 Select equivalent: AWD\_PROGRAM\_CONDITION.DESCRPTION  
 Where equivalent:  
 Qualification: dimension  
 List of values: 0as, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Addoper  
 Type: Character  
 Description:  
 Select equivalent: AWD\_PROGRAM\_CONDITION.ADDOPER  
 Where equivalent:  
 Qualification: dimension  
 List of values: 0at, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Adddate  
 Type: Date  
 Description:  
 Select equivalent: AWD\_PROGRAM\_CONDITION.ADDDATE

Where equivalent:

Qualification: dimension  
 List of values: 0au, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Modoper**  
 Type: Character  
 Description:

Select equivalent: AWD\_PROGRAM\_CONDITION.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 0av, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Moddate**  
 Type: Date  
 Description:

Select equivalent: AWD\_PROGRAM\_CONDITION.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0aw, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Nomination Questions</b>
Description:	Questions about a nominee are set up per award and will be made visible on the nomination forms (both online and Enterprise). Questions and responses are free-form text.

Object: **Question Sort Order**

---

Type: Number  
 Description: Indicates the order that questions will appear on the nomination form.  
 Select equivalent: AWD\_PROGRAM\_QUESTION.SORT\_ORDER  
 Where equivalent:  
 Qualification: dimension  
 List of values: 0a3, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Question Type Code  
 Type: Character  
 Description: Code that can be used to categorize questions, e.g. Background and Relationships.  
 Select equivalent: AWD\_PROGRAM\_QUESTION.QUESTION\_TYPE\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 0a4, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Question Description  
 Type: Character  
 Description: Free-form text that asks the question that will be posed on the nomination form, e.g. 'How long have you known the nominee?'.  
 Select equivalent: AWD\_PROGRAM\_QUESTION.DESCRPTION  
 Where equivalent:  
 Qualification: dimension  
 List of values: 0a5, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** Response Required Flag  
**Type:** Character  
**Description:** Indicates if a question must be answered before an online nomination can be submitted.  
**Select equivalent:** AWD\_PROGRAM\_QUESTION.RESPONSE\_REQUIRED\_FLAG  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0a6, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Addoper  
**Type:** Character  
**Description:**

**Select equivalent:** AWD\_PROGRAM\_QUESTION.ADDOPER  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0a7, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Adddate  
**Type:** Date  
**Description:**

**Select equivalent:** AWD\_PROGRAM\_QUESTION.ADDDATE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 0a8, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Modoper

---

Type: Character  
 Description:

Select equivalent: AWD\_PROGRAM\_QUESTION.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 0a9, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Moddate  
 Type: Date  
 Description:

Select equivalent: AWD\_PROGRAM\_QUESTION.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0aa, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Attachment Requirements</b>
Description:	Certain materials may be desirable or required for nominees to help the awards team make a decision (e.g. resume or CV, transcript, writing sample, etc.). These materials are described here. The nomination forms (both online and Enterprise) will display the instructions set up here. If a particular attachment is required, validation will occur, and the nomination cannot be saved unless the required number of files for the specified attachment type are included.

---

**Object:** Document Type Code  
**Type:** Character  
**Description:** Code defined by the award  
s team that indicates the  
type of attachment, e.g. r  
esume or writing sample.  
  
**Select equivalent:** AWD\_PROGRAM\_DOCUMENT.DOCUMENT\_TYPE\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 09c, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Description  
**Type:** Character  
**Description:** Free-form text description  
of the desired attachment  
; should indicate if a doc  
ument is required and the  
desired or required quanti  
ty.  
  
**Select equivalent:** AWD\_PROGRAM\_DOCUMENT.DESCRPTION  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 09d, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Number Required  
**Type:** Number  
**Description:** Number of attachments of  
this type that are require  
d; online nomination form  
will check for this quanti  
ty before saving a nominat  
ion.  
  
**Select equivalent:** AWD\_PROGRAM\_DOCUMENT.NUMBER\_REQUIRED  
**Where equivalent:**

**Qualification:** dimension

---



List of values: 09e, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Required Flag**  
 Type: Character  
 Description: Indicates if this attachment type is required; online nomination form will check for an attachment of this type before saving a nomination.  
 Select equivalent: AWD\_PROGRAM\_DOCUMENT.REQUIRED\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 09f, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Addoper**  
 Type: Character  
 Description: User ID of the staff member that first created this record.  
 Select equivalent: AWD\_PROGRAM\_DOCUMENT.ADDOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 09g, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Adddate**  
 Type: Date  
 Description: Date that this record was first created.  
 Select equivalent: AWD\_PROGRAM\_DOCUMENT.ADDDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 09h, editable, manual refresh, not exportable  
 Security access level: 0

Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Modoper**  
 Type: Character  
 Description: User ID of the staff member that last saved a change to this record.  
 Select equivalent: AWD\_PROGRAM\_DOCUMENT.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 09i, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Moddate**  
 Type: Date  
 Description: Date that a change to this record was last saved.  
 Select equivalent: AWD\_PROGRAM\_DOCUMENT.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 09j, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class: **Reviewers Identified for this Award**

Description: When an awards program is set up, the team needs to indicate the type of reviewer - committee or individual. If they select committee, then the lookup for a reviewer will reference committee records and only a single committee can be selected. The current committee members will be displayed on-screen for the team's convenience. If individual reviewers are used, the reviewer lookup will reference individual records (not committee

s or companies). The pool of reviewers for the awards program must be identified before they can be assigned to individual nominees. Scores are then captured per reviewer (per individual or for the committee as a whole). Recognition is not determined automatically based on scores; the awards team indicates those records manually.

Object: Reviewer Name  
 Type: Character  
 Description: Label Name of the reviewer (includes prefix, suffix and any other formatting defined by an administrator in Personify).  
 Select equivalent: Program\_Reviewer\_Customer.LABEL\_NAME  
 Where equivalent:  
 Qualification: dimension  
 List of values: 1a2, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Master Customer ID of Reviewer  
 Type: Character  
 Description: Master Customer ID for the reviewer.  
 Select equivalent: AWD\_PROGRAM\_REVIEWER.MASTER\_CUSTOMER\_ID  
 Where equivalent:  
 Qualification: dimension  
 List of values: 19n, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sub Customer ID of Reviewer  
 Type: Number

Description: Sub Customer ID for the reviewer.  
 Select equivalent: AWD\_PROGRAM\_REVIEWER.SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 19o, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Reviewer Status Code**  
 Type: Character  
 Description: Code that indicates if the reviewer has been invited or not, and if so, if he or she has confirmed or declined the invite.  
 Select equivalent: AWD\_PROGRAM\_REVIEWER.REVIEWER\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 19p, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Additional Details for Reviewers</b>
Description:	Details about the customer that is assigned to review a nomination that do not pertain directly to Awards but may be helpful for reporting.

Object: **Formal Salutation**  
 Type: Character  
 Description:  
 Select equivalent: Program\_Reviewer\_Customer.FORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 1ac, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort

---

Object status: show

---

Object: Informal Salutation

Type: Character

Description:

Select equivalent: Program\_Reviewer\_Customer.INFORMAL\_SALUTATION

Where equivalent:

Qualification: dimension

List of values: 1ad, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Customer Class Code

Type: Character

Description:

Select equivalent: Program\_Reviewer\_Customer.CUSTOMER\_CLASS\_CODE

Where equivalent:

Qualification: dimension

List of values: 1ae, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Customer Status Code

Type: Character

Description:

Select equivalent: Program\_Reviewer\_Customer.CUSTOMER\_STATUS\_CODE

Where equivalent:

Qualification: dimension

List of values: 1af, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Customer Status Date

---

---

Type: Date  
 Description:

Select equivalent: Program\_Reviewer\_Customer.CUSTOMER\_STATUS\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 1ag, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Allow Fax Flag  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.ALLOW\_FAX\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1ah, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Allow Email Flag  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.ALLOW\_EMAIL\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1ai, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Allow Phone Flag  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.ALLOW\_PHONE\_FLAG

---

Where equivalent:

Qualification: dimension  
 List of values: 1aj, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Label Sales Flag**  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.ALLOW\_LABEL\_SALES\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1ak, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Solicitation Flag**  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.ALLOW\_SOLICITATION\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1al, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Internal Mail Flag**  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1am, editable, manual refresh, not exportable

---

---

Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Gender Code**  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.GENDER\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1at, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Birth Date**  
Type: Date  
Description:

Select equivalent: Program\_Reviewer\_Customer.BIRTH\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 1au, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ethnicity Code**  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.ETHNICITY\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1av, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---



---

Object: Annual Income Range Code  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.ANNUAL\_INCOME\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1aw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Job Function Code  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.JOB\_FUNCTION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1ax, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Revenue Range Code  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.REVENUE\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1ay, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Home Phone  
Type: Character  
Description:

---

Select equivalent: Program\_Reviewer\_Customer.HOME\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1bc, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Work Phone  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.WORK\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1bd, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Phone  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.PRIMARY\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1be, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Fax  
Type: Character  
Description:

Select equivalent: Program\_Reviewer\_Customer.PRIMARY\_FAX  
Where equivalent:

Qualification: dimension  
 List of values: 1bf, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Email Address  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.PRIMARY\_EMAIL\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: 1bg, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Url  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.PRIMARY\_URL  
 Where equivalent:

Qualification: dimension  
 List of values: 1bh, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Job Title  
 Type: Character  
 Description:

Select equivalent: Program\_Reviewer\_Customer.PRIMARY\_JOB\_TITLE  
 Where equivalent:

Qualification: dimension  
 List of values: 1bi, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort

---

Object status: show

---

Object: **Default Language Code**

Type: Character

Description:

Select equivalent: Program\_Reviewer\_Customer.DEFAULT\_LANGUAGE\_CODE

Where equivalent:

Qualification: dimension

List of values: 1br, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Preferred Comm Method Code**

Type: Character

Description:

Select equivalent: Program\_Reviewer\_Customer.PREFERRED\_COMM\_METHOD\_CODE

Where equivalent:

Qualification: dimension

List of values: 1by, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Last First Name**

Type: Character

Description:

Select equivalent: Program\_Reviewer\_Customer.LAST\_FIRST\_NAME

Where equivalent:

Qualification: dimension

List of values: 1c1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	<b>Recognition</b>
Description:	An award program can inclu

de multiple types of recognition (e.g. 1st, 2nd and 3rd place). Recognition levels and descriptions are defined by the awards team. If the team determines that more than one nominee deserves a particular award (e.g. there is a tie for 1st place), then additional records can be created as necessary, with distinct recognition level codes (e.g. FIRST\_PLACE and FIRST\_PLACE\_2). When a decision has been made, the award winner(s) are identified in this table. This can be done at any time, regardless of nominations; however, if the awards program has been flagged as 'Requires Nomination', then the pool of available winners is limited to customers that have received nominations for this award.

Object:	Nominee that Received this Recognition
Type:	Character
Description:	Label Name of the nominee that received this recognition (includes prefix, suffix and any other formatting defined by an administrator in Personify).
Select equivalent:	Program_Recognition_Customer.LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	1dk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	Nominee Recognized Master Customer ID
---------	---------------------------------------

---

Type: Character  
 Description: Master Customer Id of the nominee that received this recognition for this award.  
 Select equivalent: AWD\_PROGRAM\_RECOGNITION.NOMINEE\_MASTER\_CUSTOMER\_ID  
 Where equivalent:  
 Qualification: dimension  
 List of values: 19a, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Nominee Recognized Sub Customer ID  
 Type: Number  
 Description: Master Customer Id of the nominee that received this recognition for this award.  
 Select equivalent: AWD\_PROGRAM\_RECOGNITION.NOMINEE\_SUB\_CUSTOMER\_ID  
 Where equivalent:  
 Qualification: dimension  
 List of values: 19b, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Award Nominee ID  
 Type: Number  
 Description: Auto-number assigned by Personify to uniquely identify the nominee record.  
 Select equivalent: AWD\_PROGRAM\_RECOGNITION.AWARD\_NOMINEE\_ID  
 Where equivalent:  
 Qualification: dimension  
 List of values: 196, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** Recognition Level Code  
**Type:** Character  
**Description:** Code that indicates multiple levels of award, if necessary (e.g. FIRST, SECOND, etc.).  
**Select equivalent:** AWD\_PROGRAM\_RECOGNITION.RECOGNITION\_LEVEL\_CODE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 197, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Description of Recognition  
**Type:** Character  
**Description:** Free-form text description of a particular type of recognition (e.g. First Place Blue Ribbon, Honorable Mention, etc.).  
**Select equivalent:** AWD\_PROGRAM\_RECOGNITION.DESCRPTION  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 198, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Amount  
**Type:** Number  
**Description:** If monetary prize is associated with a particular award, it can be indicated here.  
**Select equivalent:** AWD\_PROGRAM\_RECOGNITION.AMOUNT  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 199, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort

---

Object status: show

---

Object: Award Date

Type: Date

Description:

Select equivalent: AWD\_PROGRAM\_RECOGNITION.AWARD\_DATE

Where equivalent:

Qualification: dimension

List of values: 19c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Comments Related to Recognition

Type: Character

Description: Free-form text that can be used by the awards team to track any information related to this award, e.g. logistics, communication, to do's.

Select equivalent: AWD\_PROGRAM\_RECOGNITION.COMMENTS

Where equivalent:

Qualification: dimension

List of values: 19d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Details for Customer Recognized for this Award

Description: Details about the customer that has received recognition for this award that do not pertain directly to Awards but may be helpful for reporting.

Object: Formal Salutation

Type: Character

Description:



---

Select equivalent: Program\_Recognition\_Customer.FORMAL\_SALUTATION  
Where equivalent:

Qualification: dimension  
List of values: 1du, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Informal Salutation  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.INFORMAL\_SALUTATION  
Where equivalent:

Qualification: dimension  
List of values: 1dv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Class Code  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.CUSTOMER\_CLASS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1dw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Code  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.CUSTOMER\_STATUS\_CODE  
Where equivalent:

Qualification: dimension

---

List of values: 1dx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Customer Status Date**  
 Type: Date  
 Description:

Select equivalent: Program\_Recognition\_Customer.CUSTOMER\_STATUS\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 1dy, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Fax Flag**  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.ALLOW\_FAX\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1e0, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Email Flag**  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.ALLOW\_EMAIL\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1e1, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

Object: Allow Phone Flag  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.ALLOW\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1e2, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Label Sales Flag  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.ALLOW\_LABEL\_SALES\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1e3, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Solicitation Flag  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.ALLOW\_SOLICITATION\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1e4, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Internal Mail Flag  
Type: Character

---

## Description:

Select equivalent: Program\_Recognition\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1e5, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: Gender Code  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.GENDER\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1ec, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: Birth Date  
Type: Date  
Description:

Select equivalent: Program\_Recognition\_Customer.BIRTH\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 1ed, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: Ethnicity Code  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.ETHNICITY\_CODE  
Where equivalent:

Qualification: dimension  
 List of values: 1ee, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Annual Income Range Code  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.ANNUAL\_INCOME\_RANGE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1ef, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Job Function Code  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.JOB\_FUNCTION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1eg, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Revenue Range Code  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.REVENUE\_RANGE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1eh, editable, manual refresh, not exportable  
 Security access level: 0

---

Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Staff Range Code**  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.STAFF\_RANGE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1ei, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Home Phone**  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.HOME\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: 1eu, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Work Phone**  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.WORK\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: 1ev, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

Object: Primary Phone  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1ew, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Fax  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_FAX  
Where equivalent:

Qualification: dimension  
List of values: 1ex, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Email Address  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_EMAIL\_ADDRESS  
Where equivalent:

Qualification: dimension  
List of values: 1ey, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Url  
Type: Character  
Description:

---

---

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_URL  
Where equivalent:

Qualification: dimension  
List of values: 1f0, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Job Title  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_JOB\_TITLE  
Where equivalent:

Qualification: dimension  
List of values: 1f1, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Phone Location Code  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_PHONE\_LOCATION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1f2, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Email Location Code  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_EMAIL\_LOCATION\_CODE  
Where equivalent:

Qualification: dimension

---



List of values: 1f3, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Fax Location Code  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.PRIMARY\_FAX\_LOCATION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1f4, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Publish Primary Fax Flag  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.PUBLISH\_PRIMARY\_FAX\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1f5, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Publish Primary Phone Flag  
 Type: Character  
 Description:

Select equivalent: Program\_Recognition\_Customer.PUBLISH\_PRIMARY\_PHONE\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1f6, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

Object: Publish Primary Email Flag  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PUBLISH\_PRIMARY\_EMAIL\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1f7, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Publish Home Phone Flag  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PUBLISH\_HOME\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1f8, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Publish Work Phone Flag  
Type: Character  
Description:

Select equivalent: Program\_Recognition\_Customer.PUBLISH\_WORK\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1f9, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Default Language Code  
Type: Character

---

## Description:

Select equivalent: Program\_Recognition\_Customer.DEFAULT\_LANGUAGE\_CODE

Where equivalent:

Qualification: dimension

List of values: 1fa, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Preferred Comm Method Code

Type: Character

Description:

Select equivalent: Program\_Recognition\_Customer.PREFERRED\_COMM\_METHOD\_CODE

Where equivalent:

Qualification: dimension

List of values: 1fh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Last First Name

Type: Character

Description:

Select equivalent: Program\_Recognition\_Customer.LAST\_FIRST\_NAME

Where equivalent:

Qualification: dimension

List of values: 1fj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Sponsors

Description: If an awards team wishes to track a sponsor(s) for each program, they can do so by referencing that customer

---

record.

Object: Sponsor Name  
 Type: Character  
 Description: Label name of the sponsor.  
 Select equivalent: Sponsor\_Customer.LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 1py, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sponsor Master Customer ID  
 Type: Character  
 Description: Master Customer ID for the sponsor.  
 Select equivalent: AWD\_PROGRAM\_SPONSOR.MASTER\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 18q, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sponsor Sub Customer ID  
 Type: Number  
 Description: Sub Customer ID for the sponsor.  
 Select equivalent: AWD\_PROGRAM\_SPONSOR.SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 18r, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sponsorship Amount  
 Type: Number  
 Description: Monetary value of the sponsorship, if any.  
 Select equivalent: AWD\_PROGRAM\_SPONSOR.AMOUNT  
 Where equivalent:

---

Qualification: dimension  
 List of values: 18s, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sponsor Point of Contact Name  
 Type: Character  
 Description: Label Name of the sponsor  
 's point of contact, if the  
 sponsor is a company or o  
 ther organization.  
 Select equivalent: Sponsor\_Contact\_Customer.LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 1th, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sponsor Point of Contact Master Customer ID  
 Type: Character  
 Description: Master Customer ID for th  
 e sponsor's point of conta  
 ct, if the sponsor is a co  
 mpany or other organizati  
 on.  
 Select equivalent: AWD\_PROGRAM\_SPONSOR.CONTACT\_MASTER\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 18t, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Sponsor Point of Contact Sub Customer ID  
 Type: Number  
 Description: Sub Customer ID for the sponsor's point of contact.  
 Select equivalent: AWD\_PROGRAM\_SPONSOR.CONTACT\_SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 18u, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Description of Sponsorship  
 Type: Character  
 Description: Free-form text that describes the sponsorship.  
 Select equivalent: AWD\_PROGRAM\_SPONSOR.DESCRPTION  
 Where equivalent:

Qualification: dimension  
 List of values: 18v, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class: Additional Sponsor Customer Details Description:
--

Object: Formal Salutation  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.FORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 1q9, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Informal Salutation  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.INFORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension

---

---

List of values: 1qa, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Class Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.CUSTOMER\_CLASS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1qb, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.CUSTOMER\_STATUS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1qc, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Date  
Type: Date  
Description:

Select equivalent: Sponsor\_Customer.CUSTOMER\_STATUS\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 1qd, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object: Allow Fax Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.ALLOW\_FAX\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1qe, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Email Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.ALLOW\_EMAIL\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1qf, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Phone Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.ALLOW\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1qg, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Label Sales Flag  
Type: Character



Description:

Select equivalent: Sponsor\_Customer.ALLOW\_LABEL\_SALES\_FLAG

Where equivalent:

Qualification: dimension

List of values: 1qh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Solicitation Flag

Type: Character

Description:

Select equivalent: Sponsor\_Customer.ALLOW\_SOLICITATION\_FLAG

Where equivalent:

Qualification: dimension

List of values: 1qi, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Internal Mail Flag

Type: Character

Description:

Select equivalent: Sponsor\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG

Where equivalent:

Qualification: dimension

List of values: 1qj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Annual Income Range Code

Type: Character

Description:

Select equivalent: Sponsor\_Customer.ANNUAL\_INCOME\_RANGE\_CODE

Where equivalent:

---

---

Qualification: dimension  
List of values: 1qt, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Job Function Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.JOB\_FUNCTION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1qu, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Revenue Range Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.REVENUE\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1qv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Staff Range Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.STAFF\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1qw, editable, manual refresh, not exportable  
Security access level: 0

---

Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Exhibitor Flag**  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.EXHIBITOR\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1r7, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Home Phone**  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.HOME\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: 1r9, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Work Phone**  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.WORK\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: 1ra, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

Object: Primary Phone  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1rb, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Fax  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_FAX  
Where equivalent:

Qualification: dimension  
List of values: 1rc, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Email Address  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_EMAIL\_ADDRESS  
Where equivalent:

Qualification: dimension  
List of values: 1rd, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Url  
Type: Character  
Description:

---

Select equivalent: Sponsor\_Customer.PRIMARY\_URL  
Where equivalent:

Qualification: dimension  
List of values: 1re, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Job Title  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_JOB\_TITLE  
Where equivalent:

Qualification: dimension  
List of values: 1rf, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Phone Location Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_PHONE\_LOCATION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1rg, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Email Location Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_EMAIL\_LOCATION\_CODE  
Where equivalent:

Qualification: dimension

List of values: 1rh, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Fax Location Code  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.PRIMARY\_FAX\_LOCATION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1ri, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Preferred Comm Method Code  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.PREFERRED\_COMM\_METHOD\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1rv, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Advertiser Flag  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.ADVERTISER\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1sr, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

Object: Advertising Agency Flag  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Customer.ADVERTISING\_AGENCY\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 1ss, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	Additional Sponsor Contact Customer
Description:	

Object: Formal Salutation  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.FORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 1tr, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Informal Salutation  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.INFORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 1ts, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Customer Class Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.CUSTOMER\_CLASS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1tt, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.CUSTOMER\_STATUS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1tu, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Date  
Type: Date  
Description:

Select equivalent: Sponsor\_Contact\_Customer.CUSTOMER\_STATUS\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 1tv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Fax Flag  
Type: Character  
Description:

---



---

Select equivalent: Sponsor\_Contact\_Customer.ALLOW\_FAX\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1tw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Email Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.ALLOW\_EMAIL\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1tx, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Phone Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.ALLOW\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1ty, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Label Sales Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.ALLOW\_LABEL\_SALES\_FLAG  
Where equivalent:

---

Qualification: dimension  
List of values: 1u0, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Solicitation Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.ALLOW\_SOLICITATION\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1u1, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Internal Mail Flag  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1u2, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Job Function Code  
Type: Character  
Description:

Select equivalent: Sponsor\_Contact\_Customer.JOB\_FUNCTION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1ud, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort

---

---

Object status: show

---

Object: Home Phone

Type: Character

Description:

Select equivalent: Sponsor\_Contact\_Customer.HOME\_PHONE

Where equivalent:

Qualification: dimension

List of values: 1ur, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Work Phone

Type: Character

Description:

Select equivalent: Sponsor\_Contact\_Customer.WORK\_PHONE

Where equivalent:

Qualification: dimension

List of values: 1us, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Primary Phone

Type: Character

Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_PHONE

Where equivalent:

Qualification: dimension

List of values: 1ut, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Primary Fax

---

---

Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_FAX  
 Where equivalent:

Qualification: dimension  
 List of values: 1uu, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Email Address  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_EMAIL\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: 1uv, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Url  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_URL  
 Where equivalent:

Qualification: dimension  
 List of values: 1uw, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Job Title  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_JOB\_TITLE

---

Where equivalent:

Qualification: dimension  
 List of values: 1ux, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Phone Location Code  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_PHONE\_LOCATION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1uy, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Email Location Code  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_EMAIL\_LOCATION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1v0, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Fax Location Code  
 Type: Character  
 Description:

Select equivalent: Sponsor\_Contact\_Customer.PRIMARY\_FAX\_LOCATION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1v1, editable, manual refresh, not exportable

---

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Award Nominees and Nominations</b>
Description:	Provides a record for every nominee for each instance of an award, i.e. Pat Smith for the 2011 Leadership Award. Some nominees may appear in the table more than once, because they were nominated for multiple awards. Each nominee has a single record per award, even if they were nominated by multiple parties.

Object: **Nominee Name**  
 Type: Character  
 Description: Label name of a customer that has been nominated for or an award (includes prefix, suffix and any other formatting defined by an administrator in Personify).  
 Select equivalent: Nominee\_Customer.LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 15c, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Master Customer ID**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE.MASTER\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 010, editable, manual refresh, not exportable  
 Security access level: 0

Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Sub Customer ID**  
 Type: Number  
 Description:

Select equivalent: AWD\_NOMINEE.SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 011, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Status Code**  
 Type: Character  
 Description: Code that indicates what s  
 tage a nomination is in, e  
 .g. just received, in revi  
 ew or awarded.  
 Select equivalent: AWD\_NOMINEE.NOMINEE\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 012, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Status Date**  
 Type: Date  
 Description: Updated with the system d  
 ate when a change to the  
 nominee status is saved.  
 Select equivalent: AWD\_NOMINEE.NOMINEE\_STATUS\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 013, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort

---

Object status: show

---

Object: **Nominee Created Online Flag**  
 Type: Character  
 Description: Indicates if the nominee was created via the web nomination form.  
 Select equivalent: AWD\_NOMINEE.NOMINEE\_CREATED\_ONLINE\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 014, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Nominations Received for this Nominee</b>
Description:	Provides a record for every instance of an award, i.e. each cycle where recognition is granted. Some organizations may give out annual awards, others may use a different time frame. A distinct record per program is captured in this table that describes each award, including nomination questions, sponsor (if any), recognition, etc.

Object: **Nominator Name**  
 Type: Character  
 Description: Label Name of the customer that submitted the nomination (includes prefix, suffix and any other formatting defined by an administrator in Personify). May be the same as the nominee.  
 Select equivalent: Nominee\_Nomination\_Customer.LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 15d, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort



Object status: show

---

Object: **Nominator Master Customer ID**  
 Type: Character  
 Description: Identifies the customer that submitted the nomination.  
 Select equivalent: AWD\_NOMINEE\_NOMINATION.MASTER\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 01f, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominator Sub Customer ID**  
 Type: Number  
 Description: Identifies the customer that submitted the nomination.  
 Select equivalent: AWD\_NOMINEE\_NOMINATION.SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 01g, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nomination Date**  
 Type: Date  
 Description: Auto-populated date that is set when this nomination record is first saved.  
 Select equivalent: AWD\_NOMINEE\_NOMINATION.NOMINATION\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 01h, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **First Nomination Flag**  
 Type: Character

Description: Indicates if this nomination is the first for this nominee, for this award.

Select equivalent: AWD\_NOMINEE\_NOMINATION.FIRST\_NOMINATION\_FLAG

Where equivalent:

Qualification: dimension

List of values: 01i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	Questions Answered by Nominator
Description:	Questions about a nominee are set up per award and will be made visible on the nomination forms (both online and Enterprise). Questions and responses are free-form text.

Object: Award Nomination Question

Type: Character

Description: Free-form text that asks the question that will be posed on the nomination form, e.g. 'How long have you known the nominee?'

Select equivalent: AWD\_PROGRAM\_QUESTION.DESCRPTION

Where equivalent:

Qualification: dimension

List of values: 0ag, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Response to Question

Type: Character

Description: Text answer submitted by the nominator in response to a question.

Select equivalent: AWD\_NOMINEE\_QUESTION.RESPONSE

Where equivalent:

Qualification: dimension

List of values: 0ai, editable, manual refresh, not exportable

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Attachments Provided by Nominator</b>
Description:	Certain materials may be desirable or required for nominees to help the awards team make a decision (e.g. resume or CV, transcript, writing sample, etc.). These materials are described here. The nomination forms (both online and Enterprise) will display the instructions set up here. If a particular attachment is required, validation will occur, and the nomination cannot be saved unless the required number of files for the specified attachment type are included.

Object: **Document Type Code**  
 Type: Character  
 Description: Code that indicates the type of attachment, e.g. Resume or Photo.  
 Select equivalent: AWD\_NOMINEE\_DOCUMENT.DOCUMENT\_TYPE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 09q, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Url**  
 Type: Character  
 Description: Indicates the file path for the uploaded document.  
 Select equivalent: AWD\_NOMINEE\_DOCUMENT.URL  
 Where equivalent:

Qualification: dimension  
 List of values: 09r, editable, manual refresh, not exportable  
 Security access level: 0

Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Actual File Name**  
 Type: Character  
 Description: File name entered by the user performing the attachment upload, e.g. 'Resume \_2011'.  
 Select equivalent: AWD\_NOMINEE\_DOCUMENT.ACTUAL\_FILE\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 1pm, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Description**  
 Type: Character  
 Description: Free-form text description of the desired attachment ; should indicate if a document is required and the desired or required quantity.  
 Select equivalent: Award\_Program\_Document.DESCRPTION  
 Where equivalent:

Qualification: dimension  
 List of values: 1p5, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Required Flag**  
 Type: Character  
 Description: Indicates if this attachment type is required; online nomination form will check for an attachment of this type before saving a nomination.

Select equivalent: Award\_Program\_Document.REQUIRED\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 1p7, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Number Required**  
Type: Number  
Description: Number of attachments of this type that are required; online nomination form will check for this quantity before saving a nomination.

Select equivalent: Award\_Program\_Document.NUMBER\_REQUIRED  
Where equivalent:

Qualification: dimension  
List of values: 1p6, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Award Document ID**  
Type: Number  
Description: Auto-number assigned by Personify to identify each attachment.  
Select equivalent: AWD\_NOMINEE\_DOCUMENT.AWARD\_DOCUMENT\_ID  
Where equivalent:

Qualification: dimension  
List of values: 09x, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Award Nominee Document ID**  
Type: Number  
Description:

Select equivalent: AWD\_NOMINEE\_DOCUMENT.AWARD\_NOMINEE\_DOCUMENT\_ID

Where equivalent:

Qualification: dimension  
 List of values: 1pf, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Additional Nominator Details</b>
Description:	Details about the customer that submitted a nomination that do not pertain directly to Awards but may be helpful for reporting.

Object: **Formal Salutation**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.FORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 0mx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Informal Salutation**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.INFORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 0my, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Customer Class Code**  
 Type: Character  
 Description:

---

Select equivalent: Nominee\_Nomination\_Customer.CUSTOMER\_CLASS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 0n0, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Code  
Type: Character  
Description:

Select equivalent: Nominee\_Nomination\_Customer.CUSTOMER\_STATUS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 0n1, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Fax Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Nomination\_Customer.ALLOW\_FAX\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 0n3, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Email Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Nomination\_Customer.ALLOW\_EMAIL\_FLAG  
Where equivalent:

Qualification: dimension  
 List of values: 0n4, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Phone Flag**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.ALLOW\_PHONE\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 0n5, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Internal Mail Flag**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 0n8, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Home Phone**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.HOME\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: 0nx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort

---



---

Object status: show

---

Object: Work Phone

Type: Character

Description:

Select equivalent: Nominee\_Nomination\_Customer.WORK\_PHONE

Where equivalent:

Qualification: dimension

List of values: Ony, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Primary Phone

Type: Character

Description:

Select equivalent: Nominee\_Nomination\_Customer.PRIMARY\_PHONE

Where equivalent:

Qualification: dimension

List of values: 0o0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Primary Fax

Type: Character

Description:

Select equivalent: Nominee\_Nomination\_Customer.PRIMARY\_FAX

Where equivalent:

Qualification: dimension

List of values: 0o1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Primary Email Address

---

---

Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.PRIMARY\_EMAIL\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: 0o2, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Primary Url  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.PRIMARY\_URL  
 Where equivalent:

Qualification: dimension  
 List of values: 0o3, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Default Language Code  
 Type: Character  
 Description:

Select equivalent: Nominee\_Nomination\_Customer.DEFAULT\_LANGUAGE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 0od, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Preferred Communication Method  
 Type: Character  
 Description: Indicates if the user prefers to receive email, fax, standard mail, or a phone

---

call.  
 Select equivalent: Nominee\_Nomination\_Customer.PREFERRED\_COMM\_METHOD\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 0ok, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

**Class: Conditions for Nominee Eligibility**

**Description:** An award program may require nominees to meet certain conditions before they are deemed qualified, e.g. if the award is age-based, then the nominee's age must be verified. These optional conditions are set up by the awards team and are manually verified as nominations are received. The conditions are described in free-form text and the possible responses are yes or no.

Object: Condition Description  
 Type: Character  
 Description: Text that describes a precondition for eligibility in the awards program, e.g. age.  
 Select equivalent: AWD\_PROGRAM\_CONDITION.DESCRPTION  
 Where equivalent:

Qualification: dimension  
 List of values: 15g, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Validated Flag  
 Type: Character

Description: Indicates if the condition described has been met.  
 Select equivalent: AWD\_NOMINEE\_CONDITION.VALIDATED\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 0b5, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Validated By**  
 Type: Character  
 Description: User ID of the staff member that indicated that this condition has been met.  
 Select equivalent: AWD\_NOMINEE\_CONDITION.VALIDATED\_BY  
 Where equivalent:

Qualification: dimension  
 List of values: 0b6, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Validation Date**  
 Type: Date  
 Description: Date and time stamp when this condition was marked as met.  
 Select equivalent: AWD\_NOMINEE\_CONDITION.VALIDATION\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0b7, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Reviewer(s) Assigned to Nominee</b>
Description:	When an awards program is set up, the team needs to indicate the type of reviewer - committee or individual. If they select committee, then the lookup for a reviewer will reference committee

ee records and only a single committee can be selected. The current committee members will be displayed on-screen for the team's convenience. If individual reviewers are used, the reviewer lookup will reference individual records (not committees or companies). The pool of reviewers for the awards program must be identified before they can be assigned to individual nominees. Scores are then captured per reviewer (per individual or for the committee as a whole). Recognition is not determined automatically based on scores; the awards team indicates those records manually.

Object:	<b>Reviewer Name</b>
Type:	Character
Description:	Label name of a customer that has been assigned as a reviewer for this nominee (includes prefix, suffix and any other formatting defined by an administrator in Personify).
Select equivalent:	Nominee_Reviewer_Customer.LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	1h3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reviewer Master Customer ID</b>
Type:	Character
Description:	Customer ID of the reviewer.
Select equivalent:	AWD_NOMINEE_REVIEWER.MASTER_CUSTOMER_ID

Where equivalent:

Qualification: dimension  
 List of values: 05d, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Reviewer Sub Customer ID  
 Type: Number  
 Description: Sub Customer ID of the reviewer.  
 Select equivalent: AWD\_NOMINEE\_REVIEWER.SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 05e, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Review Status Code  
 Type: Character  
 Description: Code that can be used to track a reviewer's progress.  
 Select equivalent: AWD\_NOMINEE\_REVIEWER.REVIEW\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 05f, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Assigned Date  
 Type: Date  
 Description: Date this reviewer record was assigned to this nominee award record.  
 Select equivalent: AWD\_NOMINEE\_REVIEWER.ASSIGNED\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 05g, editable, manual refresh, not exportable  
 Security access level: 0

---

Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Review Date**  
Type: Date  
Description: Date the reviewer completes the review for this nominee award record.  
Select equivalent: AWD\_NOMINEE\_REVIEWER.REVIEW\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 05h, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Score**  
Type: Number  
Description: Numeric field to capture score, if necessary.  
Select equivalent: AWD\_NOMINEE\_REVIEWER.SCORE  
Where equivalent:

Qualification: dimension  
List of values: 05i, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Comments**  
Type: Character  
Description: Free-form text about a candidate, if desired.  
Select equivalent: AWD\_NOMINEE\_REVIEWER.COMMENTS  
Where equivalent:

Qualification: dimension  
List of values: 05j, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Additional Reviewer Details</b>
Description:	Details about the customer

that is assigned to review a nomination that do not pertain directly to Awards but may be helpful for reporting.

Object: **Formal Salutation**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.FORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 1kv, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Informal Salutation**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.INFORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 1kw, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Customer Class Code**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.CUSTOMER\_CLASS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1kx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show



---

Object: Customer Status Code  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.CUSTOMER\_STATUS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1ky, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Customer Status Date  
Type: Date  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.CUSTOMER\_STATUS\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 110, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Fax Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.ALLOW\_FAX\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 111, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Email Flag  
Type: Character

---

---

Description:

Select equivalent: Nominee\_Reviewer\_Customer.ALLOW\_EMAIL\_FLAG

Where equivalent:

Qualification: dimension

List of values: 112, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Phone Flag

Type: Character

Description:

Select equivalent: Nominee\_Reviewer\_Customer.ALLOW\_PHONE\_FLAG

Where equivalent:

Qualification: dimension

List of values: 113, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Label Sales Flag

Type: Character

Description:

Select equivalent: Nominee\_Reviewer\_Customer.ALLOW\_LABEL\_SALES\_FLAG

Where equivalent:

Qualification: dimension

List of values: 114, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Solicitation Flag

Type: Character

Description:

Select equivalent: Nominee\_Reviewer\_Customer.ALLOW\_SOLICITATION\_FLAG

Where equivalent:

---

Qualification: dimension  
 List of values: 115, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Internal Mail Flag**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 116, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Gender Code**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.GENDER\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 11d, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Birth Date**  
 Type: Date  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.BIRTH\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 11e, editable, manual refresh, not exportable  
 Security access level: 0

---

---

Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ethnicity Code**  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.ETHNICITY\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1lf, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Annual Income Range Code**  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.ANNUAL\_INCOME\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1lg, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Job Function Code**  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.JOB\_FUNCTION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1lh, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object: Revenue Range Code  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.REVENUE\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1li, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Staff Range Code  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.STAFF\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 1lj, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Home Phone  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.HOME\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1lv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Work Phone  
Type: Character  
Description:

---

---

Select equivalent: Nominee\_Reviewer\_Customer.WORK\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1lw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Phone  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.PRIMARY\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 1lx, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Fax  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.PRIMARY\_FAX  
Where equivalent:

Qualification: dimension  
List of values: 1ly, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Email Address  
Type: Character  
Description:

Select equivalent: Nominee\_Reviewer\_Customer.PRIMARY\_EMAIL\_ADDRESS  
Where equivalent:

Qualification: dimension

---

List of values: 1m0, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Primary Url**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.PRIMARY\_URL  
 Where equivalent:

Qualification: dimension  
 List of values: 1m1, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Primary Job Title**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.PRIMARY\_JOB\_TITLE  
 Where equivalent:

Qualification: dimension  
 List of values: 1m2, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Default Language Code**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Reviewer\_Customer.DEFAULT\_LANGUAGE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 1mb, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** Preferred Comm Method Code  
**Type:** Character  
**Description:**

**Select equivalent:** Nominee\_Reviewer\_Customer.PREFERRED\_COMM\_METHOD\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 1mi, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Last First Name  
**Type:** Character  
**Description:**

**Select equivalent:** Nominee\_Reviewer\_Customer.LAST\_FIRST\_NAME  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 1mk, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Cus Volunteer Flag  
**Type:** Character  
**Description:**

**Select equivalent:** Nominee\_Reviewer\_Customer.CUS\_VOLUNTEER\_FLAG  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 1nd, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

<b>Class:</b> Additional Nominee Details <b>Description:</b> Personify data that pertain s to a customer, not directl
---



y related to an award.

Object: **Formal Salutation**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.FORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 0fw, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Informal Salutation**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.INFORMAL\_SALUTATION  
 Where equivalent:

Qualification: dimension  
 List of values: 0fx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Customer Class Code**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.CUSTOMER\_CLASS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 0fy, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Customer Status Code**  
 Type: Character

---

Description:

Select equivalent: Nominee\_Customer.CUSTOMER\_STATUS\_CODE

Where equivalent:

Qualification: dimension

List of values: 0g0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Fax Flag

Type: Character

Description:

Select equivalent: Nominee\_Customer.ALLOW\_FAX\_FLAG

Where equivalent:

Qualification: dimension

List of values: 0g2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Email Flag

Type: Character

Description:

Select equivalent: Nominee\_Customer.ALLOW\_EMAIL\_FLAG

Where equivalent:

Qualification: dimension

List of values: 0g3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Allow Phone Flag

Type: Character

Description:

Select equivalent: Nominee\_Customer.ALLOW\_PHONE\_FLAG

Where equivalent:

---

---

Qualification: dimension  
List of values: 0g4, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Allow Internal Mail Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.ALLOW\_INTERNAL\_MAIL\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 0g7, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Gender Code  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.GENDER\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 0ge, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Birth Date  
Type: Date  
Description:

Select equivalent: Nominee\_Customer.BIRTH\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 0gf, editable, manual refresh, not exportable  
Security access level: 0

---

---

Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ethnicity Code**  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.ETHNICITY\_CODE  
Where equivalent:

Qualification: dimension  
List of values: Ogg, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Annual Income Range Code**  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.ANNUAL\_INCOME\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: Ogh, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Job Function Code**  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.JOB\_FUNCTION\_CODE  
Where equivalent:

Qualification: dimension  
List of values: Ogi, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object: Revenue Range Code  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.REVENUE\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 0gj, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Staff Range Code  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.STAFF\_RANGE\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 0gk, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Foundation Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.FOUNDATION\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 0gl, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Exhibitor Flag  
Type: Character  
Description:

---

---

Select equivalent: Nominee\_Customer.EXHIBITOR\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 0gu, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Home Phone  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.HOME\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 0gw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Work Phone  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.WORK\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: 0gx, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Phone  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PRIMARY\_PHONE  
Where equivalent:

Qualification: dimension

---

---

List of values: Ogy, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Fax  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PRIMARY\_FAX  
Where equivalent:

Qualification: dimension  
List of values: 0h0, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Email Address  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PRIMARY\_EMAIL\_ADDRESS  
Where equivalent:

Qualification: dimension  
List of values: 0h1, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Primary Url  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PRIMARY\_URL  
Where equivalent:

Qualification: dimension  
List of values: 0h2, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object: Primary Job Title  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PRIMARY\_JOB\_TITLE  
Where equivalent:

Qualification: dimension  
List of values: 0h3, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Publish Primary Fax Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PUBLISH\_PRIMARY\_FAX\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 0h7, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Publish Primary Phone Flag  
Type: Character  
Description:

Select equivalent: Nominee\_Customer.PUBLISH\_PRIMARY\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 0h8, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Publish Primary Email Flag  
Type: Character

---



Description:

Select equivalent: Nominee\_Customer.PUBLISH\_PRIMARY\_EMAIL\_FLAG

Where equivalent:

Qualification: dimension

List of values: 0h9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Publish Home Phone Flag

Type: Character

Description:

Select equivalent: Nominee\_Customer.PUBLISH\_HOME\_PHONE\_FLAG

Where equivalent:

Qualification: dimension

List of values: 0ha, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Publish Work Phone Flag

Type: Character

Description:

Select equivalent: Nominee\_Customer.PUBLISH\_WORK\_PHONE\_FLAG

Where equivalent:

Qualification: dimension

List of values: 0hb, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: Default Language Code

Type: Character

Description:

Select equivalent: Nominee\_Customer.DEFAULT\_LANGUAGE\_CODE

Where equivalent:

---

Qualification: dimension  
 List of values: 0hc, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Preferred Communication Method  
 Type: Character  
 Description: Indicates if the user prefers to receive email, fax, standard mail, or a phone call.  
 Select equivalent: Nominee\_Customer.PREFERRED\_COMM\_METHOD\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 0hj, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Last First Name  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.LAST\_FIRST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 0hl, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Volunteer Flag  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.CUS\_VOLUNTEER\_FLAG  
 Where equivalent:

Qualification: dimension

---

List of values: 0ie, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow System Notification Flag**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.ALLOW\_SYSTEM\_NOTIFICATION\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 0ip, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Marital Status Code**  
 Type: Character  
 Description:

Select equivalent: Nominee\_Customer.MARITAL\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 0ir, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Award Nominee Addresses</b>
Description:	

Object: **Address 1**  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.ADDRESS\_1  
 Where equivalent:

Qualification: dimension  
 List of values: 144, editable, manual refresh, not exportable

---

Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Address 2  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.ADDRESS\_2  
Where equivalent:

Qualification: dimension  
List of values: 145, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Address 3  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.ADDRESS\_3  
Where equivalent:

Qualification: dimension  
List of values: 146, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Address 4  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.ADDRESS\_4  
Where equivalent:

Qualification: dimension  
List of values: 147, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object: **City**  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.CITY  
Where equivalent:

Qualification: dimension  
List of values: 148, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **State**  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.STATE  
Where equivalent:

Qualification: dimension  
List of values: 149, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Postal Code**  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.POSTAL\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 14a, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Country Code**  
Type: Character  
Description:

---

---

Select equivalent: CUS\_ADDRESS.COUNTRY\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 14b, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Country Descr  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.COUNTRY\_DESCR  
Where equivalent:

Qualification: dimension  
List of values: 14c, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: County  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.COUNTY  
Where equivalent:

Qualification: dimension  
List of values: 14d, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Formatted Address  
Type: Character  
Description:

Select equivalent: CUS\_ADDRESS.FORMATTED\_ADDRESS  
Where equivalent:

Qualification: dimension  
 List of values: 14e, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Address Status Code**  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.ADDRESS\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 14f, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **One Time Use Flag**  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.ONE\_TIME\_USE\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 14g, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Other Details</b>
Description:	

Object: **Congressional District**  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.CONGRESSIONAL\_DISTRICT  
 Where equivalent:

Qualification: dimension

List of values: 14l, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: School District  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.SCHOOL\_DISTRICT  
 Where equivalent:

Qualification: dimension  
 List of values: 14m, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Commission District  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.COMMISSION\_DISTRICT  
 Where equivalent:

Qualification: dimension  
 List of values: 14n, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Ward District  
 Type: Character  
 Description:

Select equivalent: CUS\_ADDRESS.WARD\_DISTRICT  
 Where equivalent:

Qualification: dimension  
 List of values: 14o, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---



---

**Object:** Assembly District  
**Type:** Character  
**Description:**

**Select equivalent:** CUS\_ADDRESS.ASSEMBLY\_DISTRICT  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 14p, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** Formatted City State Postal  
**Type:** Character  
**Description:**

**Select equivalent:** CUS\_ADDRESS.FORMATTED\_CITY\_STATE\_POSTAL  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 15b, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

<b>Class:</b> Award Nominee Nomination View <b>Description:</b>
--

**Object:** Org ID  
**Type:** Character  
**Description:**

**Select equivalent:** AWD\_NOMINEE\_NOMINATION\_VW.ORG\_ID  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 137, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

Object:	Org Unit ID
Type:	Character
Description:	
Select equivalent:	AWD_NOMINEE_NOMINATION_VW.ORG_UNIT_ID
Where equivalent:	
Qualification:	dimension
List of values:	138, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	Award ID
Type:	Number
Description:	
Select equivalent:	AWD_NOMINEE_NOMINATION_VW.AWARD_ID
Where equivalent:	
Qualification:	dimension
List of values:	139, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	Award Nominee ID
Type:	Number
Description:	
Select equivalent:	AWD_NOMINEE_NOMINATION_VW.AWARD_NOMINEE_ID
Where equivalent:	
Qualification:	dimension
List of values:	13a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	Nominee Created Online Flag
Type:	Character
Description:	

---

Select equivalent: AWD\_NOMINEE\_NOMINATION\_  
VW.NOMINEE\_CREATED\_ONLI  
NE\_FLAG

Where equivalent:

Qualification: dimension  
List of values: 13b, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Award Nominee Nomination ID  
Type: Number  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_  
VW.AWARD\_NOMINEE\_NOMINA  
TION\_ID

Where equivalent:

Qualification: dimension  
List of values: 13c, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominee Master Customer ID  
Type: Character  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_  
VW.NOMINEE\_MASTER\_CUSTO  
MER\_ID

Where equivalent:

Qualification: dimension  
List of values: 13d, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominee Sub Customer ID

---

Type: Number  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_SUB\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: 13e, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominee Label Name  
Type: Character  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_LABEL\_NAME  
Where equivalent:

Qualification: dimension  
List of values: 13f, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominee First Name  
Type: Character  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_FIRST\_NAME  
Where equivalent:

Qualification: dimension  
List of values: 13g, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominee Middle Name  
Type: Character  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_MIDDLE\_NAME

---

Where equivalent:

Qualification: dimension  
 List of values: 13h, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Last Name**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_LAST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 13i, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Last First Name**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_LAST\_FIRST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 13j, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominee Record Type**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_RECORD\_TYPE  
 Where equivalent:

Qualification: dimension  
 List of values: 13k, editable, manual refresh, not exportable

---

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Nominator Master Customer ID  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_  
 VW.NOMINATOR\_MASTER\_CUS  
 TOMER\_ID

Where equivalent:

Qualification: dimension  
 List of values: 13l, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Nominator Sub Customer ID  
 Type: Number  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_  
 VW.NOMINATOR\_SUB\_CUSTOM  
 ER\_ID

Where equivalent:

Qualification: dimension  
 List of values: 13m, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Nominator Label Name  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINATOR\_LABEL\_NAME

Where equivalent:

Qualification: dimension  
 List of values: 13n, editable, manual refresh, not exportable

---

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominator First Name**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINATOR\_FIRST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 13o, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominator Middle Name**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINATOR\_MIDDLE\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 13p, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nominator Last Name**  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINATOR\_LAST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 13q, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

Object: Nominator Last First Name  
Type: Character  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_  
VW.NOMINATOR\_LAST\_FIRST  
\_NAME

Where equivalent:

Qualification: dimension  
List of values: 13r, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominator Record Type  
Type: Character  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINATOR\_RECORD\_TYPE  
Where equivalent:

Qualification: dimension  
List of values: 13s, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nomination Date  
Type: Date  
Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINATION\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 13t, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: Nominee Status Code

---



---

Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 13u, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Nominee Status Date  
 Type: Date  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.NOMINEE\_STATUS\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 13v, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: First Nomination Flag  
 Type: Character  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.FIRST\_NOMINATION\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 13w, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Average Score  
 Type: Number  
 Description:

Select equivalent: AWD\_NOMINEE\_NOMINATION\_VW.AVERAGE\_SCORE

---

Where equivalent:

Qualification: dimension  
 List of values: 13x, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Potential Duplicate Review Flag  
 Type: Character  
 Description:

Select equivalent: Customer\_One\_Click\_Detail  
 s.POTENTIAL\_DUPLICATE\_RE  
 VIEW\_FLAG

Where equivalent:

Qualification: dimension  
 List of values: 20w, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Duplicate Reason  
 Type: Character  
 Description:

Select equivalent: Customer\_One\_Click\_Details.DUPLICATE\_REASON  
 Where equivalent:

Qualification: dimension  
 List of values: 20x, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: Potential Match Probability  
 Type: Number  
 Description:

Select equivalent: Customer\_One\_Click\_Details.POTENTIAL\_MATCH\_PROBABILITY  
 Where equivalent:

---

Qualification:	dimension
List of values:	20y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

## Condition List

### Award Program Information

Conditions for Eligibility

Nomination Questions

Attachment Requirements

Reviewers Identified for this Award

Additional Details for Reviewers

Recognition

Details for Customer Recognized for this Award

Sponsors

Additional Sponsor Customer Details

Additional Sponsor Contact Customer

### Award Nominees and Nominations

Nominations Received for this Nominee

Questions Answered by Nominator

Attachments Provided by Nominator

Additional Nominator Details

Conditions for Nominee Eligibility

Reviewer(s) Assigned to Nominee

Additional Reviewer Details

Additional Nominee Details

Award Nominee Addresses

Other Details

Award Nominee Nomination View

## Conditions

No Conditions

## Hierarchies List

No Hierarchies

## Hierarchies

No Hierarchies

## Tables List

AWD\_NOMINEE  
 AWD\_NOMINEE\_CONDITION  
 AWD\_NOMINEE\_DOCUMENT  
 AWD\_NOMINEE\_NOMINATION  
 AWD\_NOMINEE\_NOMINATION\_VW  
 AWD\_NOMINEE\_QUESTION  
 AWD\_NOMINEE\_REVIEWER  
 AWD\_PROGRAM  
 AWD\_PROGRAM\_CONDITION  
 AWD\_PROGRAM\_DOCUMENT  
 AWD\_PROGRAM\_QUESTION  
 AWD\_PROGRAM\_RECOGNITION  
 AWD\_PROGRAM\_REVIEWER  
 AWD\_PROGRAM\_SPONSOR  
 Award\_Program\_Document  
 Award\_Program\_Reviewer  
 CUSTOMER  
 CUS\_ADDRESS  
 Customer\_One\_Click\_Details  
 Nominee\_Customer  
 Nominee\_Nomination\_Customer  
 Nominee\_Reviewer\_Customer  
 Oversight\_Committee\_Customer  
 PSM\_USER  
 Program\_Recognition\_Customer  
 Program\_Reviewer\_Customer  
 Sponsor\_Contact\_Customer  
 Sponsor\_Customer

## Tables

Table Name:AWD\_NOMINEE

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_NOMINEE_ID	Numeric
AWARD_ID	Numeric

---

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
NOMINEE_STATUS_CODE	Character
NOMINEE_STATUS_DATE	Date
NOMINEE_CREATED_ONLINE_FLAG	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_NOMINEE\_CONDITION

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_NOMINEE_CONDITION_ID	Numeric
AWARD_ID	Numeric
AWARD_CONDITION_ID	Numeric
AWARD_NOMINEE_ID	Numeric
VALIDATED_FLAG	Character
VALIDATED_BY	Character
VALIDATION_DATE	Date
ADDOPER	Character
ADDDATE	Date
MODOPER	Character

---

MODDATE	Date
---------	------

CONCURRENCY_ID	Numeric
----------------	---------

Table Name:AWD\_NOMINEE\_DOCUMENT

Columns

ORG_ID	Character
--------	-----------

ORG_UNIT_ID	Character
-------------	-----------

AWARD_NOMINEE_DOCUMENT_ID	Numeric
---------------------------	---------

AWARD_ID	Numeric
----------	---------

AWARD_DOCUMENT_ID	Numeric
-------------------	---------

AWARD_NOMINEE_NOMINATION_ID	Numeric
-----------------------------	---------

AWARD_NOMINEE_ID	Numeric
------------------	---------

DOCUMENT_TYPE_CODE	Character
--------------------	-----------

URL	Character
-----	-----------

ACTUAL_FILE_NAME	Character
------------------	-----------

ADDOPER	Character
---------	-----------

ADDDATE	Date
---------	------

MODOPER	Character
---------	-----------

MODDATE	Date
---------	------

CONCURRENCY_ID	Numeric
----------------	---------

FILE_UPLOADED_FROM_WEB_FLAG	Character
-----------------------------	-----------

Table Name:AWD\_NOMINEE\_NOMINATION

Columns

ORG_ID	Character
--------	-----------

ORG_UNIT_ID	Character
-------------	-----------

AWARD_NOMINEE_NOMINATION_ID	Numeric
-----------------------------	---------

---

AWARD_NOMINEE_ID	Numeric
AWARD_ID	Numeric
MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
NOMINATION_DATE	Date
FIRST_NOMINATION_FLAG	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_NOMINEE\_NOMINATION\_VW

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_ID	Numeric
AWARD_NOMINEE_ID	Numeric
NOMINEE_CREATED_ONLINE_FLAG	Character
AWARD_NOMINEE_NOMINATION_ID	Numeric
NOMINEE_MASTER_CUSTOMER_ID	Character
NOMINEE_SUB_CUSTOMER_ID	Numeric
NOMINEE_LABEL_NAME	Character
NOMINEE_FIRST_NAME	Character
NOMINEE_MIDDLE_NAME	Character

---

---

NOMINEE_LAST_NAME	Character
NOMINEE_LAST_FIRST_NAME	Character
NOMINEE_RECORD_TYPE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
NOMINATOR_MASTER_CUSTOMER_ID	Character
NOMINATOR_SUB_CUSTOMER_ID	Numeric
NOMINATOR_LABEL_NAME	Character
NOMINATOR_FIRST_NAME	Character
NOMINATOR_MIDDLE_NAME	Character
NOMINATOR_LAST_NAME	Character
NOMINATOR_LAST_FIRST_NAME	Character
NOMINATOR_RECORD_TYPE	Character
NOMINATION_DATE	Date
NOMINEE_STATUS_CODE	Character
NOMINEE_STATUS_DESCR	Character
NOMINEE_STATUS_DATE	Date
FIRST_NOMINATION_FLAG	Character
AVERAGE_SCORE	Numeric

Table Name:AWD\_NOMINEE\_QUESTION

Columns



---

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_ID	Numeric
AWARD_NOMINEE_RESPONSE_ID	Numeric
AWARD_NOMINATION_QUESTION_ID	Numeric
SORT_ORDER	Numeric
AWARD_NOMINEE_NOMINATION_ID	Numeric
RESPONSE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_NOMINEE\_REVIEWER

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_NOMINEE_REVIEWER_ID	Numeric
AWARD_ID	Numeric
AWARD_NOMINEE_ID	Numeric
AWARD_REVIEWER_ID	Numeric
MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
REVIEW_STATUS_CODE	Character

---

---

ASSIGNED_DATE	Date
REVIEW_DATE	Date
SCORE	Numeric
COMMENTS	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_PROGRAM

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_ID	Numeric
AWARD_CODE	Character
AWARD_NAME	Character
AWARD_DESCRIPTION	Character
AWARD_PROGRAM_TYPE	Character
AWARD_CATEGORY_CODE	Character
AWARD_YEAR	Numeric
ACTIVE_FLAG	Character
REVIEWER_TYPE	Character
OVERSIGHT_COMMITTEE_ID	Character
OVERSIGHT_COMMITTEE_SUB_ID	Numeric

---

STAFF_CONTACT_ID	Character
NOMINATION_REQUIRED_FLAG	Character
CAN_SELF_NOMINATE_FLAG	Character
SPONSORED_AWARD_FLAG	Character
NOMINATION_BEGIN_DATE	Character
NOMINATION_END_DATE	Character
WEB_ENABLED_FLAG	Character
WEB_DISPLAY_BEGIN_DATE	Character
WEB_DISPLAY_END_DATE	Character
DECISION_DATE	Character
MAXIMUM_NOMINEES	Numeric
AWARD_COMMENTS	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_PROGRAM\_CONDITION

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_CONDITION_ID	Numeric
AWARD_ID	Numeric
DESCRIPTION	Character

---

ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

## Table Name:AWD\_PROGRAM\_DOCUMENT

## Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_DOCUMENT_ID	Numeric
AWARD_ID	Numeric
DOCUMENT_TYPE_CODE	Character
DESCRIPTION	Character
NUMBER_REQUIRED	Numeric
REQUIRED_FLAG	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

## Table Name:AWD\_PROGRAM\_QUESTION

## Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_QUESTION_ID	Numeric

---

AWARD_ID	Numeric
SORT_ORDER	Numeric
QUESTION_TYPE_CODE	Character
DESCRIPTION	Character
RESPONSE_REQUIRED_FLAG	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_PROGRAM\_RECOGNITION

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_RECOGNITION_ID	Numeric
AWARD_ID	Numeric
AWARD_NOMINEE_ID	Numeric
RECOGNITION_LEVEL_CODE	Character
DESCRIPTION	Character
AMOUNT	Numeric
NOMINEE_MASTER_CUSTOMER_ID	Character
NOMINEE_SUB_CUSTOMER_ID	Numeric
AWARD_DATE	Date
COMMENTS	Character

---

ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_PROGRAM\_REVIEWER

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_REVIEWER_ID	Numeric
AWARD_ID	Numeric
MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
REVIEWER_STATUS_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:AWD\_PROGRAM\_SPONSOR

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_SPONSOR_ID	Numeric
AWARD_ID	Numeric

---

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
AMOUNT	Numeric
CONTACT_MASTER_CUSTOMER_ID	Character
CONTACT_SUB_CUSTOMER_ID	Numeric
DESCRIPTION	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric

Table Name:Award\_Program\_Document

Columns

ORG_ID	Character
ORG_UNIT_ID	Character
AWARD_DOCUMENT_ID	Numeric
AWARD_ID	Numeric
DOCUMENT_TYPE_CODE	Character
DESCRIPTION	Character
NUMBER_REQUIRED	Numeric
REQUIRED_FLAG	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character

---

MODDATE	Date
---------	------

CONCURRENCY_ID	Numeric
----------------	---------

Table Name:Award\_Program\_Reviewer

Columns

ORG_ID	Character
--------	-----------

ORG_UNIT_ID	Character
-------------	-----------

AWARD_REVIEWER_ID	Numeric
-------------------	---------

AWARD_ID	Numeric
----------	---------

MASTER_CUSTOMER_ID	Character
--------------------	-----------

SUB_CUSTOMER_ID	Numeric
-----------------	---------

REVIEWER_STATUS_CODE	Character
----------------------	-----------

ADDOPER	Character
---------	-----------

ADDDATE	Date
---------	------

MODOPER	Character
---------	-----------

MODDATE	Date
---------	------

CONCURRENCY_ID	Numeric
----------------	---------

Table Name:CUSTOMER

Columns

MASTER_CUSTOMER_ID	Character
--------------------	-----------

SUB_CUSTOMER_ID	Numeric
-----------------	---------

ORG_ID	Character
--------	-----------

ORG_UNIT_ID	Character
-------------	-----------

RECORD_TYPE	Character
-------------	-----------

SEARCH_NAME	Character
-------------	-----------

LABEL_NAME	Character
------------	-----------



---

CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character

---

---

VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character

---

---

PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character

---

---

TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character

---

---

DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:CUS\_ADDRESS

Columns

CUS_ADDRESS_ID	Numeric
MASTER_CUSTOMER_ID	Character

---

SUB_CUSTOMER_ID	Numeric
ADDRESS_1	Character
ADDRESS_2	Character
ADDRESS_3	Character
ADDRESS_4	Character
CITY	Character
STATE	Character
POSTAL_CODE	Character
COUNTRY_CODE	Character
COUNTRY_DESCR	Character
COUNTY	Character
FORMATTED_ADDRESS	Character
ADDRESS_STATUS_CODE	Character
ONE_TIME_USE_FLAG	Character
POSTAL_CARRIER_ROUTE	Character
POSTAL_DELIVERY_POINT	Character
POSTAL_OVERRIDE_CODE	Character
POSTAL_ERROR_CODE	Character
CONGRESSIONAL_DISTRICT	Character
SCHOOL_DISTRICT	Character
COMMISSION_DISTRICT	Character
WARD_DISTRICT	Character
ASSEMBLY_DISTRICT	Character

---

---

ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
VALIDATED_BY	Character
VALIDATED_DATE	Date
RDI	Character
FIPS_COUNTY_NUMBER	Character
US_LOT_CODE	Character
US_LOT_SEQUENCE	Character
US_LOT_HEX	Character
DPV_STATUS_CODE	Character
DPV_FOOTNOTE_CODE	Character
DPV_CMRA_CODE	Character
IS_DEFAULT_COUNTRY_CODE_FLAG	Character
LATITUDE	Numeric
LONGITUDE	Numeric
DPV_MAIL_CAN_BE_DELIVERED_FLAG	Character
DPV_VACANT_FLAG	Character
FORMATTED_CITY_STATE_POSTAL	Character

Table Name:Customer\_One\_Click\_Details

Columns

MASTER_CUSTOMER_ID	Character
--------------------	-----------

---

SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character

---



---

ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character

---

---

MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character

---

---

MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric

---

---

CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character

---

---

PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
------------------------------------	-----------

NAME_CREDENTIALS_DESC	Character
-----------------------	-----------

USR_SANDIP_TEST	Character
-----------------	-----------

Table Name:Nominee\_Customer

Columns

MASTER_CUSTOMER_ID	Character
--------------------	-----------

SUB_CUSTOMER_ID	Numeric
-----------------	---------

ORG_ID	Character
--------	-----------

ORG_UNIT_ID	Character
-------------	-----------

RECORD_TYPE	Character
-------------	-----------

SEARCH_NAME	Character
-------------	-----------

LABEL_NAME	Character
------------	-----------

CAN_PLACE_ORDER_FLAG	Character
----------------------	-----------

BILL_PRIMARY_ACCOUNT_FLAG	Character
---------------------------	-----------

NAME_PREFIX	Character
-------------	-----------

FIRST_NAME	Character
------------	-----------

MIDDLE_NAME	Character
-------------	-----------

LAST_NAME	Character
-----------	-----------

NAME_SUFFIX	Character
-------------	-----------

NAME_CREDENTIALS	Character
------------------	-----------

NICKNAME	Character
----------	-----------

FORMAL_SALUTATION	Character
-------------------	-----------

INFORMAL_SALUTATION	Character
---------------------	-----------

CUSTOMER_CLASS_CODE	Character
---------------------	-----------

---

CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character

---

---

FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character

---

---

PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character

---



---

PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character

---

---

USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:Nominee\_Nomination\_Customer

Columns

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character

---

NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character

---

---

JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character

---

---

PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character

---

---

SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character

---

---

MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:Nominee\_Reviewer\_Customer

Columns

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character

---

NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character

---



---

SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character

---

---

PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character

---

---

ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric

---

---

ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:Oversight\_Committee\_Customer

Columns

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character

---

RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character

---

---

SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character

---

---

VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric

---

---

PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character

---



---

BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

---

---

Table Name:PSM\_USER

Columns

USER_ID	Character
USER_NAME	Character
DESCRIPTION	Character
ACTIVE_FLAG	Character
SEGMENT_CONTROL_FLAG	Character
LANGUAGE_CODE	Character
SUPER_USER_FLAG	Character
BROADCAST_USER_ID	Character
BROADCAST_PASSWORD	Character
EMAIL_ADDRESS	Character
REPLY_TO_EMAIL_ADDRESS	Character
FAX_EMAIL_ADDRESS	Character
FAX_NAME	Character
PASSWORD_CHANGE_REQ_FLAG	Character
LAST_PASSWORD_CHANGE_DATE	Date
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
NETWORK_ACCOUNT_FLAG	Character
ACCOUNT_EXPIRATION_DATE	Date

---

LOCKED_FLAG	Character
LOCKEDOUT_TIME	Date
MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
PRIMARY_SEARCH_GROUP	Character
NETWORK_ID	Character
ALLOW_EMAIL_ALERT_FLAG	Character

Table Name:Program\_Recognition\_Customer

Columns

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character

---

NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character

---

---

REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character

---

---

PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character

---

---

INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character

---

---

ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:Program\_Reviewer\_Customer

Columns

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character

---



---

FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character

---

---

GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character

---

---

PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric

---

---

ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character

---

---

ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:Sponsor\_Contact\_Customer

Columns

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character

---

---

SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character
ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date

---

---

TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric

---

---

HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date
MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character

---



---

BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character

---

---

PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character
FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

Table Name:Sponsor\_Customer  
Columns

---

MASTER_CUSTOMER_ID	Character
SUB_CUSTOMER_ID	Numeric
ORG_ID	Character
ORG_UNIT_ID	Character
RECORD_TYPE	Character
SEARCH_NAME	Character
LABEL_NAME	Character
CAN_PLACE_ORDER_FLAG	Character
BILL_PRIMARY_ACCOUNT_FLAG	Character
NAME_PREFIX	Character
FIRST_NAME	Character
MIDDLE_NAME	Character
LAST_NAME	Character
NAME_SUFFIX	Character
NAME_CREDENTIALS	Character
NICKNAME	Character
FORMAL_SALUTATION	Character
INFORMAL_SALUTATION	Character
CUSTOMER_CLASS_CODE	Character
CUSTOMER_STATUS_CODE	Character
CUSTOMER_STATUS_DATE	Date
ALLOW_FAX_FLAG	Character
ALLOW_EMAIL_FLAG	Character

---

---

ALLOW_PHONE_FLAG	Character
ALLOW_LABEL_SALES_FLAG	Character
ALLOW_SOLICITATION_FLAG	Character
ALLOW_INTERNAL_MAIL_FLAG	Character
SOLICITATION_REMOVAL_DATE	Date
TAXABLE_FLAG	Character
FEDERAL_TAX_ID	Character
VAT_ID	Character
TAX_EXEMPT_ID	Character
SSN	Character
GENDER_CODE	Character
BIRTH_DATE	Date
ETHNICITY_CODE	Character
ANNUAL_INCOME_RANGE_CODE	Character
JOB_FUNCTION_CODE	Character
REVENUE_RANGE_CODE	Character
STAFF_RANGE_CODE	Character
FOUNDATION_FLAG	Character
FND_MATCHING_FLAG	Character
FND_MATCHING_PERCENT	Numeric
FND_MATCHING_LIMIT	Numeric
LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character

---

---

NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character
ADDOPER	Character
ADDDATE	Date

---

---

MODOPER	Character
MODDATE	Date
CONCURRENCY_ID	Numeric
IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character

---

---

COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character
ADVERTISING_AGENCY_FLAG	Character
BPA_TITLE_ONLY_FLAG	Character
PROSPECT_ID	Character
POTENTIAL_DUPLICATE_REVIEW_FLAG	Character
DUPLICATE_REASON	Character
POTENTIAL_MATCH_PROBABILITY	Numeric
ORIGINAL_ORG_ID	Character
ORIGINAL_ORG_UNIT_ID	Character
ORIGINAL_SOURCE_CODE	Character
ALLOW_SYSTEM_NOTIFICATION_FLAG	Character
SPOUSE_FIRST_NAME	Character
MARITAL_STATUS_CODE	Character
ALLOW_ADVOCACY_FLAG	Character
USR_PET_NAME	Character
USR_PET_SPECIES	Character
USR_AGGRESSIVE	Character
USR_CRIMINAL_TYPE_CODE	Character
USR_CRIMINAL_CONVICTION_DATE	Date
CURRENCY_CODE	Character
PRIMARY_SEARCH_GROUP	Character

---

FAMILY_FLAG	Character
PRIMARY_SEARCH_GROUP_OVERRIDE_FLAG	Character
NAME_CREDENTIALS_DESC	Character
USR_SANDIP_TEST	Character

## Join List

Join0: AWD\_PROGRAM.ORG\_ID=AWD\_NOMINEE.ORG\_ID and AWD\_PROGRAM.ORG\_UNIT\_ID=AWD\_NOMINEE.ORG\_UNIT\_ID and AWD\_PROGRAM.AWARD\_ID=AWD\_NOMINEE.AWARD\_ID

Join1: AWD\_NOMINEE.AWARD\_ID=AWD\_NOMINEE\_NOMINATION.AWARD\_ID

Join2: AWD\_NOMINEE.AWARD\_NOMINEE\_ID=AWD\_NOMINEE\_NOMINATION.AWARD\_NOMINEE\_ID

Join3: AWD\_NOMINEE.ORG\_ID=AWD\_NOMINEE\_REVIEWER.ORG\_ID and AWD\_NOMINEE.ORG\_UNIT\_ID=AWD\_NOMINEE\_REVIEWER.ORG\_UNIT\_ID and AWD\_NOMINEE.AWARD\_NOMINEE\_ID=AWD\_NOMINEE\_REVIEWER.AWARD\_NOMINEE\_ID and AWD\_NOMINEE.AWARD\_ID=AWD\_NOMINEE\_REVIEWER.AWARD\_ID

Join4: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_QUESTION.AWARD\_ID

Join5: AWD\_NOMINEE\_QUESTION.AWARD\_NOMINEE\_NOMINATION\_ID=AWD\_NOMINEE\_NOMINATION.AWARD\_NOMINEE\_NOMINATION\_ID

Join6: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_DOCUMENT.AWARD\_ID

Join7: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_CONDITION.AWARD\_ID

Join8: AWD\_NOMINEE\_NOMINATION.ORG\_ID=AWD\_NOMINEE\_DOCUMENT.ORG\_ID and AWD\_NOMINEE\_NOMINATION.ORG\_UNIT\_ID=AWD\_NOMINEE\_DOCUMENT.ORG\_UNIT\_ID and AWD\_NOMINEE\_NOMINATION.A



- WARD\_NOMINEE\_NOMINATION\_ID=AWD\_NOMINEE\_DOCUMENT.AWARD\_NOMINEE\_NOMINATION\_ID and AWD\_NOMINEE\_NO  
MINATION.AWARD\_NOMINEE\_ID=AWD\_NO  
MINEE\_DOCUMENT.AWARD\_NOMINEE\_ID
- Join9: AWD\_NOMINEE.ORG\_ID=AWD\_NOMINEE\_  
CONDITION.ORG\_ID and AWD\_NOMINEE\_  
.ORG\_UNIT\_ID=AWD\_NOMINEE\_CONDITI  
ON.ORG\_UNIT\_ID and AWD\_NOMINEE.A  
WARD\_NOMINEE\_ID=AWD\_NOMINEE\_CON  
DITION.AWARD\_NOMINEE\_ID and AWD\_  
NOMINEE.AWARD\_ID=AWD\_NOMINEE\_CO  
NDITION.AWARD\_ID
- Join10: AWD\_NOMINEE.ORG\_ID=Nominee\_Custo  
mer.ORG\_ID and AWD\_NOMINEE.ORG\_U  
NIT\_ID=Nominee\_Customer.ORG\_UNIT\_  
ID and AWD\_NOMINEE.MASTER\_CUSTOM  
ER\_ID=Nominee\_Customer.MASTER\_CUS  
TOMER\_ID and AWD\_NOMINEE.SUB\_CUS  
TOMER\_ID=Nominee\_Customer.SUB\_CUS  
TOMER\_ID
- Join11: AWD\_NOMINEE\_NOMINATION.ORG\_ID=No  
minee\_Nomination\_Customer.ORG\_ID a  
nd AWD\_NOMINEE\_NOMINATION.ORG\_UN  
IT\_ID=Nominee\_Nomination\_Customer  
.ORG\_UNIT\_ID and AWD\_NOMINEE\_NOM  
INATION.MASTER\_CUSTOMER\_ID=Nomine  
ee\_Nomination\_Customer.MASTER\_CUS  
TOMER\_ID and AWD\_NOMINEE\_NOMINAT  
ION.SUB\_CUSTOMER\_ID=Nominee\_Nomi  
nation\_Customer.SUB\_CUSTOMER\_ID
- Join12: AWD\_NOMINEE\_REVIEWER.MASTER\_CUST  
OMER\_ID=Nominee\_Reviewer\_Customer  
.MASTER\_CUSTOMER\_ID
- Join13: AWD\_NOMINEE\_REVIEWER.ORG\_ID=Nomi  
nee\_Reviewer\_Customer.ORG\_ID and A  
WD\_NOMINEE\_REVIEWER.ORG\_UNIT\_ID=  
Nominee\_Reviewer\_Customer.ORG\_UNI  
T\_ID and AWD\_NOMINEE\_REVIEWER.MA  
STER\_CUSTOMER\_ID=Nominee\_Reviewer  
\_Customer.MASTER\_CUSTOMER\_ID and

- AWD\_NOMINEE\_REVIEWER.SUB\_CUSTOME  
R\_ID=Nominee\_Reviewer\_Customer.SU  
B\_CUSTOMER\_ID
- Join14: AWD\_PROGRAM.STAFF\_CONTACT\_ID=PSM\_USER.USER\_ID
- Join15: AWD\_PROGRAM.AWARD\_ID=AWD\_NOMINEE\_NOMINATION\_VW.AWARD\_ID
- Join16: Nominee\_Customer.MASTER\_CUSTOMER  
\_ID=CUS\_ADDRESS.MASTER\_CUSTOMER\_  
ID and Nominee\_Customer.SUB\_CUSTO  
MER\_ID=CUS\_ADDRESS.SUB\_CUSTOMER\_  
ID
- Join17: AWD\_PROGRAM.ORG\_ID=AWD\_PROGRAM\_  
REVIEWER.ORG\_ID and AWD\_PROGRAM.  
ORG\_UNIT\_ID=AWD\_PROGRAM\_REVIEWER  
.ORG\_UNIT\_ID and AWD\_PROGRAM.AWA  
RD\_ID=AWD\_PROGRAM\_REVIEWER.AWAR  
D\_ID
- Join18: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_SPONSOR.AWARD\_ID
- Join19: AWD\_PROGRAM\_SPONSOR.ORG\_ID=Spons  
or\_Customer.ORG\_ID and AWD\_PROGRA  
M\_SPONSOR.ORG\_UNIT\_ID=Sponsor\_Cu  
stomer.ORG\_UNIT\_ID and AWD\_PROGRA  
M\_SPONSOR.MASTER\_CUSTOMER\_ID=Spo  
nsor\_Customer.MASTER\_CUSTOMER\_ID  
and AWD\_PROGRAM\_SPONSOR.SUB\_CUST  
OMER\_ID=Sponsor\_Customer.SUB\_CUST  
OMER\_ID
- Join20: AWD\_PROGRAM\_REVIEWER.ORG\_ID=Prog  
ram\_Reviewer\_Customer.ORG\_ID and  
AWD\_PROGRAM\_REVIEWER.ORG\_UNIT\_ID  
=Program\_Reviewer\_Customer.ORG\_UN  
IT\_ID and AWD\_PROGRAM\_REVIEWER.M  
ASTER\_CUSTOMER\_ID=Program\_Review  
er\_Customer.MASTER\_CUSTOMER\_ID an  
d AWD\_PROGRAM\_REVIEWER.SUB\_CUSTO  
MER\_ID=Program\_Reviewer\_Customer.  
SUB\_CUSTOMER\_ID
- Join21: Award\_Program\_Document.ORG\_ID=AW  
D\_NOMINEE\_DOCUMENT.ORG\_ID and Aw

---

ard\_Program\_Document.ORG\_UNIT\_ID=  
AWD\_NOMINEE\_DOCUMENT.ORG\_UNIT\_ID  
and Award\_Program\_Document.AWARD  
\_DOCUMENT\_ID=AWD\_NOMINEE\_DOCUME  
NT.AWARD\_DOCUMENT\_ID and Award\_P  
rogram\_Document.AWARD\_ID=AWD\_NOM  
INEE\_DOCUMENT.AWARD\_ID

Join22: Award\_Program\_Reviewer.ORG\_ID=AWD  
\_NOMINEE\_REVIEWER.ORG\_ID and Awar  
d\_Program\_Reviewer.ORG\_UNIT\_ID=AW  
D\_NOMINEE\_REVIEWER.ORG\_UNIT\_ID a  
nd Award\_Program\_Reviewer.AWARD\_R  
EVIEWER\_ID=AWD\_NOMINEE\_REVIEWER.  
AWARD\_REVIEWER\_ID and Award\_Progr  
am\_Reviewer.AWARD\_ID=AWD\_NOMINEE  
\_REVIEWER.AWARD\_ID and Award\_Prog  
ram\_Reviewer.MASTER\_CUSTOMER\_ID=  
AWD\_NOMINEE\_REVIEWER.MASTER\_CUST  
OMER\_ID and Award\_Program\_Reviewe  
r.SUB\_CUSTOMER\_ID=AWD\_NOMINEE\_RE  
VIEWER.SUB\_CUSTOMER\_ID

Join23: Sponsor\_Contact\_Customer.ORG\_ID=A  
WD\_PROGRAM\_SPONSOR.ORG\_ID and Sp  
onsor\_Contact\_Customer.ORG\_UNIT\_I  
D=AWD\_PROGRAM\_SPONSOR.ORG\_UNIT\_I  
D and Sponsor\_Contact\_Customer.MAS  
TER\_CUSTOMER\_ID=AWD\_PROGRAM\_SPO  
NSOR.CONTACT\_MASTER\_CUSTOMER\_ID  
and Sponsor\_Contact\_Customer.SUB\_C  
USTOMER\_ID=AWD\_PROGRAM\_SPONSOR.  
CONTACT\_SUB\_CUSTOMER\_ID

Join24: Customer\_One\_Click\_Details.ORG\_ID=  
AWD\_NOMINEE\_NOMINATION\_VW.ORG\_ID  
and Customer\_One\_Click\_Details.OR  
G\_UNIT\_ID=AWD\_NOMINEE\_NOMINATION  
\_VW.ORG\_UNIT\_ID and Customer\_One\_  
Click\_Details.MASTER\_CUSTOMER\_ID=  
AWD\_NOMINEE\_NOMINATION\_VW.NOMIN  
EE\_MASTER\_CUSTOMER\_ID and Custome  
r\_One\_Click\_Details.SUB\_CUSTOMER\_I  
D=AWD\_NOMINEE\_NOMINATION\_VW.NOM  
INEE\_SUB\_CUSTOMER\_ID

---

Join25: AWD\_PROGRAM\_REVIEWER.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_PROGRAM\_REVIEWER.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join26: AWD\_PROGRAM\_QUESTION.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_PROGRAM\_QUESTION.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join27: AWD\_PROGRAM\_DOCUMENT.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_PROGRAM\_DOCUMENT.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join28: AWD\_NOMINEE\_NOMINATION\_VW.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_NOMINEE\_NOMINATION\_VW.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join29: AWD\_PROGRAM.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_PROGRAM.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join30: AWD\_NOMINEE.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_NOMINEE.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join31: AWD\_PROGRAM\_CONDITION.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_PROGRAM\_CONDITION.ORG\_U  
NIT\_ID = dbo.usrBOOrgUnit(@Variabl  
e('BOUSER'))

Join32: AWD\_PROGRAM\_SPONSOR.ORG\_ID = d  
bo.usrBOOrg(@Variable('BOUSER')) A  
ND AWD\_PROGRAM\_SPONSOR.ORG\_UNIT\_  
ID = dbo.usrBOOrgUnit(@Variable('B  
OUSER'))

Join33: AWD\_NOMINEE\_REVIEWER.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_NOMINEE\_REVIEWER.ORG\_UNI  
T\_ID = dbo.usrBOOrgUnit(@Variable(  
'BOUSER'))

Join34: AWD\_NOMINEE\_CONDITION.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_NOMINEE\_CONDITION.ORG\_U  
NIT\_ID = dbo.usrBOOrgUnit(@Variabl  
e('BOUSER'))

Join35: AWD\_NOMINEE\_NOMINATION.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER')  
) AND AWD\_NOMINEE\_NOMINATION.ORG  
\_UNIT\_ID = dbo.usrBOOrgUnit(@Varia

---

ble('BOUSER'))

Join36: AWD\_NOMINEE\_DOCUMENT.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_NOMINEE\_DOCUMENT.ORG\_UNI  
T\_ID = dbo.usrBOOrgUnit(@Variable(  
'BOUSER'))

Join37: Award\_Program\_Document.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND Award\_Program\_Document.ORG\_U  
NIT\_ID = dbo.usrBOOrgUnit(@Variabl  
e('BOUSER'))

Join38: Program\_Recognition\_Customer.MASTE  
R\_CUSTOMER\_ID=AWD\_PROGRAM\_RECOG  
NITION.NOMINEE\_MASTER\_CUSTOMER\_I  
D and Program\_Recognition\_Customer  
.SUB\_CUSTOMER\_ID=AWD\_PROGRAM\_REC  
OGNITION.NOMINEE\_SUB\_CUSTOMER\_ID

Join39: AWD\_PROGRAM\_RECOGNITION.ORG\_ID=A  
WD\_PROGRAM.ORG\_ID and AWD\_PROGRA  
M\_RECOGNITION.ORG\_UNIT\_ID=AWD\_PR  
OGRAM.ORG\_UNIT\_ID and AWD\_PROGRA  
M\_RECOGNITION.AWARD\_ID=AWD\_PROGR  
AM.AWARD\_ID

Join40: Oversight\_Committee\_Customer.ORG\_I  
D=AWD\_PROGRAM.ORG\_ID and Oversigh  
t\_Committee\_Customer.ORG\_UNIT\_ID=  
AWD\_PROGRAM.ORG\_UNIT\_ID and Overs  
ight\_Committee\_Customer.MASTER\_CU  
STOMER\_ID=AWD\_PROGRAM.OVERSIGHT\_  
COMMITTEE\_ID and Oversight\_Commit  
tee\_Customer.SUB\_CUSTOMER\_ID=AWD  
\_PROGRAM.OVERSIGHT\_COMMITTEE\_SUB  
\_ID

## Joins

Join0: AWD\_PROGRAM.ORG\_ID=AWD\_NOMINEE.  
ORG\_ID and AWD\_PROGRAM.ORG\_UNIT\_  
ID=AWD\_NOMINEE.ORG\_UNIT\_ID and A  
WD\_PROGRAM.AWARD\_ID=AWD\_NOMINEE

.AWARD\_ID

Qualification: one to many  
Outer: Left

Join1: AWD\_NOMINEE.AWARD\_ID=AWD\_NOMINEE\_NOMINATION.AWARD\_ID  
Qualification: many to many  
Outer: No

Join2: AWD\_NOMINEE.AWARD\_NOMINEE\_ID=AWD\_NOMINEE\_NOMINATION.AWARD\_NOMINEE\_ID  
Qualification: one to many  
Outer: No

Join3: AWD\_NOMINEE.ORG\_ID=AWD\_NOMINEE\_REVIEWER.ORG\_ID and AWD\_NOMINEE.ORG\_UNIT\_ID=AWD\_NOMINEE\_REVIEWER.ORG\_UNIT\_ID and AWD\_NOMINEE.AWARD\_NOMINEE\_ID=AWD\_NOMINEE\_REVIEWER.AWARD\_NOMINEE\_ID and AWD\_NOMINEE.AWARD\_ID=AWD\_NOMINEE\_REVIEWER.AWARD\_ID  
Qualification: one to many  
Outer: Left

Join4: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_QUESTION.AWARD\_ID  
Qualification: one to many  
Outer: Left

Join5: AWD\_NOMINEE\_QUESTION.AWARD\_NOMINEE\_NOMINATION\_ID=AWD\_NOMINEE\_NOMINATION.AWARD\_NOMINEE\_NOMINATION\_ID  
Qualification: unknown  
Outer: No

Join6: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_DOCUMENT.AWARD\_ID  
Qualification: one to many  
Outer: Left

Join7: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_CONDITION.AWARD\_ID  
Qualification: one to many  
Outer: Left

Join8: AWD\_NOMINEE\_NOMINATION.ORG\_ID=AWD\_NOMINEE\_DOCUMENT.ORG\_ID and AWD\_NOMINEE\_NOMINATION.ORG\_UNIT\_ID=AWD\_NOMINEE\_DOCUMENT.ORG\_UNIT

\_ID and AWD\_NOMINEE\_NOMINATION.A  
WARD\_NOMINEE\_NOMINATION\_ID=AWD\_  
NOMINEE\_DOCUMENT.AWARD\_NOMINEE\_  
NOMINATION\_ID and AWD\_NOMINEE\_NO  
MINATION.AWARD\_NOMINEE\_ID=AWD\_NO  
MINEE\_DOCUMENT.AWARD\_NOMINEE\_ID

Qualification: one to many

Outer: No

Join9: AWD\_NOMINEE.ORG\_ID=AWD\_NOMINEE\_  
CONDITION.ORG\_ID and AWD\_NOMINEE  
.ORG\_UNIT\_ID=AWD\_NOMINEE\_CONDI  
TION.ORG\_UNIT\_ID and AWD\_NOMINEE.A  
WARD\_NOMINEE\_ID=AWD\_NOMINEE\_CON  
DITION.AWARD\_NOMINEE\_ID and AWD\_  
NOMINEE.AWARD\_ID=AWD\_NOMINEE\_CO  
NDITION.AWARD\_ID

Qualification: one to many

Outer: Left

Join10: AWD\_NOMINEE.ORG\_ID=Nominee\_Custo  
mer.ORG\_ID and AWD\_NOMINEE.ORG\_U  
NIT\_ID=Nominee\_Customer.ORG\_UNIT\_  
ID and AWD\_NOMINEE.MASTER\_CUSTOM  
ER\_ID=Nominee\_Customer.MASTER\_CUS  
TOMER\_ID and AWD\_NOMINEE.SUB\_CUS  
TOMER\_ID=Nominee\_Customer.SUB\_CUS  
TOMER\_ID

Qualification: many to one

Outer: No

Join11: AWD\_NOMINEE\_NOMINATION.ORG\_ID=No  
minee\_Nomination\_Customer.ORG\_ID a  
nd AWD\_NOMINEE\_NOMINATION.ORG\_UN  
IT\_ID=Nominee\_Nomination\_Customer  
.ORG\_UNIT\_ID and AWD\_NOMINEE\_NOM  
INATION.MASTER\_CUSTOMER\_ID=Nomine  
ee\_Nomination\_Customer.MASTER\_CUS  
TOMER\_ID and AWD\_NOMINEE\_NOMINAT  
ION.SUB\_CUSTOMER\_ID=Nominee\_Nomi  
nation\_Customer.SUB\_CUSTOMER\_ID

Qualification: many to one

Outer: No

Join12: AWD\_NOMINEE\_REVIEWER.MASTER\_CUST  
OMER\_ID=Nominee\_Reviewer\_Customer

.MASTER\_CUSTOMER\_ID

Qualification: unknown

Outer: No

Join13: AWD\_NOMINEE\_REVIEWER.ORG\_ID=Nominee\_Reviewer\_Customer.ORG\_ID and AWD\_NOMINEE\_REVIEWER.ORG\_UNIT\_ID=Nominee\_Reviewer\_Customer.ORG\_UNIT\_ID and AWD\_NOMINEE\_REVIEWER.MASTER\_CUSTOMER\_ID=Nominee\_Reviewer\_Customer.MASTER\_CUSTOMER\_ID and AWD\_NOMINEE\_REVIEWER.SUB\_CUSTOMER\_ID=Nominee\_Reviewer\_Customer.SUB\_CUSTOMER\_ID

Qualification: many to one

Outer: No

Join14: AWD\_PROGRAM.STAFF\_CONTACT\_ID=PSM\_USER.USER\_ID

Qualification: one to one

Outer: Right

Join15: AWD\_PROGRAM.AWARD\_ID=AWD\_NOMINEE\_NOMINATION\_VW.AWARD\_ID

Qualification: one to many

Outer: No

Join16: Nominee\_Customer.MASTER\_CUSTOMER\_ID=CUS\_ADDRESS.MASTER\_CUSTOMER\_ID and Nominee\_Customer.SUB\_CUSTOMER\_ID=CUS\_ADDRESS.SUB\_CUSTOMER\_ID

Qualification: one to many

Outer: No

Join17: AWD\_PROGRAM.ORG\_ID=AWD\_PROGRAM\_REVIEWER.ORG\_ID and AWD\_PROGRAM.ORG\_UNIT\_ID=AWD\_PROGRAM\_REVIEWER.ORG\_UNIT\_ID and AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_REVIEWER.AWARD\_ID

Qualification: one to many

Outer: Left

Join18: AWD\_PROGRAM.AWARD\_ID=AWD\_PROGRAM\_SPONSOR.AWARD\_ID

Qualification: one to many

Outer: No



Join19: AWD\_PROGRAM\_SPONSOR.ORG\_ID=Sponsor\_Customer.ORG\_ID and AWD\_PROGRAM\_SPONSOR.ORG\_UNIT\_ID=Sponsor\_Customer.ORG\_UNIT\_ID and AWD\_PROGRAM\_SPONSOR.MASTER\_CUSTOMER\_ID=Sponsor\_Customer.MASTER\_CUSTOMER\_ID and AWD\_PROGRAM\_SPONSOR.SUB\_CUSTOMER\_ID=Sponsor\_Customer.SUB\_CUSTOMER\_ID

Qualification: one to one

Outer: No

Join20: AWD\_PROGRAM\_REVIEWER.ORG\_ID=Program\_Reviewer\_Customer.ORG\_ID and AWD\_PROGRAM\_REVIEWER.ORG\_UNIT\_ID=Program\_Reviewer\_Customer.ORG\_UNIT\_ID and AWD\_PROGRAM\_REVIEWER.MASTER\_CUSTOMER\_ID=Program\_Reviewer\_Customer.MASTER\_CUSTOMER\_ID and AWD\_PROGRAM\_REVIEWER.SUB\_CUSTOMER\_ID=Program\_Reviewer\_Customer.SUB\_CUSTOMER\_ID

Qualification: many to one

Outer: No

Join21: Award\_Program\_Document.ORG\_ID=AWD\_NOMINEE\_DOCUMENT.ORG\_ID and Award\_Program\_Document.ORG\_UNIT\_ID=AWD\_NOMINEE\_DOCUMENT.ORG\_UNIT\_ID and Award\_Program\_Document.AWARD\_DOCUMENT\_ID=AWD\_NOMINEE\_DOCUMENT.AWARD\_DOCUMENT\_ID and Award\_Program\_Document.AWARD\_ID=AWD\_NOMINEE\_DOCUMENT.AWARD\_ID

Qualification: one to many

Outer: Left

Join22: Award\_Program\_Reviewer.ORG\_ID=AWD\_NOMINEE\_REVIEWER.ORG\_ID and Award\_Program\_Reviewer.ORG\_UNIT\_ID=AWD\_NOMINEE\_REVIEWER.ORG\_UNIT\_ID and Award\_Program\_Reviewer.AWARD\_REVIEWER\_ID=AWD\_NOMINEE\_REVIEWER.AWARD\_REVIEWER\_ID and Award\_Program\_Reviewer.AWARD\_ID=AWD\_NOMINEE\_REVIEWER.AWARD\_ID and Award\_Prog

ram\_Reviewer.MASTER\_CUSTOMER\_ID=  
AWD\_NOMINEE\_REVIEWER.MASTER\_CUST  
OMER\_ID and Award\_Program\_Review  
r.SUB\_CUSTOMER\_ID=AWD\_NOMINEE\_RE  
VIEWER.SUB\_CUSTOMER\_ID

Qualification: one to many  
Outer: Left

Join23: Sponsor\_Contact\_Customer.ORG\_ID=A  
WD\_PROGRAM\_SPONSOR.ORG\_ID and Sp  
onsor\_Contact\_Customer.ORG\_UNIT\_I  
D=AWD\_PROGRAM\_SPONSOR.ORG\_UNIT\_I  
D and Sponsor\_Contact\_Customer.MAS  
TER\_CUSTOMER\_ID=AWD\_PROGRAM\_SPO  
NSOR.CONTACT\_MASTER\_CUSTOMER\_ID  
and Sponsor\_Contact\_Customer.SUB\_C  
USTOMER\_ID=AWD\_PROGRAM\_SPONSOR.  
CONTACT\_SUB\_CUSTOMER\_ID

Qualification: one to many  
Outer: Left

Join24: Customer\_One\_Click\_Details.ORG\_ID=  
AWD\_NOMINEE\_NOMINATION\_VW.ORG\_ID  
and Customer\_One\_Click\_Details.OR  
G\_UNIT\_ID=AWD\_NOMINEE\_NOMINATION  
\_VW.ORG\_UNIT\_ID and Customer\_One\_  
Click\_Details.MASTER\_CUSTOMER\_ID=  
AWD\_NOMINEE\_NOMINATION\_VW.NOMIN  
EE\_MASTER\_CUSTOMER\_ID and Custome  
r\_One\_Click\_Details.SUB\_CUSTOMER\_I  
D=AWD\_NOMINEE\_NOMINATION\_VW.NOM  
INEE\_SUB\_CUSTOMER\_ID

Qualification: one to many  
Outer: Left

Join25: AWD\_PROGRAM\_REVIEWER.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_PROGRAM\_REVIEWER.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join26: AWD\_PROGRAM\_QUESTION.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_PROGRAM\_QUESTION.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join27: AWD\_PROGRAM\_DOCUMENT.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND

---

AWD\_PROGRAM\_DOCUMENT.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join28: AWD\_NOMINEE\_NOMINATION\_VW.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_NOMINEE\_NOMINATION\_VW.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join29: AWD\_PROGRAM.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_PROGRAM.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join30: AWD\_NOMINEE.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER')) AND  
AWD\_NOMINEE.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join31: AWD\_PROGRAM\_CONDITION.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_PROGRAM\_CONDITION.ORG\_U  
NIT\_ID = dbo.usrBOOrgUnit(@Variabl  
e('BOUSER'))

Qualification: unknown  
Outer: No

Join32: AWD\_PROGRAM\_SPONSOR.ORG\_ID = d  
bo.usrBOOrg(@Variable('BOUSER')) A  
ND AWD\_PROGRAM\_SPONSOR.ORG\_UNIT\_  
ID = dbo.usrBOOrgUnit(@Variable('B  
OUSER'))

Qualification: unknown  
Outer: No

Join33: AWD\_NOMINEE\_REVIEWER.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_NOMINEE\_REVIEWER.ORG\_UNI  
T\_ID = dbo.usrBOOrgUnit(@Variable(  
'BOUSER'))

Qualification: unknown  
Outer: No

Join34: AWD\_NOMINEE\_CONDITION.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_NOMINEE\_CONDITION.ORG\_U

---

NIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join35: AWD\_NOMINEE\_NOMINATION.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
) AND AWD\_NOMINEE\_NOMINATION.ORG  
\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join36: AWD\_NOMINEE\_DOCUMENT.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND AWD\_NOMINEE\_DOCUMENT.ORG\_UNI  
T\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join37: Award\_Program\_Document.ORG\_ID =  
dbo.usrBOOrg(@Variable('BOUSER'))  
AND Award\_Program\_Document.ORG\_U  
NIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Qualification: unknown  
Outer: No

Join38: Program\_Recognition\_Customer.MASTE  
R\_CUSTOMER\_ID=AWD\_PROGRAM\_RECOG  
NITION.NOMINEE\_MASTER\_CUSTOMER\_I  
D and Program\_Recognition\_Customer  
.SUB\_CUSTOMER\_ID=AWD\_PROGRAM\_REC  
OGNITION.NOMINEE\_SUB\_CUSTOMER\_ID

Qualification: many to one  
Outer: Left

Join39: AWD\_PROGRAM\_RECOGNITION.ORG\_ID=A  
WD\_PROGRAM.ORG\_ID and AWD\_PROGRA  
M\_RECOGNITION.ORG\_UNIT\_ID=AWD\_PR  
OGRAM.ORG\_UNIT\_ID and AWD\_PROGRA  
M\_RECOGNITION.AWARD\_ID=AWD\_PROGR  
AM.AWARD\_ID

Qualification: many to one  
Outer: Left

---

Join40: Oversight\_Committee\_Customer.ORG\_ID=AWD\_PROGRAM.ORG\_ID and Oversight\_Committee\_Customer.ORG\_UNIT\_ID=AWD\_PROGRAM.ORG\_UNIT\_ID and Oversight\_Committee\_Customer.MASTER\_CUSTOMER\_ID=AWD\_PROGRAM.OVERSIGHT\_COMMITTEE\_ID and Oversight\_Committee\_Customer.SUB\_CUSTOMER\_ID=AWD\_PROGRAM.OVERSIGHT\_COMMITTEE\_SUB\_ID

Qualification: one to many  
Outer: Left

## Context List

No context

## Context

No context





