

Object List

No classes

Object Properties

Class: Donor Geographic

Description:

Object: City

Type: Character

Description: City of the customer's primary address.

Select equivalent: DimGeographicLocation.City

Where equivalent:

Qualification: dimension

List of values: 08u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: State Name

Type: Character

Description: State of the customer's primary address.

Select equivalent: DimGeographicLocation.State_Province

Where equivalent:

Qualification: dimension

List of values: 08w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Postal Code

Type: Character

Description: Postal code of the customer's primary address.

Select equivalent: DimGeographicLocation.PostalCodeShort

Where equivalent:

Qualification: dimension

List of values: 08x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object:	Country Code
Type:	Character
Description:	Country code of the customer's primary address.
Select equivalent:	DimGeographicLocation.CountryCode
Where equivalent:	
Qualification:	dimension
List of values:	091, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Country Name
Type:	Character
Description:	Name of the country associated with the customer's primary address.
Select equivalent:	DimGeographicLocation.CountryDescription
Where equivalent:	
Qualification:	dimension
List of values:	092, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Census Region
Type:	Character
Description:	Census Region of the customer's primary address. Census Regions contain Census Divisions. This is only applicable to USA addresses.
Select equivalent:	DimGeographicLocation.Region
Where equivalent:	
Qualification:	dimension
List of values:	08y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Census Division
Type:	Character
Description:	Census Division of the customer's primary address. Census Divisions belong to a Census Region.

	his is only applicable to USA addresses. DimGeographicLocation.Division
Select equivalent:	
Where equivalent:	
Qualification:	dimension
List of values:	090, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Continent Code
Type:	Character
Description:	Continent code of the customer's primary address.
Select equivalent:	DimGeographicLocation.ContinentCode
Where equivalent:	
Qualification:	dimension
List of values:	093, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Continent Name
Type:	Character
Description:	Name of the continent associated with the customer's primary address.
Select equivalent:	DimGeographicLocation.ContinentDescription
Where equivalent:	
Qualification:	dimension
List of values:	094, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Donor Membership Info
Description:	

Object:	Member Indicator
Type:	Character
Description:	Identifies a record is a member or nonmember where by member has both Active and Grace Memberships.
Select equivalent:	DimCustomerMembershipInfo.MemberIndicator
Where equivalent:	

Qualification:	dimension
List of values:	28k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Member Instatement Type Code
Type:	Character
Description:	Identifies the instatement type for the member record, normally having attributes like 'New','Renew','Reinstate' and 'Continuing Member'
Select equivalent:	DimCustomerMembershipInfo.MembershipInstatementTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	28l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Member Instatement Type Description
Type:	Character
Description:	Identifies the description for the instatement type code for the member
Select equivalent:	DimCustomerMembershipInfo.MembershipInstatementTypeDescription
Where equivalent:	

Qualification:	dimension
List of values:	28m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Membership Status Code
Type:	Character
Description:	Identifies the membership status of a record, with values as Active and Inactive
Select equivalent:	DimCustomerMembershipInfo.MembershipStatusCode
Where equivalent:	

Qualification:	dimension
List of values:	28n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Membership Status Description
Type:	Character
Description:	The description for the membership status code.
Select equivalent:	DimCustomerMembershipInfo.MembershipStatusDescription
Where equivalent:	
Qualification:	dimension
List of values:	28o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Years As Member Bracket Code
Type:	Character
Description:	Identifies the number of years the member has been a member of the organization. The number-of-years-as-a-member code relates to the member's primary membership, not chapter or section memberships. The years-as-a-member code represents a range of years, such as 15-20 years.
Select equivalent:	DimCustomerMembershipInfo.YearsAsMemberBracketCode
Where equivalent:	
Qualification:	dimension
List of values:	28p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Years As Member Bracket Description
Type:	Character
Description:	For the years as member bracket code , selects the description of the code that represents the number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.YearsAsMemberBracketDescription
Where equivalent:	

Qualification:	dimension
List of values:	28q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Years As Member Begin Range
Type:	Number
Description:	Represents the beginning range for the number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.YearsAsMemberBeginRange
Where equivalent:	

Qualification:	dimension
List of values:	28r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Years As Member End Range
Type:	Number
Description:	Represents the ending range for the number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.YearsAsMemberEndRange
Where equivalent:	

Qualification:	dimension
List of values:	28s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consecutive Years As Member Bracket Code
Type:	Character
Description:	Represents the consecutive number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.ConsecutiveYearsAsMemberBracketCode
Where equivalent:	

Qualification:	dimension
List of values:	28t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consecutive Years As Member Bracket Description
Type:	Character
Description:	Identifies the description of the code that represents the consecutive number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.ConsecutiveYearsAsMemberBracketDescription
Where equivalent:	

Qualification:	dimension
List of values:	28u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Member Type Code
Type:	Character
Description:	If the customer is a member, identifies the member's primary member type code. The primary member type is the Level 2 code of the member's primary Level 1 membership product belonging to the organization's primary member group.
Select equivalent:	DimCustomerMembershipInfo.PrimaryMemberTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	28v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Member Type Description
---------	--

Description:	Description of the member's primary member type code.
Select equivalent:	DimCustomerMembershipInfo.PrimaryMemberTypeDescription
Where equivalent:	
Qualification:	dimension
List of values:	28w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consecutive Years As Member Begin Range
Type:	Number
Description:	The consecutive number that represents the beginning range for the number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.ConsecutiveYearsAsMemberBeginRange
Where equivalent:	
Qualification:	dimension
List of values:	28x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consecutive Years As Member End Range
Type:	Number
Description:	The number that represents the ending range for the consecutive number of years the member has been a member of the organization.
Select equivalent:	DimCustomerMembershipInfo.ConsecutiveYearsAsMemberEndRange
Where equivalent:	
Qualification:	dimension
List of values:	28y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Life Time Membership Purchase Amount Bracket
Type:	Character
Description:	

Select equivalent:	DimCustomerMembershipInfo.LifeTimeMembershipPurchaseAmountB
Where equivalent:	
Qualification:	dimension
List of values:	048, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Life Time Membersh ip Purchase Amount Bracket Description
Type:	Character
Description:	
Select equivalent:	DimCustomerMembershipInfo.LifeTimeMembershipPurchaseAmountB
Where equivalent:	
Qualification:	dimension
List of values:	049, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Life Time Membership Purchase Begin Amount
Type:	Number
Description:	
Select equivalent:	DimCustomerMembershipInfo.LifeTimeMembershipPurchaseBeginAm
Where equivalent:	
Qualification:	dimension
List of values:	04a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Life Time Membership Purchase End Amount
Type:	Number
Description:	
Select equivalent:	DimCustomerMembershipInfo.LifeTimeMembershipPurchaseEndAmou
Where equivalent:	
Qualification:	dimension

List of values:	04b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Donor Demographics
Description:	

Object:	Gender Code
Type:	Character
Description:	Code that identifies the gender of the customer.
Select equivalent:	DimCustomerDemographics.GenderCode
Where equivalent:	

Qualification:	dimension
List of values:	27t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Gender Description
Type:	Character
Description:	Description of the gender code for the customer.
Select equivalent:	DimCustomerDemographics.GenderDescription
Where equivalent:	

Qualification:	dimension
List of values:	27u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Age Bracket Code
Type:	Character
Description:	Code that identifies the age bracket of the customer. The age-bracket code represents a range of years, such as 36-40 years.
Select equivalent:	DimCustomerDemographics.AgeBracketCode
Where equivalent:	

Qualification:	dimension
List of values:	27v, editable, manual refresh, not exportable
Security access level:	0

Object status:	show
----------------	------

Object:	Age Bracket Description
Type:	Character
Description:	Description of the code that represents the age of the customer. The age-bracket code represents a range of years, such as 36-40 years.
Select equivalent:	DimCustomerDemographics.AgeBracketDescription
Where equivalent:	
Qualification:	dimension
List of values:	27w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ethnicity Code
Type:	Character
Description:	Code that identifies the ethnicity of the customer.
Select equivalent:	DimCustomerDemographics.EthnicityCode
Where equivalent:	
Qualification:	dimension
List of values:	27x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ethnicity Description
Type:	Character
Description:	Description of the customer's ethnicity.
Select equivalent:	DimCustomerDemographics.EthnicityDescription
Where equivalent:	
Qualification:	dimension
List of values:	27y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Job Function Code
Type:	Character
Description:	Code that identifies the customer's job function.

Select equivalent:	DimCustomerDemographics.JobFunctionCode
Where equivalent:	
Qualification:	dimension
List of values:	280, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Job Function Description
Type:	Character
Description:	Description of the customer's job function.
Select equivalent:	DimCustomerDemographics.JobFunctionDescription
Where equivalent:	
Qualification:	dimension
List of values:	281, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Income Range Code
Type:	Character
Description:	Code that identifies the income range of the customer. The code represents a range, such as 100K_499K dollars (\$100,000 to \$499,999). Income range is applicable to individuals.
Select equivalent:	DimCustomerDemographics.IncomeRangeCode
Where equivalent:	
Qualification:	dimension
List of values:	282, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Income Range Description
Type:	Character
Description:	Description of the customer's income range code. The code represents a range, such as 100K_499K dollars (\$100,000 to \$499,999).

	99,999). Income range i s applicable to individua ls.
Select equivalent:	DimCustomerDemographics.IncomeRangeDescription
Where equivalent:	
Qualification:	dimension
List of values:	283, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Income Range Begin Range Value
Type:	Number
Description:	Identifies the beginning value for the customer' s income-range code. Th e income-range code repr esents a range, such as 100K_499K (\$100,000 - \$ 499,999).
Select equivalent:	DimCustomerDemographics.IncomeRangeBeginRange
Where equivalent:	
Qualification:	dimension
List of values:	284, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Income Range End Range Value
Type:	Number
Description:	Identifies the ending val ue for the customer's in come-range code. The in come-range code represen ts a range, such as 100K _499K (\$100,000 - \$499,9 99).
Select equivalent:	DimCustomerDemographics.IncomeRangeEndRange
Where equivalent:	
Qualification:	dimension
List of values:	285, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Highest Education Level Code
Type:	Character
Description:	Code that identifies the customer's highest education level.
Select equivalent:	DimCustomerDemographics.HighestEducationLevelCode
Where equivalent:	
Qualification:	dimension
List of values:	286, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Highest Education Level Description
Type:	Character
Description:	Description of the customer's highest-education-level.
Select equivalent:	DimCustomerDemographics.HighestEducationLevelDescription
Where equivalent:	
Qualification:	dimension
List of values:	287, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Record Type Code
Type:	Character
Description:	Identifies the customer record type code for the customer. This is either "I" for "Individual", "C" for "Company", "S" for "Subgroup" or "T" for "Committee".
Select equivalent:	DimCustomerDemographics.CustomerRecordTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	288, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Record Type Description
Type:	Character
Description:	Identifies the descriptive

	d type for the customer. This is either "Individual", "Company", "Subgroup" or "Committee".
Select equivalent:	DimCustomerDemographics.CustomerRecordTypeDescription
Where equivalent:	
Qualification:	dimension
List of values:	289, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Customer Status Code
Type:	Character
Description:	Identifies the customer status code for the customer. Typically, this is "Active". Other values are "Inactive", "Duplicate" and "Deceased".
Select equivalent:	DimCustomerDemographics.CustomerStatusCode
Where equivalent:	
Qualification:	dimension
List of values:	28a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Customer Status Description
Type:	Character
Description:	Identifies the description of the customer status code for the customer. Values include Active, Inactive, Duplicate, Deceased.
Select equivalent:	DimCustomerDemographics.CustomerStatusDescription
Where equivalent:	
Qualification:	dimension
List of values:	28b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Customer Class Code
Type:	Character
Description:	Code that identifies the customer class of the customer. Customer class codes are user-defined codes.
Select equivalent:	DimCustomerDemographics.CustomerClassCode
Where equivalent:	
Qualification:	dimension
List of values:	28c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Customer Class Description
Type:	Character
Description:	Description of the customer class code description for the customer. Customer class codes are user-defined codes. Up to 50 characters.
Select equivalent:	DimCustomerDemographics.CustomerClassDescription
Where equivalent:	
Qualification:	dimension
List of values:	28d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Employer Dmographics
Description:	

Object:	Employer Industry Code
Type:	Character
Description:	The industry indicator for the donor's company.
Select equivalent:	DimCompanyDemographics.IndustryCode
Where equivalent:	
Qualification:	dimension
List of values:	0as, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Industry Description
Type:	Character
Description:	The description of the donor's Industry Code.
Select equivalent:	DimCompanyDemographics.IndustryDescription
Where equivalent:	
Qualification:	dimension
List of values:	0at, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Staff Size Code
Type:	Character
Description:	The staff range code for the donor's employment company.
Select equivalent:	DimCompanyDemographics.StaffSizeCode
Where equivalent:	
Qualification:	dimension
List of values:	0au, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Staff Size Description
Type:	Character
Description:	The text description of the Staff size code.
Select equivalent:	DimCompanyDemographics.StaffSizeDescription
Where equivalent:	
Qualification:	dimension
List of values:	0av, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Revenue Range Code
Type:	Character
Description:	cfor the donor's employment company.
Select equivalent:	DimCompanyDemographics.RevenueRangeCode
Where equivalent:	
Qualification:	dimension
List of values:	0ay, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Revenue Range Description
Type:	Character
Description:	The staff range code's description for the donor's employment compa
Select equivalent:	DimCompanyDemographics.RevenueRangeDescription
Where equivalent:	
Qualification:	dimension
List of values:	0b0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Customer Classc Code
Type:	Character
Description:	The assigned category of the donor in their demo graphic profile. Validat ed against System Type C US, CUSTOMER_CLASS.
Select equivalent:	DimCompanyDemographics.CustomerClassCode
Where equivalent:	
Qualification:	dimension
List of values:	0b3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Customer Class Description
Type:	Character
Description:	The text description of the Customer Class code.
Select equivalent:	DimCompanyDemographics.CustomerClassDescription
Where equivalent:	
Qualification:	dimension
List of values:	0b4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Customer Status Code
Type:	Character
Description:	The code indicating the sta

	her the donor is an Acti ve donor who can make d onations.
Select equivalent:	DimCompanyDemographics.CustomerStatusCode
Where equivalent:	
Qualification:	dimension
List of values:	0b5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Employer Customer Status Description
Type:	Character
Description:	The text description of the employer's Status Code.
Select equivalent:	DimCompanyDemographics.CustomerStatusDescription
Where equivalent:	
Qualification:	dimension
List of values:	0b6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Appeal
Description:	

Object:	Appeal Code
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Appeal_Code
Where equivalent:	
Qualification:	dimension
List of values:	07v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Appeal Description
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Appeal_Description
Where equivalent:	

Qualification:	dimension
List of values:	07w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Appeal Class Code
Type:	Character
Description:	

Select equivalent:	Dim_Donation_Info.Appeal_Class_Code
Where equivalent:	

Qualification:	dimension
List of values:	07x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Appeal Class Code Description
Type:	Character
Description:	

Select equivalent:	Dim_Donation_Info.Appeal_Class_Code_Description
Where equivalent:	

Qualification:	dimension
List of values:	07y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Appeal Tribute Type Code
Type:	Character
Description:	

Select equivalent:	Dim_Donation_Info.Appeal_Tribute_Type_Code
Where equivalent:	

Qualification:	dimension
List of values:	080, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Appeal_Tribute_Type_Code_Description
Where equivalent:	
Qualification:	dimension
List of values:	081, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Campaign
Description:	

Object:	Campaign Code
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Campaign_Code
Where equivalent:	
Qualification:	dimension
List of values:	07i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Campaign Description
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Campaign_Description
Where equivalent:	
Qualification:	dimension
List of values:	07j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Campaign Class Code
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Campaign_Class_Code
Where equivalent:	

Qualification:	dimension
List of values:	07k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
<hr/>	
Object:	Campaign Class Code Description
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Campaign_Class_Code_Description
Where equivalent:	
Qualification:	dimension
List of values:	07l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
<hr/>	
Object:	Date Restricted Campaign Indicator
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Date_Restricted_Campaign_Indicator
Where equivalent:	
Qualification:	dimension
List of values:	07m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
<hr/>	
Object:	Campaign Recognition Structure Code
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Campaign_Recognition_Structure_Code
Where equivalent:	
Qualification:	dimension
List of values:	07n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Campaign Code
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Parent_Campaign_Code
Where equivalent:	
Qualification:	dimension
List of values:	07o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Fund
Description:	

Object:	Fund Code
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Fund_Code
Where equivalent:	
Qualification:	dimension
List of values:	07p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fund Decription
Type:	Character
Description:	
Select equivalent:	Dim_Donation_Info.Fund_Decription
Where equivalent:	
Qualification:	dimension
List of values:	07q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fund Class Code
Type:	Character
Description:	

Where equivalent:

Qualification:	dimension
List of values:	07r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fund Class Code Description
Type:	Character
Description:	

Select equivalent:	Dim_Donation_Info.Fund_Class_Code_Description
Where equivalent:	

Qualification:	dimension
List of values:	07s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fund Tribute Type Code
Type:	Character
Description:	

Select equivalent:	Dim_Donation_Info.Fund_Tribute_Type_Code
Where equivalent:	

Qualification:	dimension
List of values:	07t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fund Tribute Type Code Description
Type:	Character
Description:	

Select equivalent:	Dim_Donation_Info.Fund_Tribute_Type_Code_Description
Where equivalent:	

Qualification:	dimension
List of values:	07u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Rate
Description:	

Object:	Rate Structure Code
Type:	Character
Description:	
Select equivalent:	DimRate.RateStructureCode
Where equivalent:	
Qualification:	dimension
List of values:	08i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Rate Structure Description
Type:	Character
Description:	
Select equivalent:	DimRate.RateStructureDescription
Where equivalent:	
Qualification:	dimension
List of values:	08j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Rate Code
Type:	Character
Description:	
Select equivalent:	DimRate.RateCode
Where equivalent:	
Qualification:	dimension
List of values:	08m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Rate Code Description
Type:	Character
Description:	

Select equivalent:	DimRate.RateCodeDescription
Where equivalent:	
Qualification:	dimension
List of values:	08n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Marketing
Description:	

Object:	Market Code
Type:	Character
Description:	
Select equivalent:	DimOrderMarketing.MarketCode
Where equivalent:	
Qualification:	dimension
List of values:	097, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	List Code
Type:	Character
Description:	
Select equivalent:	DimOrderMarketing.ListCode
Where equivalent:	
Qualification:	dimension
List of values:	098, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	List Code Description
Type:	Character
Description:	
Select equivalent:	DimOrderMarketing.ListCodeDescription
Where equivalent:	
Qualification:	dimension
List of values:	000, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Key Code
Type:	Character
Description:	

Select equivalent:	DimOrderMarketing.KeyCode
Where equivalent:	

Qualification:	dimension
List of values:	09a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Key Code Description
Type:	Character
Description:	

Select equivalent:	DimOrderMarketing.KeyCodeDescription
Where equivalent:	

Qualification:	dimension
List of values:	09b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Market Code Description
Type:	Character
Description:	

Select equivalent:	DimOrderMarketing.MarketCodeDescription
Where equivalent:	

Qualification:	dimension
List of values:	09e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Order Method Code
Type:	Character
Description:	

Select equivalent:	DimOrderMarketing.OrderMethodCode
Where equivalent:	
Qualification:	dimension
List of values:	09v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Order Method Description
Type:	Character
Description:	

Select equivalent:	DimOrderMarketing.OrderMethodDescription
Where equivalent:	
Qualification:	dimension
List of values:	09w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Condition List

No Conditions

Conditions

Class:	Conditions
Description:	

Current Calendar Month

Description:The month of the current system date.
Where Equivalent:DimDate.CalendarMonthOfYearNumber= month(getdate())

Previous Calendar Month

Description:The last month from the current system date.
Where Equivalent:DimDate.CalendarMonthOfYearNumber>= month(getdate())-1

Current Calendar Year

Description:The year (YYYY) of the current system date.
Where Equivalent:DimDate.CalendarYear = Year(getdate())

Calendar Last Year

Description:The last year from the current system date.

Where Equivalent:DimDate.CalendarYear = Year(getdate()) - 1

Calendar Last 2 Years

Description:The current and last year.

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 1

Calendar Last 3 Years

Description:The current and last two years.

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 2

Calendar Last 4 Years

Description:The current and last three years.

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 3

Calendar Last 5 Years

Description:The current and last four years.

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 4

Year to Date

Description:The today's year, day number.

Where Equivalent:DimDate.DayofYearNumber<= DATEPART(dy,getdate())

Quarter To Date

Description:The current year quarter number.

Where Equivalent:DimDate.CalendarQuarterQNumber = DATEPART(q,getdate()) and DimDate.DayofYearNumber<= DATEPART(dy,getdate())

nd DimDate.DayofYearNumber<= DATEPART(dy,getdate())

Current Fiscal Month

Description:

Where Equivalent:DimDate.FiscalMonthOfYear=month(getdate())

Current Fiscal Year

Description:

Where Equivalent:DimDate.FiscalYear =

(select fiscalyear from dimdate where
fulldate = convert(datetime,convert(varchar,getdate(),102),102))

Fiscal Last Year

Description:

Where Equivalent:DimDate.FiscalYear = Year(getdate()) - 1

Fiscal Last 2 Years

Description:

Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 1

Description:
Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 2

Fiscal Last 4 Years
Description:
Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 3

Fiscal Last 5 Years
Description:
Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 4

Donor
Description:The donor's giving class i
s "Donor". This is derived from the O
rg Unit "Major donor Threshhold Amoun
t". If the total FY total amount is be
low the "Threshold" then the giving c
lass is "Donor". if equal or over then
"Major Donor".
Where Equivalent:Dim_Donor_Info.Donor_Giving_Class_Code = 'DONOR'

First Time Donor
Description:The Giving Status is "First Time" when their first donation is received.
Where Equivalent:Dim_Donor_Info.Donor_Giving_Status_Code = 'FIRST_TIME'

Major Donor
Description:The donor's giving class i
s "Major Donor". This is derived from
the Org Unit "Major donor Threshhold
Amount". If the total FY total amount
is below the "Threshold" then the gi
ving class is "Donor". if equal or over
then "Major Donor".
Where Equivalent:Dim_Donor_Info.Donor_Giving_Class_Code = 'MAJOR_DONOR'

Past Donor
Description:The donor has not given this fiscal year and the last time they gave was at the "Donor" level.
Where Equivalent:Dim_Donor_Info.Donor_Giving_Class_Code = 'PAST_DONOR'

Past Major Donor
Description:The donor has not given this fiscal year and the last time they gave was at the "Major Donor"
Where Equivalent:Dim_Donor_Info.Donor_Giving_Class_Code = 'PAST_MAJOIR_DONOR'

Hierarchies List

Geographic

Tables List

DimCompanyDemographics
DimCustomer
DimCustomerDemographics
DimCustomerMembershipInfo
DimDate
DimEmployer
DimGeographicLocation
DimOrderMarketing
DimProduct
DimRate
Dim_Donation_Info
Dim_Donor_Info
Fact_Fund_Donor_Activity_Detail

Join List

- Join0: Fact_Fund_Donor_Activity_Detail.Donation_Date_Key=DimDate.DateKey
- Join1: Fact_Fund_Donor_Activity_Detail.Donor_Info_Key=Dim_Donor_Info.Donor_Info_Key
- Join2: DimCustomer.CustomerKey=Fact_Fund_Donor_Activity_Detail.CustomerKey
- Join3: Fact_Fund_Donor_Activity_Detail.CustomerDemographicsKey=DimCustomerDemographics.CustomerDemographicsKey
- Join4: Fact_Fund_Donor_Activity_Detail.CustomerGeographicLocationKey=DimGeographicLocation.GeographicLocationKey
- Join5: DimCustomerMembershipInfo.MembershipInfoKey=Fact_Fund_Donor_Activity_Detail.CustomerMembershipInfoKey
- Join6: Fact_Fund_Donor_Activity_Detail.Product_Key=DimProduct.ProductKey
- Join7: Dim_Donation_Info.Donation_Info_Key=Fact_Fund_Donor_Activity_Detail.Donation_Info_Key
- Join8: DimRate.RateKey=Fact_Fund_Donor_Activity_Detail.RateKey
- Join9: Fact_Fund_Donor_Activity_Detail.MarketKey=DimOrderMarketing.OrderMarketingKey
- Join10: Fact_Fund_Donor_Activity_Detail.EmployerCustomerKey=DimEmployer.CustomerKey
- Join11: DimCompanyDemographics.CompanyD

emographicsKey=Fact_Fund_Donor_Activity_Detail.EmployerDemographicKey

