

Universe Parameters

Definition

Name:Membership Advantage

Description:

Connection:DataMart

General information

Created:8/28/2008 by Administrator

Modified:9/14/2010 by Administrator

Comments:

Statistics:33 Classes

405 Objects

12 Tables

10 Aliases

29 Joins

0 Contexts

3 Hierarchies

20 Conditions

Strategies

Join strategy:Edit Manually (none)

Table strategy:(Built-in) Standard

Object strategy:(Built-in) Standard Renaming

Controls

Limit size of result set to:unchecked

Limit size of long text objects to:1000 characters

Limit execution time to:10 minutes

Warn if cost estimate exceeds:unchecked

SQL parameters

Query

Allow use of subqueries:yes

Allow use of union, intersect and minus operators:yes

Allow complex conditions in Query Panel:yes

Cartesian products:warn

Multiple paths

Generate several SQL statements for each context:yes

Generate several SQL statements for each measure:yes

Allow selection of multiple contexts:no

Links

No links for this universe

## Object List

No classes

## Object Properties

Class:

### Primary Renewals

Description:

Object:

#### Renewed From Member Type Code

Type:

Character

Description:

Identifies the primary members renewed from member type code.

Select equivalent:

DimPrimaryProduct\_Renewed\_From.MemberTypeCode

Where equivalent:

Qualification:

dimension

List of values:

1is, editable, manual refresh, not exportable

Security access level:

0

Can be used:

in result, in condition, in sort

Object status:

show

Object:

#### Renewed From Member Group Code

Type:

Character

Description:

Identifies for the primary member renewed from member group.

Select equivalent:

DimPrimaryProduct\_Renewed\_From.MbrMemberGroupCode

Where equivalent:

Qualification:

dimension

List of values:

1it, editable, manual refresh, not exportable

Security access level:

0

Can be used:

in result, in condition, in sort

Object status:

show

Object:

#### Renewed From Member Group Description

Type:

Character

Description:

For the primary members r  
enewed from member group  
. The description of the r  
enewed from member group  
.

Select equivalent:

DimPrimaryProduct\_Renewed\_From.MbrMemberGroupDescription

Where equivalent:

Qualification: dimension  
List of values: 1iu, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed From Membership Product**

Type: Character

Description: Identifies the membership products belonging to the primary members renewed from member group where renewed from level 1 is also primary, selects the renewed from product code.

Select equivalent: DimPrimaryProduct\_Renewed\_From.ProductCode

Where equivalent:

Qualification: dimension  
List of values: 1iv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed From Membership Product Name**

Type: Character

Description: Identifies the short name of the primary members renewed from product.

Select equivalent: DimPrimaryProduct\_Renewed\_From.ProductShortName

Where equivalent:

Qualification: dimension  
List of values: 1qm, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed From MBR Level1**

Type: Character

Description: Identifies membership products belonging to the primary members renewed from

---

	m member group where leve l 1 is also primary, selec ts the renewed from level 1 code.
Select equivalent:	DimPrimaryProduct_Renewed_From.MbrLevel1Code
Where equivalent:	

Qualification:	dimension
List of values:	1iw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Level1 Description</b>
Type:	Character
Description:	Identifies the renewed from level1 descrtiption for the primary membership.
Select equivalent:	DimPrimaryProduct_Renewed_From.MbrLevel1Description
Where equivalent:	

Qualification:	dimension
List of values:	1ix, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Level2</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed from memb er group where level 1 is also primary, selects the renewed from level 2 code .
Select equivalent:	DimPrimaryProduct_Renewed_From.MbrLevel2Code
Where equivalent:	

Qualification:	dimension
List of values:	1iy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Renewed From Membership Level3</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed from memb er group where level 1 is also primary, selects the renewed from level 3 code .
Select equivalent:	DimPrimaryProduct_Renewed_From.MbrLevel3Code
Where equivalent:	
Qualification:	dimension
List of values:	1j0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Type Code</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed from group where level 1 is also pri mary, selects the renewed from product type code.
Select equivalent:	DimPrimaryProduct_Renewed_From.ProductTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	1j1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Type Description</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed from group where level 1 is also pri mary, selects the renewed

---

---

Select equivalent:	from product type code d
Where equivalent:	escription . DimPrimaryProduct_Renewed_From.ProductTypeDescription

Qualification:	dimension
List of values:	1j2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Class Code</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed from group where level 1 is also pri mary, selects the renewed from product class code.

Select equivalent:	DimPrimaryProduct_Renewed_From.ProductClassCode
Where equivalent:	

Qualification:	dimension
List of values:	1j3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Class Description</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed from memb er group where level 1 is also primary, selects the renewed from product clas s code description.type.

Select equivalent:	DimPrimaryProduct_Renewed_From.ProductClassDescription
Where equivalent:	

Qualification:	dimension
List of values:	1j4, editable, manual refresh, not exportable

---

---

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Is Renewed From Primary Level 1?</b>
Type:	Character
Description:	Indicates if the primary members renewed from level1 is primary or not.
Select equivalent:	DimPrimaryProduct_Renewed_From.PrimaryMembershipLevel1Indicator
Where equivalent:	

Qualification:	dimension
List of values:	1j5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Is Renewed From Primary Member Group?</b>
Type:	Character
Description:	Indicates if the primary members renewed from member group is primary or not.
Select equivalent:	DimPrimaryProduct_Renewed_From.PrimaryMemberGroupIndicator
Where equivalent:	

Qualification:	dimension
List of values:	1j6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Member Type Code</b>
Type:	Character
Description:	Identifies the primary members renewed to member type code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MemberTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	1hm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Member Group Code</b>
Type:	Character

---

---

Description:	For the primary members r enewed to member group. T he description of the rene wed to member group.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrMemberGroupCode
Where equivalent:	
Qualification:	dimension
List of values:	1hn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Member Group Description</b>
Type:	Character
Description:	For the primary members r enewed to member group. T he description of the rene wed to member group.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrMemberGroupDescription
Where equivalent:	
Qualification:	dimension
List of values:	1ho, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Membership Product</b>
Type:	Character
Description:	Identifies the membership products belonging to the primary members renewed to member group where ren ewed to level 1 is also pr imary, selects the renewed to product code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	1hp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

---



Object status: show

---

Object: **Renewed To Membership Product Name**

Type: Character

Description:

Identifies the short name of the primary members renewed to product.

Select equivalent: DimPrimaryProduct\_Renewed\_Transferred\_To.ProductShortName

Where equivalent:

Qualification: dimension

List of values: 1qn, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewed To MBR Level1**

Type: Character

Description:

Select equivalent: DimPrimaryProduct\_Renewed\_Transferred\_To.MbrLevel1Code

Where equivalent:

Qualification: dimension

List of values: 1gy, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewed To Membership Level1 Description**

Type: Character

Description: Identifies the renewed to level1 description for the primary membership.

Select equivalent: DimPrimaryProduct\_Renewed\_Transferred\_To.MbrLevel1Description

Where equivalent:

Qualification: dimension

List of values: 1hq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

---

Object:	<b>Renewed To Membership Level2</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed to member group where level 1 is als o primary, selects the ren ewed to level 2 code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrLevel2Code
Where equivalent:	
Qualification:	dimension
List of values:	1hr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Membership Level3</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed to member group where level 1 is als o primary, selects the ren ewed to level 3 code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrLevel3Code
Where equivalent:	
Qualification:	dimension
List of values:	1hs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Membership Product Type Code</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed to group w here level 1 is also prima ry, selects the renewed to product type code. type.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductTypeCode

---

Where equivalent:

Qualification: dimension  
List of values: 1ht, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed To Membership Product Type Description**  
Type: Character  
Description: For membership products b  
elonging to the primary m  
embers renewed to group w  
here level 1 is also prima  
ry, selects the renewed to  
product type code descrip  
tion .type.  
Select equivalent: DimPrimaryProduct\_Renewed\_Transferred\_To.ProductTypeDescription  
Where equivalent:

Qualification: dimension  
List of values: 1hu, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed To Membership Product Class Code**  
Type: Character  
Description: For membership products b  
elonging to the primary m  
embers renewed to group w  
here level 1 is also prima  
ry, selects the renewed to  
product class code.  
Select equivalent: DimPrimaryProduct\_Renewed\_Transferred\_To.ProductClassCode  
Where equivalent:

Qualification: dimension  
List of values: 1hv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object:	<b>Renewed To Membership Product Class Description</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers renewed to member group where level 1 is als o primary, selects the ren ewed to product class cod e description.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductClassDescription
Where equivalent:	
Qualification:	dimension
List of values:	1hw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Is Renewed To Primary Level 1?</b>
Type:	Character
Description:	Indicates if the primary members renewed to level1 is primary or not.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.PrimaryMembershipLevel1Indicator
Where equivalent:	
Qualification:	dimension
List of values:	1hy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Member Group</b>
Type:	Character
Description:	Indicates if the primary members renewed to member group is primary or not.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.PrimaryMemberGroupIndicator
Where equivalent:	
Qualification:	dimension
List of values:	1i9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewal Count</b>
---------	----------------------

---

Type:	Number
Description:	Identifies the total renewal count for the given snapshot period.
Select equivalent:	sum(FactMemberActivityDetails.Count)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1j7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	<b>Primary Transfers</b>
Description:	

Object:	<b>Transferred From Member Type Code</b>
Type:	Character
Description:	Identifies the primary members transferred from member type code.
Select equivalent:	DimPrimaryProduct_Transferred_From.MemberTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	1ja, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Member Group Code</b>
Type:	Character
Description:	For the primary members T ransferred From member gr oup. The description of th e transferred from member group.
Select equivalent:	DimPrimaryProduct_Transferred_From.MbrMemberGroupCode
Where equivalent:	
Qualification:	dimension
List of values:	1jb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Member Group Description</b>
Type:	Character
Description:	For the primary members T ransferred From member gr oup. The description of th e transferred from member group.
Select equivalent:	DimPrimaryProduct_Transferred_From.MbrMemberGroupDescription
Where equivalent:	
Qualification:	dimension
List of values:	1jc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Product</b>
Type:	Character
Description:	Identifies the membership products belonging to the primary members transfer red from member group whe re transferred from level 1 is also primary, selects the transferred from prod uct code.
Select equivalent:	DimPrimaryProduct_Transferred_From.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	1jd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Product Name</b>
Type:	Character
Description:	Identifies the short name of the primary members transferred from product.
Select equivalent:	DimPrimaryProduct_Transferred_From.ProductShortName
Where equivalent:	

---

---

Qualification:	dimension
List of values:	1qo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From MBR Level1</b>
Type:	Character
Description:	Identifies membership products belonging to the primary members transferred from member group where level 1 is also primary, selects the transferred from level 1 code.
Select equivalent:	DimPrimaryProduct_Transferred_From.MbrLevel1Code
Where equivalent:	

Qualification:	dimension
List of values:	1je, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Level1 Description</b>
Type:	Character
Description:	Identifies the transferred from level1 description for the primary membership.
Select equivalent:	DimPrimaryProduct_Transferred_From.MbrLevel1Description
Where equivalent:	

Qualification:	dimension
List of values:	1jf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Level2</b>
Type:	Character
Description:	For membership products belonging to the primary members transferred from m

---

ember group where level 1  
is also primary, selects  
the transferred from level  
2 code.

Select equivalent: DimPrimaryProduct\_Transferred\_From.MbrLevel2Code  
Where equivalent:

Qualification: dimension  
List of values: 1jg, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Transferred From Membership Level3**

Type: Character

Description: For membership products b  
elonging to the primary m  
embers transferred from m  
ember group where level 1  
is also primary, selects  
the transferred from level  
3 code.

Select equivalent: DimPrimaryProduct\_Transferred\_From.MbrLevel3Code  
Where equivalent:

Qualification: dimension  
List of values: 1jh, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Transferred From Membership Product Type Code**

Type: Character

Description: For membership products b  
elonging to the primary m  
embers transferred from g  
roup where level 1 is also  
primary, selects the tran  
sferred from product type  
code.

Select equivalent: DimPrimaryProduct\_Transferred\_From.ProductTypeCode  
Where equivalent:



---

Qualification:	dimension
List of values:	1jj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Product Type Description</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers transferred from g roup where level 1 is also primary, selects the tran sferred from product type code description .

Select equivalent:	DimPrimaryProduct_Transferred_From.ProductTypeDescription
Where equivalent:	

Qualification:	dimension
List of values:	1jj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Product Class Code</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers transferred from g roup where level1 is also primary. selects the trans ferred from product class code.

Select equivalent:	DimPrimaryProduct_Transferred_From.ProductClassCode
Where equivalent:	

Qualification:	dimension
List of values:	1jk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Transferred From Membership Product Class Description</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers transferred from g roup where level1 is also primary. selects the trans ferred from product class code description.
Select equivalent:	DimPrimaryProduct_Transferred_From.ProductClassDescription
Where equivalent:	
Qualification:	dimension
List of values:	1jl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Is Transferred From Primary Level 1 ?</b>
Type:	Character
Description:	Identifies if the primary memberbers transferred from is a primary level1 or not.
Select equivalent:	DimPrimaryProduct_Transferred_From.PrimaryMembershipLevel1Indicator
Where equivalent:	
Qualification:	dimension
List of values:	1jm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Is Transferred From Primary Member Group?</b>
Type:	Character
Description:	Identifies if the primary members transferred from group is primary or not.
Select equivalent:	DimPrimaryProduct_Transferred_From.PrimaryMemberGroupIndicator
Where equivalent:	
Qualification:	dimension
List of values:	1jn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Transferred To Member Type Code</b>
Type:	Character
Description:	Identifies the primary members transferred to member type code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MemberTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	1ib, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Member Group Code</b>
Type:	Character
Description:	For the primary members transferred to member group. The description of the transferred to member group.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrMemberGroupCode
Where equivalent:	

Qualification:	dimension
List of values:	1ic, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Member Group Description</b>
Type:	Character
Description:	For the primary members transferred to member group. The description of the transferred to member group.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrMemberGroupDescription
Where equivalent:	

Qualification:	dimension
List of values:	1id, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Transferred To Membership Product</b>
Type:	Character
Description:	Identifies the membership products belonging to the primary members transferred to member group where transferred to level1 is also primary, selects the transferred to product code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	1ie, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Name</b>
Type:	Character
Description:	Identifies the short name of the primary members transferred to product
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductShortName
Where equivalent:	
Qualification:	dimension
List of values:	1qp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To MBR Level1</b>
Type:	Character
Description:	Identifies membership products belonging to the primary members transferred to member group where level 1 is also primary, selects the transferred to level 1 code.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrLevel1Code
Where equivalent:	

---

---

Qualification:	dimension
List of values:	1if, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Level1 Description</b>
Type:	Character
Description:	Identifies the transferred to level1 descrtiption for the primary membership.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrLevel1Description
Where equivalent:	

Qualification:	dimension
List of values:	1ig, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Level2</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers transferred to mem ber group where level 1 is also primary, selects the transferred to level 2 co de.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrLevel2Code
Where equivalent:	

Qualification:	dimension
List of values:	1ih, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Level3</b>
Type:	Character
Description:	For membership products b elonging to the primary m embers transferred to mem

---

---

	ber group where level 1 is also primary, selects the transferred to level 3 co de.
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.MbrLevel3Code
Where equivalent:	

Qualification:	dimension
List of values:	1ii, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Type Code</b>
Type:	Character
Description:	

For membership products b  
elonging to the primary m  
embers transferred to gro  
up where level 1 is also p  
rimary, selects the transf  
erred to product type code

Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	1ij, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Type Description</b>
Type:	Character
Description:	

For membership products b  
elonging to the primary m  
embers transferred to gro  
up where level 1 is also p  
rimary, selects the transf  
erred to product type code  
description .

Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductTypeDescription
Where equivalent:	

---

Qualification:	dimension
List of values:	1ik, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Class Code</b>
Type:	Character

Description:

For membership products belonging to the primary members transferred to group where level 1 is also primary, selects the transferred to product class code.

Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductClassCode
--------------------	---

Where equivalent:

---

Qualification:	dimension
List of values:	1il, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Class Description</b>
Type:	Character

Description:

For membership products belonging to the primary members transferred to member group where level 1 is also primary, selects the transferred to product class code description.

Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.ProductClassDescription
--------------------	--

Where equivalent:

---

Qualification:	dimension
List of values:	1im, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Is Transferred To Primary Level 1?</b>
Type:	Character
Description:	Is primary members transferred Level 1 is primary or not?
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.PrimaryMembershipLevel1Indicator
Where equivalent:	
Qualification:	dimension
List of values:	1in, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Is ransferred To Primary Member Group?</b>
Type:	Character
Description:	Is primary members transferred member group is primary or not?
Select equivalent:	DimPrimaryProduct_Renewed_Transferred_To.PrimaryMemberGroupIndicator
Where equivalent:	
Qualification:	dimension
List of values:	1io, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transfer Count</b>
Type:	Number
Description:	Identifies the total transfer count for the given snapshot period.
Select equivalent:	sum(FactMemberActivityDetails.Count)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1ip, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Class:	<b>Customer Name Components</b>
Description:	Member Name Info

Object:	<b>Last Name, First Name</b>
Type:	Character



---

Description:	Last Name, First Name
Select equivalent:	DimCustomer.LastFirstName
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>First Name Last Name</b>
Type:	Character
Description:	First Name Last Name
Select equivalent:	DimCustomer.FirstLastName
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Prefix</b>
Type:	Character
Description:	Prefix
Select equivalent:	DimCustomer.NamePrefix
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>First Name</b>
Type:	Character
Description:	First Name
Select equivalent:	DimCustomer.FirstName
Where equivalent:	

---

---

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>First Name Middle Name</b>
Type:	Character
Description:	First Name Middle Name

Select equivalent:	DimCustomer.FirstNameMiddleName
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Last Name</b>
Type:	Character
Description:	Last Name

Select equivalent:	DimCustomer.LastName
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Suffix</b>
Type:	Character
Description:	Suffix

Select equivalent:	DimCustomer.NameSuffix
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0

---

Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Nickname</b>
Type:	Character
Description:	Nickname

Select equivalent:	DimCustomer.Nickname
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Credentials</b>
Type:	Character
Description:	Credentials

Select equivalent:	DimCustomer.Credentials
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Formal Salutation</b>
Type:	Character
Description:	Formal Salutation

Select equivalent:	DimCustomer.FormalSalutation
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Informal Salutation</b>
Type:	Character
Description:	Informal Salutation
Select equivalent:	DimCustomer.InformalSalutation
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Acronym</b>
Type:	Character
Description:	Acronym
Select equivalent:	DimCustomer.Acronym
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	<b>Shipping Address</b>
Description:	

Object:	<b>Ship Address City</b>
Type:	Character
Description:	
Select equivalent:	DimCustomer.ShipAddressCity
Where equivalent:	
Qualification:	dimension
List of values:	1f8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Ship Address State</b>
---------	---------------------------

---

---

Type:	Character
Description:	
Select equivalent:	DimCustomer.ShipAddressState
Where equivalent:	
Qualification:	dimension
List of values:	1f7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Ship Address Zip</b>
Type:	Character
Description:	
Select equivalent:	DimCustomer.ShipAddressZip
Where equivalent:	
Qualification:	dimension
List of values:	1fd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Ship Address Country Code</b>
Type:	Character
Description:	
Select equivalent:	DimCustomer.ShipAddressCountryCode
Where equivalent:	
Qualification:	dimension
List of values:	1f5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Ship Address Country Name</b>
Type:	Character
Description:	
Select equivalent:	DimCustomer.ShipAddressCountryName

---

Where equivalent:

Qualification: dimension  
List of values: 1f6, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: hidden

Class:	<b>Customer Order Info</b>
Description:	

Object: **Order Number**  
Type: Character  
Description:

Select equivalent: FactMemberActivityDetails.OrderNumber  
Where equivalent:

Qualification: dimension  
List of values: 1hk, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: hidden

---

Object: **Order Line Number**  
Type: Number  
Description:

Select equivalent: FactMemberActivityDetails.OrderLineNumber  
Where equivalent:

Qualification: dimension  
List of values: 1hl, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: hidden

---

Object: **Cyclebegindate**  
Type: Date  
Description:

Select equivalent: FactMemberActivityDetails.CycleBeginDate  
Where equivalent:

---

Qualification:	dimension
List of values:	1o6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Cycleenddate</b>
Type:	Date
Description:	

Select equivalent:	FactMemberActivityDetails.CycleEndDate
Where equivalent:	

Qualification:	dimension
List of values:	1o7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Gracedate</b>
Type:	Date
Description:	

Select equivalent:	FactMemberActivityDetails.GraceDate
Where equivalent:	

Qualification:	dimension
List of values:	1o8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Initialbegindate</b>
Type:	Date
Description:	

Select equivalent:	FactMemberActivityDetails.InitialBeginDate
Where equivalent:	

Qualification:	dimension
List of values:	1o9, editable, manual refresh, not exportable
Security access level:	0

---

---

Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Invoicedate</b>
Type:	Date
Description:	

Select equivalent:	FactMemberActivityDetails.InvoiceDate
Where equivalent:	

Qualification:	dimension
List of values:	10a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Linestatuscode</b>
Type:	Character
Description:	

Select equivalent:	FactMemberActivityDetails.LineStatusCode
Where equivalent:	

Qualification:	dimension
List of values:	10b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---

Object:	<b>Linestatusdescription</b>
Type:	Character
Description:	

Select equivalent:	FactMemberActivityDetails.LineStatusDescription
Where equivalent:	

Qualification:	dimension
List of values:	10c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

---



---

Object: **Fulfillstatuscode**

Type: Character

Description:

Select equivalent: FactMemberActivityDetails.FulfillStatusCode

Where equivalent:

Qualification: dimension

List of values: 1od, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

---

Object: **Fulfillstatusdescription**

Type: Character

Description:

Select equivalent: FactMemberActivityDetails.FulfillStatusDescription

Where equivalent:

Qualification: dimension

List of values: 1oe, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

---

Object: **Receiptno**

Type: Number

Description:

Select equivalent: FactMemberActivityDetails.ReceiptNo

Where equivalent:

Qualification: dimension

List of values: 1v1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Class: <b>Bill Customer Info</b>
----------------------------------

Description:
--------------

Object: **Bill Master-Sub Customer ID**

---

---

Type:	Character
Description:	Concatenation of master c ustomer id and sub custom erid in the following form at 00000000000X-0
Select equivalent:	DimBillCustomer.BKTIMSS6MasterSubCustomerID
Where equivalent:	
Qualification:	dimension
List of values:	1tn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Bill Master Customer ID</b>
Type:	Character
Description:	Bill Master Customer ID
Select equivalent:	DimBillCustomer.MasterCustomerID
Where equivalent:	
Qualification:	dimension
List of values:	1tl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Bill Sub Customer ID</b>
Type:	Number
Description:	Bill Sub Customer ID
Select equivalent:	DimBillCustomer.SubCustomerID
Where equivalent:	
Qualification:	dimension
List of values:	1tm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Bill Customer Name</b>
Type:	Character
Description:	Bill Customer Name
Select equivalent:	DimBillCustomer.FullNameWithPrefixAndCredentials
Where equivalent:	

---

Qualification: dimension  
List of values: 1to, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class: **Renewals**  
Description:

Object: **Renewed From Member Type Code**  
Type: Character  
Description: Identifies the non primary  
(Chapter or Section) mem  
bers renewed from member  
type code.

Select equivalent: DimProduct\_Renewed\_From.MemberTypeCode  
Where equivalent:

Qualification: dimension  
List of values: 1is, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: **Renewed From Member Group Code**  
Type: Character  
Description:

Select equivalent: DimProduct\_Renewed\_From.MbrMemberGroupCode  
Where equivalent:

Qualification: dimension  
List of values: 1it, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: **Renewed From Member Group Description**  
Type: Character  
Description: For the non primary (Chap  
ter or Section) members r

---

	renewed from member group . The description of the r renewed from member group .
Select equivalent:	DimProduct_Renewed_From.MbrMemberGroupDescription
Where equivalent:	
Qualification:	dimension
List of values:	1iu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product</b>
Type:	Character
Description:	Identifies the membership products belonging to the non primary (Chapter or Section) members renewed from member group, selects the renewed from product code.

Select equivalent:	DimProduct_Renewed_From.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	1iv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Name</b>
Type:	Character
Description:	Identifies the short name of the non primary (Chapter or Section) members renewed from product.

Select equivalent:	DimProduct_Renewed_From.ProductShortName
Where equivalent:	
Qualification:	dimension

---

---

List of values:	1qm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From MBR Level1</b>
Type:	Character
Description:	Identifies membership products belonging to the non primary (Chapter or Section) members renewed from member group , selects the renewed from level 1 code.

Select equivalent:	DimProduct_Renewed_From.MbrLevel1Code
Where equivalent:	

Qualification:	dimension
List of values:	1iw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Level1 Description</b>
Type:	Character
Description:	Identifies the renewed from level1 description for the non primary (Chapter or Section) membership.

Select equivalent:	DimProduct_Renewed_From.MbrLevel1Description
Where equivalent:	

Qualification:	dimension
List of values:	1ix, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Level2</b>
Type:	Character
Description:	For membership products b

elonging to the non primary (Chapter or Section) members renewed from member group, selects the renewed from level 2 code.

Select equivalent: DimProduct\_Renewed\_From.MbrLevel2Code  
Where equivalent:

Qualification: dimension  
List of values: 1iy, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed From Membership Level3**  
Type: Character  
Description:

For membership products belonging to the non primary (Chapter or Section) members renewed from member group, selects the renewed from level 3 code.

Select equivalent: DimProduct\_Renewed\_From.MbrLevel3Code  
Where equivalent:

Qualification: dimension  
List of values: 1j0, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed From Membership Product Type Code**  
Type: Character  
Description:

For membership products belonging to the non primary (Chapter or Section) members renewed from group, selects the renewed from product type code.

Select equivalent: DimProduct\_Renewed\_From.ProductTypeCode  
Where equivalent:

---

Qualification:	dimension
List of values:	1j1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Type Description</b>
Type:	Character
Description:	For membership products belonging to the non primary (Chapter or Section) members renewed from group , selects the renewed from product type code description .

Select equivalent:	DimProduct_Renewed_From.ProductTypeDescription
Where equivalent:	

Qualification:	dimension
List of values:	1j2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed From Membership Product Class Code</b>
Type:	Character
Description:	For membership products belonging to the non primary (Chapter or Section) members renewed from group , selects the renewed from product class code.

Select equivalent:	DimProduct_Renewed_From.ProductClassCode
Where equivalent:	

Qualification:	dimension
List of values:	1j3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Renewed From Membership Product Class Description</b>
Type:	Character
Description:	For membership products belonging to the non primary (Chapter or Section) members renewed from member group , selects the renewed from product class code description.
Select equivalent:	DimProduct_Renewed_From.ProductClassDescription
Where equivalent:	
Qualification:	dimension
List of values:	1j4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Member Type Code</b>
Type:	Character
Description:	Identifies the non primary (Chapter or Section) members renewed to member type code.
Select equivalent:	DimProduct_Renewed_Transferred_To.MemberTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	1hm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Member Group Code</b>
Type:	Character
Description:	
Select equivalent:	DimProduct_Renewed_Transferred_To.MbrMemberGroupCode
Where equivalent:	
Qualification:	dimension
List of values:	1hn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

---



Object status: show

---

Object: **Renewed To Member Group Description**

Type: Character

Description: For the non primary (Chapter or Section) members renewed to member group. The description of the renewed to member group.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.MbrMemberGroupDescription

Where equivalent:

Qualification: dimension

List of values: 1ho, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewed To Membership Product**

Type: Character

Description: Identifies the membership products belonging to the non primary (Chapter or Section) members renewed to member group, selects the renewed to product code.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.ProductCode

Where equivalent:

Qualification: dimension

List of values: 1hp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewed To Membership Product Name**

Type: Character

Description: Identifies the short name of the non primary (Chapter or Section) members re

---

newed to product.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.ProductShortName  
Where equivalent:

Qualification: dimension  
List of values: 1qn, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed To MBR Level1**

Type: Character

Description: Identifies membership products belonging to the non primary (Chapter or Section) members renewed to member group , selects the renewed to level 1 code.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.MbrLevel1Code  
Where equivalent:

Qualification: dimension  
List of values: 1gy, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewed To Membership Level1 Description**

Type: Character

Description: Identifies the renewed to level1 description for the non primary (Chapter or Section) membership.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.MbrLevel1Description  
Where equivalent:

Qualification: dimension  
List of values: 1hq, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort

---

Object status: show

---

Object: **Renewed To Membership Level2**

Type: Character

Description:

For membership products belonging to the non primary (Chapter or Section) members renewed to member group , selects the renewed to level 2 code.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.MbrLevel2Code

Where equivalent:

Qualification: dimension

List of values: 1hr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewed To Membership Level3**

Type: Character

Description:

For membership products belonging to the non primary (Chapter or Section) members renewed to member group , selects the renewed to level 3 code.

Select equivalent: DimProduct\_Renewed\_Transferred\_To.MbrLevel3Code

Where equivalent:

Qualification: dimension

List of values: 1hs, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewed To Membership Product Type Code**

Type: Character

Description:

For membership products belonging to the non primary (Chapter or Section) members renewed to group ,

---

	selects the renewed to pr oduct type code.
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	1ht, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Membership Product Type Description</b>
Type:	Character
Description:	For membership products b elonging to the non primar y (Chapter or Section) me mbers renewed to group , selects the renewed to pr oduct type code descriptio n .
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductTypeDescription
Where equivalent:	
Qualification:	dimension
List of values:	1hu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Membership Product Class Code</b>
Type:	Character
Description:	For membership products b elonging to the non primar y (Chapter or Section) me mbers renewed to group , selects the renewed to pr oduct class code.
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductClassCode
Where equivalent:	
Qualification:	dimension

---

---

List of values:	1hv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed To Membership Product Class Description</b>
Type:	Character
Description:	For membership products b elonging to the non primar y (Chapter or Section) me mbers renewed to member group , selects the renewe d to product class code de scription.
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductClassDescription
Where equivalent:	

Qualification:	dimension
List of values:	1hw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewal Count</b>
Type:	Number
Description:	Identifies the non primary (chapter or section) member renewal count.
Select equivalent:	sum(FactMemberActivityDetails.Count)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	1j7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Class:	<b>Transfers</b>
Description:	

Object:	<b>Transferred From Member Type Code</b>
Type:	Character
Description:	Identifies the non primary (Chapter or Section) mem

---

	bers transferred from mem ber type code.
Select equivalent:	DimProduct_Transferred_From.MemberTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	1ja, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Member Group Code</b>
Type:	Character
Description:	
Select equivalent:	DimProduct_Transferred_From.MbrMemberGroupCode
Where equivalent:	
Qualification:	dimension
List of values:	1jb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Member Group Description</b>
Type:	Character
Description:	For the non primary (Chap ter or Section) members tr ansferred from member gro up. The description of the transferred from member group.
Select equivalent:	DimProduct_Transferred_From.MbrMemberGroupDescription
Where equivalent:	
Qualification:	dimension
List of values:	1jc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

---

Object:	<b>Transferred From Membership Product</b>
Type:	Character
Description:	Identifies the membership products belonging to the non primary (Chapter or Section) members transferred from member group, selects the transferred from product code.
Select equivalent:	DimProduct_Transferred_From.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	1jd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From Membership Product Name</b>
Type:	Character
Description:	Identifies the short name of the non primary (Chapter or Section) members transferred from product.
Select equivalent:	DimProduct_Transferred_From.ProductShortName
Where equivalent:	
Qualification:	dimension
List of values:	1qo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred From MBR Level1</b>
Type:	Character
Description:	Identifies membership products belonging to the non primary (Chapter or Section) members transferred from member group, selects the transferred from level 1 code.

---

---

Select equivalent: DimProduct\_Transferred\_From.MbrLevel1Code  
Where equivalent:

Qualification: dimension  
List of values: 1je, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Transferred From Membership Level1 Description**  
Type: Character  
Description: Identifies the transferred  
from level1 description f  
or the non primary (Chapt  
er or Section) membership  
.

Select equivalent: DimProduct\_Transferred\_From.MbrLevel1Description  
Where equivalent:

Qualification: dimension  
List of values: 1jf, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Transferred From Membership Level2**  
Type: Character  
Description: For membership products b  
elonging to the non primar  
y (Chapter or Section) me  
mbers transferred from m  
ember group , selects the  
transferred from level 2 c  
ode.

Select equivalent: DimProduct\_Transferred\_From.MbrLevel2Code  
Where equivalent:

Qualification: dimension  
List of values: 1jg, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort

---



---

Object status: show

---

Object: **Transferred From Membership Level3**

Type: Character

Description: For membership products belonging to the non primary (Chapter or Section) members transferred from member group , selects the transferred from level 3 code.

Select equivalent: DimProduct\_Transferred\_From.MbrLevel3Code

Where equivalent:

Qualification: dimension

List of values: 1jh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Transferred From Membership Product Type Code**

Type: Character

Description: For membership products belonging to the non primary (Chapter or Section) members transferred from group , selects the transferred from product type code.

Select equivalent: DimProduct\_Transferred\_From.ProductTypeCode

Where equivalent:

Qualification: dimension

List of values: 1jj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Transferred From Membership Product Type Description**

Type: Character

Description: For membership products b

---

elonging to the non primary (Chapter or Section) members transferred from group , selects the transferred from product type code description .

Select equivalent: DimProduct\_Transferred\_From.ProductTypeDescription  
Where equivalent:

Qualification: dimension  
List of values: 1jj, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Transferred From Membership Product Class Code**  
Type: Character  
Description: For membership products belonging to the non primary (Chapter or Section) members transferred from group , selects the transferred from product class code.

Select equivalent: DimProduct\_Transferred\_From.ProductClassCode  
Where equivalent:

Qualification: dimension  
List of values: 1jk, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Transferred From Membership Product Class Description**  
Type: Character  
Description: For membership products belonging to the non primary (Chapter or Section) members transferred from member group , selects the transferred from product c

---

Select equivalent:	lass code description.
Where equivalent:	DimProduct_Transferred_From.ProductClassDescription

Qualification:	dimension
List of values:	1jl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Member Type Code</b>
Type:	Character
Description:	Identifies the non primary (Chapter or Section) mem berstransferred to member type code.

Select equivalent:	DimProduct_Renewed_Transferred_To.MemberTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	1ib, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Member Group Code</b>
Type:	Character
Description:	

Select equivalent:	DimProduct_Renewed_Transferred_To.MbrMemberGroupCode
Where equivalent:	

Qualification:	dimension
List of values:	1ic, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Member Group Description</b>
Type:	Character
Description:	For the non primary (Chap ter or Section) memberstr

---

---

	ansferred to member group . The description of thetr ansferred to member group .
Select equivalent:	DimProduct_Renewed_Transferred_To.MbrMemberGroupDescription
Where equivalent:	
Qualification:	dimension
List of values:	1id, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product</b>
Type:	Character
Description:	Identifies the membership products belonging to the non primary (Chapter or Section) members transferred to member group, selects the transferred to product code.
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	1ie, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Name</b>
Type:	Character
Description:	Identifies the short name of the non primary (Chapter or Section) members transferred to product.
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductShortName
Where equivalent:	
Qualification:	dimension
List of values:	1qp, editable, manual refresh, not exportable

---

---

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To MBR Level1</b>
---------	----------------------------------

Type:	Character
-------	-----------

Description:	Identifies membership products belonging to the non primary (Chapter or Section) members transferred to member group , selects the transferred to level 1 code.
--------------	---

Select equivalent:	DimProduct_Renewed_Transferred_To.MbrLevel1Code
--------------------	---

Where equivalent:	
-------------------	--

Qualification:	dimension
----------------	-----------

List of values:	1if, editable, manual refresh, not exportable
-----------------	---

Security access level:	0
------------------------	---

Can be used:	in result, in condition, in sort
--------------	----------------------------------

Object status:	show
----------------	------

---

Object:	<b>Transferred To Membership Level1 Description</b>
---------	---

Type:	Character
-------	-----------

Description:	Identifies the transferred to level1 description for the non primary (Chapter or Section) membership.
--------------	---

Select equivalent:	DimProduct_Renewed_Transferred_To.MbrLevel1Description
--------------------	--

Where equivalent:	
-------------------	--

Qualification:	dimension
----------------	-----------

List of values:	1ig, editable, manual refresh, not exportable
-----------------	---

Security access level:	0
------------------------	---

Can be used:	in result, in condition, in sort
--------------	----------------------------------

Object status:	show
----------------	------

---

Object:	<b>Transferred To Membership Level2</b>
---------	---

Type:	Character
-------	-----------

Description:	For membership products belonging to the non primary (Chapter or Section) members transferred to membership
--------------	---

---

Select equivalent:	er group , selects thetran sferred to level 2 code.
Where equivalent:	DimProduct_Renewed_Transferred_To.MbrLevel2Code
Qualification:	dimension
List of values:	1ih, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Level3</b>
Type:	Character
Description:	For membership products b elonging to the non primar y (Chapter or Section) me mbers transferred to memb er group , selects thetran sferred to level 3 code.

Select equivalent:	DimProduct_Renewed_Transferred_To.MbrLevel3Code
Where equivalent:	
Qualification:	dimension
List of values:	1ii, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Type Code</b>
Type:	Character
Description:	For membership products b elonging to the non primar y (Chapter or Section) me mbers transferred to grou p , selects thetranferred to product type code.

Select equivalent:	DimProduct_Renewed_Transferred_To.ProductTypeCode
Where equivalent:	
Qualification:	dimension

---

---

List of values:	1ij, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Type Description</b>
Type:	Character
Description:	For membership products b

elonging to the non primar  
y (Chapter or Section) me  
mbers transferred to grou  
p , selects thetransferred  
to product type code desc  
ription .

Select equivalent:	DimProduct_Renewed_Transferred_To.ProductTypeDescription
Where equivalent:	

Qualification:	dimension
List of values:	1ik, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Class Code</b>
Type:	Character
Description:	For membership products b

elonging to the non primar  
y (Chapter or Section) me  
mbers transferred to grou  
p , selects thetransferred  
to product class code.

Select equivalent:	DimProduct_Renewed_Transferred_To.ProductClassCode
Where equivalent:	

Qualification:	dimension
List of values:	1il, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transferred To Membership Product Class Description</b>
---------	--

---

---

Type:	Character
Description:	For membership products b elonging to the non primar y (Chapter or Section) me mbers transferred to memb er group , selects thetran sferred to product class c ode description.
Select equivalent:	DimProduct_Renewed_Transferred_To.ProductClassDescription
Where equivalent:	
Qualification:	dimension
List of values:	1im, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Transfer Count</b>
Type:	Number
Description:	Identifies the non primary (chapter or section) member transferred count.
Select equivalent:	sum(FactMemberActivityDetails.Count)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1ip, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	<b>Life Time Values</b>
Description:	

Object:	<b>LTV Amount</b>
Type:	Number
Description:	
Select equivalent:	sum(FactMemberActivityDetails.LifeTimeThru_PurchaseAmount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1v0, editable, manual refresh, not exportable
Security access level:	0



---

Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0.00

---

Object:	<b>LTV Primary Membership Dues Amount</b>
Type:	Number
Description:	This is the life time primary membeship dues amount
Select equivalent:	Sum(FactMemberActivityDet ails.LifeTimeThru_Primary MembershipDues_PurchaseA mount)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0.00

---

Object:	<b>LTV Non Primary Membership Dues Amount</b>
Type:	Number
Description:	This is the life time non primary membership dues amount.
Select equivalent:	Sum(FactMemberActivityDet ails.LifeTimeThru_NonPrim aryMembershipDues_Purcha seAmount)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0.00

---

---

Object:	<b>LTV MTG Amount</b>
Type:	Number
Description:	This is the life time meetings purchase amount
Select equivalent:	Sum(FactMemberActivityDetails.LifeTimeThru_Meeting_PurchaseAmount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>LTV INV Amount</b>
Type:	Number
Description:	This is the life time inventory purchase amount
Select equivalent:	Sum(FactMemberActivityDetails.LifeTimeThru_Inventory_PurchaseAmount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>LTV SUB Amount</b>
Type:	Number
Description:	This is the life time subscription purchase amount.
Select equivalent:	Sum(FactMemberActivityDetails.LifeTimeThru_Subscription_PurchaseAmount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

---

---

Object status: show  
Format Number  
Category = Currency  
\$#,##0.00

---

Object: **LTV XBT Amount**  
Type: Number  
Description: This is the life time exhibition purchase amount  
Select equivalent: Sum(FactMemberActivityDetails.LifeTimeThru\_Exhibition\_PurchaseAmount)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show  
Format Number  
Category = Currency  
\$#,##0.00

---

Object: **LTV ADV Amount**  
Type: Number  
Description: This is the life time advertising purchase amount  
Select equivalent: Sum(FactMemberActivityDetails.LifeTimeThru\_Advertising\_PurchaseAmount)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show  
Format Number  
Category = Currency  
\$#,##0.00

---

Object: **LTV FND Amount**  
Type: Number  
Description: This is the life time fund purchase amount.  
Select equivalent: Sum(FactMemberActivityDetails.LifeTimeThru\_Fund\_PurchaseAmount)  
Where equivalent:

---

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$#,##0.00

Class:	<b>DueTo Renew</b>
Description:	

Object:	<b>Renewal Rate</b>
Type:	Number
Description:	Indicates the renewal rate over a given snapshot period.
Select equivalent:	(@Select(DueTo Renew\Due To Renew This Month Renewed)/Cast(@Select(Due To Renew\DueTo Renew This Month) as float))*100.00
Where equivalent:	FactMemberActivityDetails.DueToRenew_ThisMonth_Indicator=1
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Number
	0.00

---

Object:	<b>DueTo Renew This Month Renewed</b>
Type:	Number
Description:	This is the total members who are due to renew for the snapshot period that actually renewed.
Select equivalent:	sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_ThisMonth_Indicator+FactMemberActivityDetails.DueToRenewThisMonth_Renewed_1MonthBefore_Indicator)

ator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_2MonthsBefore\_Indicator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_3MonthsBefore\_Indicator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_3MonthsPlusBefore\_Indicator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_1MonthAfter\_Indicator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_2MonthsAfter\_Indicator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_3MonthsAfter\_Indicator+FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_3MonthsPlusAfter\_Indicator)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month</b>
Type:	Number
Description:	This is the total members who are due to renew in the snapshot period.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenew_ThisMonth_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed This Month</b>
Type:	Number
Description:	This is the number of members who are due to renew this month and renewed this month.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_ThisMonth_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed 1 Month Before</b>
Type:	Number
Description:	This is the total members who are due to renew this month but renewed one month before.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_1MonthBefore_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed 2 Months Before</b>
Type:	Number
Description:	This is the total members who are due to renew this month but renewed two months before.

---

---

Select equivalent:	th before. Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_2MonthsBefore_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed 3 Months Before</b>
Type:	Number
Description:	This is the total members who are due to renew this month but renewed three months before.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_3MonthsBefore_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed 3 Months Plus Before</b>
Type:	Number
Description:	This is the total members who are due to renew this month but renewed three plus months before.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_3MonthsPlusBefore_Indicator)
Where equivalent:	

---

---

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed 1 Month After</b>
Type:	Number
Description:	This is the total members who are due to renew this month but renewed one month after.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_1MonthAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>DueTo Renew This Month Renewed 2 Months After</b>
Type:	Number
Description:	This is the total members who are due to renew this month but renewed two months after.
Select equivalent:	Sum(FactMemberActivityDetails.DueToRenewThisMonth_Renewed_2MonthsAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

---



---

Object status: show

---

Object: **DueTo Renew This Month Renewed 3 Months After**

Type: Number

Description: This is the total members who are due to renew this month but renewed three months after.

Select equivalent: Sum(FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_3MonthsAfter\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **DueTo Renew This Month Renewed 3 Months Plus After**

Type: Number

Description: This is the total members who are due to renew this month but renewed three plus months after.

Select equivalent: Sum(FactMemberActivityDetails.DueToRenewThisMonth\_Renewed\_3MonthsPlusAfter\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	<b>Starting This Period</b>
Description:	

No objects

Class:	<b>New Members Starting</b>
Description:	

Object:	<b>New Members Starting This Period</b>
Type:	Number
Description:	This is the total new members starting for the respective snapshot period.
Select equivalent:	sum(FactMemberActivityDetails.New_Members_Starting_ThisPeriod_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1of, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Starting This Period Complementary</b>
Type:	Number
Description:	This is the total new members starting for the respective snapshot period and are complementary
Select equivalent:	sum(FactMemberActivityDetails.New_Members_Starting_ThisPeriod_Complementary_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Starting This Period Fullypaid</b>
Type:	Number
Description:	This is the total new members starting for the respective snapshot period and are fully paid.

---

Select equivalent:	sum(FactMemberActivityDetails.New_Members_Starting_ThisPeriod_FullyPaid_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1nr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Starting This Period Partiallypaid</b>
Type:	Number
Description:	This is the total new members starting for the respective snapshot period and partially paid.
Select equivalent:	sum(FactMemberActivityDetails.New_Members_Starting_ThisPeriod_PartiallyPaid_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1ns, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Starting This Period NotPaid</b>
Type:	Number
Description:	This is the total new members starting for the respective snapshot period and not paid
Select equivalent:	sum(FactMemberActivityDetails.New_Members_Starting_ThisPeriod_NotPaid_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Class:	<b>Renewal Members Starting</b>
Description:	

Object:	<b>Renewed Members Starting This Period</b>
Type:	Number
Description:	This is the total renewed members starting for the respective snapshot period
Select equivalent:	sum(FactMemberActivityDetails.Renewed_Members_Starting_ThisPeriod_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	10g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed Members Starting This Period Complementary</b>
Type:	Number
Description:	This is the total renew me mbers starting for the res pective snapshot period an d are complementary
Select equivalent:	sum(FactMemberActivityDet ails.Renewed_Members_Star ting_ThisPeriod_Complemen tary_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1nt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed Members Starting This Period Fullypaid</b>
Type:	Number
Description:	This is the total renew me mbers starting for the res pective snapshot period an d are fully paid.
Select equivalent:	sum(FactMemberActivityDet

---

	ails.Renewed_Members_Starting_ThisPeriod_FullyPaid_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1nu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed Members Starting This Period Partiallypaid</b>
Type:	Number
Description:	This is the total renew members starting for the respective snapshot period and are partially paid.
Select equivalent:	sum(FactMemberActivityDetails.Renewed_Members_Starting_ThisPeriod_PartiallyPaid_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1nv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renewed Members Starting This Period NotPaid</b>
Type:	Number
Description:	This is the total renew members starting for the respective snapshot period and are not paid.
Select equivalent:	sum(FactMemberActivityDetails.Renewed_Members_Starting_ThisPeriod_NotPaid_Indicator)
Where equivalent:	
Qualification:	measure

---

Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class: **Reinstate Members Starting**  
Description:

Object: **Reinstated Members Starting This Period**  
Type: Number  
Description: This is the total reinstate members starting for the respective snapshot period  
Select equivalent: sum(FactMemberActivityDetails.Reinstated\_Members\_Starting\_ThisPeriod\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: 1oh, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: **Reinstated Members Starting This Period Complementary**  
Type: Number  
Description: This is the total reinstat  
e members starting for the  
respective snapshot perio  
d and are complementary.  
Select equivalent: sum(FactMemberActivityDet  
ails.Reinstated\_Members\_S  
tarting\_ThisPeriod\_Comple  
mentary\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: 1nw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: **Reinstated Members Starting This Period Fullypaid**  
Type: Number

---

Description:	This is the total reinstat e members starting for the respective snapshot perio d and are fully paid.
Select equivalent:	sum(FactMemberActivityDet ails.Reinstated_Members_S tarting_ThisPeriod_FullyPa id_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1nx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstated Members Starting This Period Partiallypaid</b>
Type:	Number
Description:	This is the total reinstat e members starting for the respective snapshot perio d and are partially paid.
Select equivalent:	sum(FactMemberActivityDet ails.Reinstated_Members_S tarting_ThisPeriod_Partial lyPaid_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	1ny, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstated Members Starting This Period NotPaid</b>
Type:	Number
Description:	This is the total reinstat e members starting for the respective snapshot perio d and are not paid.
Select equivalent:	sum(FactMemberActivityDet ails.Reinstated_Members_S

---

tarting\_ThisPeriod\_NotPaid\_Indicator)

Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class: **Activated**  
Description:

No objects

Class: **New Members Activated**  
Description:

Object: **New Members Activated**  
Type: Number  
Description: This is the total new members activated for the snapshot period.  
Select equivalent: Sum(FactMemberActivityDetails.New\_Members\_Activated\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **New Members Activated Fully Paid**  
Type: Number  
Description: This is the new members activations that are fully paid.  
Select equivalent: Sum(FactMemberActivityDetails.New\_Members\_Activated\_FullyPaid\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort



---

Object status: show

---

Object: **New Members Activated Complementary**  
Type: Number  
Description: This is the new members activations that are complementary  
Select equivalent: Sum(FactMemberActivityDetails.New\_Members\_Activated\_Complementary\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **New Members Activated Partially Paid**  
Type: Number  
Description: This is the new members activations that are partially paid.  
Select equivalent: Sum(FactMemberActivityDetails.New\_Members\_Activated\_PartiallyPaid\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **New Members Activated Not Paid**  
Type: Number  
Description: This is the new members activations that are not paid.  
Select equivalent: Sum(FactMemberActivityDetails.New\_Members\_Activated\_NotPaid\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **New Member Activated Sales Amount**

---

---

Type:	Number
Description:	This is the new members activated sales amount for the snapshot period.
Select equivalent:	Sum(FactMemberActivityDetails.New_Member_Activated_Sales_Amount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>New Members Activated Fully Paid Sales Amount</b>
Type:	Number
Description:	This is the new member activations fully paid sales amount
Select equivalent:	Sum(FactMemberActivityDetails.New_Members_Activated_FullyPaid_Sales_Amount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>New Members Activated Balancedue Sales Amount</b>
Type:	Number
Description:	This is the new members activated balance due sales amount for the snapshot period
Select equivalent:	Sum(FactMemberActivityDetails.New_Members_Activated_BalanceDue_Sales_Amount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number

---

Category = Currency  
\$#,##0.00

---

Object: **New Members Activated Partially Paid Sales Amount**

Type: Number

Description: This is the new member activations partially paid sales amount

Select equivalent: Sum(FactMemberActivityDetails.New\_Members\_Activated\_PartiallyPaid\_Sales\_Amount)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Format: Number

Category = Currency

\$#,##0.00

---

Object: **New Members Activated 3 Months Plus Before**

Type: Number

Description: This is the new members activated three plus months before the activation date

Select equivalent: Sum(FactMemberActivityDetails.NewMembers\_Activated\_3MonthsPlusBefore\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **New Members Activated 3 Months Before**

Type: Number

Description: This is the new members activated three months before the activation date

Select equivalent: Sum(FactMemberActivityDetails.NewMembers\_Activated\_3MonthsBefore\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

---

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Activated 2 Months Before</b>
Type:	Number
Description:	This is the new members activated two months before the activation date
Select equivalent:	Sum(FactMemberActivityDetails.NewMembers_Activated_2MonthsBefore_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Activated 1 Month Before</b>
Type:	Number
Description:	This is the new members activated one month before the activation date
Select equivalent:	Sum(FactMemberActivityDetails.NewMembers_Activated_1MonthBefore_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Activated 1 Month After</b>
Type:	Number
Description:	This is the new members activated one month after the activation date
Select equivalent:	Sum(FactMemberActivityDetails.NewMembers_Activated_1MonthAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

---

---

Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Activated 2 Months After</b>
Type:	Number
Description:	This is the new members activated two months after the activation date
Select equivalent:	Sum(FactMemberActivityDetails.NewMembers_Activated_2MonthsAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Activated 3 Months After</b>
Type:	Number
Description:	This is the new members activated three months after the activation date
Select equivalent:	Sum(FactMemberActivityDetails.NewMembers_Activated_3MonthsAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Members Activated 3 Months Plus After</b>
Type:	Number
Description:	This is the new members activated three months after the activation date
Select equivalent:	Sum(FactMemberActivityDetails.NewMembers_Activated_3MonthsPlusAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

---

Object status: show

Class:	<b>Renewal Members Activated</b>
Description:	

Object: **Renewals Activated**  
Type: Number  
Description: This is the total renewal members activated for the snapshot period.  
Select equivalent: Sum(FactMemberActivityDetails.Renewals\_Activated\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewals Activated Complementary**  
Type: Number  
Description: This is the renew members activations that are complementary  
Select equivalent: Sum(FactMemberActivityDetails.Renewals\_Activated\_Complementary\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Renewals Activated Fully Paid**  
Type: Number  
Description: This is the renew members activations that are fully paid.  
Select equivalent: Sum(FactMemberActivityDetails.Renewals\_Activated\_FullyPaid\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewals Activated Partially Paid**

Type: Number

Description: This is the renew members activations that are partially paid.

Select equivalent: Sum(FactMemberActivityDetails.Renewals\_Activated\_PartiallyPaid\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewals Activated Not Paid**

Type: Number

Description: This is the renew members activations that are not paid.

Select equivalent: Sum(FactMemberActivityDetails.Renewals\_Activated\_NotPaid\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Renewals Activated Sales Amount**

Type: Number

Description: This is the renewal activated sales amount.

Select equivalent: Sum(FactMemberActivityDetails.Renewals\_Activated\_Sales\_Amount)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Format: Number

Category = Currency  
\$#,##0.00

---

Object:	<b>Renewals Activated Fully Paid Sales Amount</b>
Type:	Number
Description:	This is the renew member activations fully paid sales amount
Select equivalent:	Sum(FactMemberActivityDetails.Renewals_Activated_FullyPaid_Sales_Amount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>Renewals Activated Partially Paid Sales Amount</b>
Type:	Number
Description:	This is the renew member activations partially paid sales amount
Select equivalent:	Sum(FactMemberActivityDetails.Renewals_Activated_PartiallyPaid_Sales_Amount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>Renewals Activated Balance Due Sales Amount</b>
Type:	Number
Description:	This is the renewals activated balance dues sales amount.
Select equivalent:	Sum(FactMemberActivityDetails.Renewals_Activated_BalanceDue_Sales_Amount)
Where equivalent:	

---



Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show  
Format: Number  
Category = Currency  
\$#,##0.00

Class:	<b>Reinstate Members Activated</b>
Description:	

Object: **Reinstate Activated**  
Type: Number  
Description: This is the total reinstate members activated for the snapshot period.  
Select equivalent: Sum(FactMemberActivityDetails.Reinstates\_Activated\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Reinstate Activated Complementary**  
Type: Number  
Description: This is the reinstate members activations that are complementary  
Select equivalent: Sum(FactMemberActivityDetails.Reinstates\_Activated\_Complementary\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Reinstate Activated Fully Paid**  
Type: Number  
Description: This is the reinstate members activations that are fully paid.

---

Select equivalent:	Sum(FactMemberActivityDetails.Reinstates_Activated_FullyPaid_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Activated Partially Paid</b>
Type:	Number
Description:	This is the reinstate members activations that are partially paid.

Select equivalent:	Sum(FactMemberActivityDetails.Reinstates_Activated_PartiallyPaid_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Activated Not Paid</b>
Type:	Number
Description:	This is the reinstate members activations that are not paid.

Select equivalent:	Sum(FactMemberActivityDetails.Reinstates_Activated_NotPaid_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Members Activated 3 Months Plus Before</b>
Type:	Number
Description:	This is the reinstate members activated three plus months before the activation date

---

---

Select equivalent: Sum(FactMemberActivityDetails.ReinstateMembers\_Activated\_3MonthsPlusBefore\_Indicator)

Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Reinstate Members Activated 3 Months Before**  
Type: Number  
Description: This is the reinstate members activated three months before the activation date

Select equivalent: Sum(FactMemberActivityDetails.ReinstateMembers\_Activated\_3MonthsBefore\_Indicator)

Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Reinstate Members Activated 2 Months Before**  
Type: Number  
Description: This is the reinstate members activated two months before the activation date

Select equivalent: Sum(FactMemberActivityDetails.ReinstateMembers\_Activated\_2MonthsBefore\_Indicator)

Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0

---

---

Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Members Activated 1 Month Before</b>
Type:	Number
Description:	This is the reinstate members activated one month before the activation date
Select equivalent:	Sum(FactMemberActivityDetails.ReinstateMembers_Activated_1MonthBefore_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Members Activated 1 Month After</b>
Type:	Number
Description:	This is the reinstate members activated one month after the activation date
Select equivalent:	Sum(FactMemberActivityDetails.ReinstateMembers_Activated_1MonthAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Members Activated 2 Months After</b>
Type:	Number
Description:	This is the reinstate members activated two months after the activation date
Select equivalent:	Sum(FactMemberActivityDetails.ReinstateMembers_Activated_2MonthsAfter_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

---

Object status: show

---

Object: **Reinstate Members Activated 3 Months After**

Type: Number

Description: This is the reinstate members activated three months after the activation date

Select equivalent: Sum(FactMemberActivityDetails.ReinstateMembers\_Activated\_3MonthsAfter\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Reinstate Members Activated 3 Months Plus After**

Type: Number

Description: This is the reinstate members activated three plus months after the activation date

Select equivalent: Sum(FactMemberActivityDetails.ReinstateMembers\_Activated\_3MonthsPlusAfter\_Indicator)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Reinstate Activated Sales Amount**

Type: Number

Description: This is the total reinstate members activated sales amount.

Select equivalent: Sum(FactMemberActivityDetails.Reinstates\_Activated\_Sales\_Amount)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

---

Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0.00

---

Object:	<b>Reinstate Activated Balancedue Sales Amount</b>
Type:	Number
Description:	This is the reinstate members activated balance dues sales amount.
Select equivalent:	Sum(FactMemberActivityDetails.Reinstates_Activated_BalanceDue_Sales_Amount)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0.00

---

Object:	<b>Reinstate Activated Fully Paid Sales Amount</b>
Type:	Number
Description:	This is the reinstate member activations fully paid sales amount
Select equivalent:	Sum(FactMemberActivityDetails.Reinstates_Activated_FullyPaid_Sales_Amount)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0.00

---

Object:	<b>Reinstate Activated Partially Paid Sales Amount</b>
Type:	Number
Description:	This is the reinstate member activations partially paid sales amount

---

---

Select equivalent:	Sum(FactMemberActivityDetails.Reinstates_Activated_PartiallyPaid_Sales_Amount)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$#,##0.00

---

Object:	<b>Reinstate Members Activated Within 2yrs</b>
Type:	Number
Description:	This is the reinstated members who had former membership within two years but not in the pervious year from the current snapshot period.
Select equivalent:	Sum(FactMemberActivityDetails.New_Members_Activated_FormerMembers_Within2Yrs_Indicator)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Reinstate Members Activated Within 5yrs</b>
Type:	Number
Description:	This is the reinstated members who had former membership within five years but not in the pervious three years from the current snapshot period.
Select equivalent:	Sum(FactMemberActivityDetails.New_Members_Activate

---

Where equivalent: d\_FormerMembers\_Within5Y  
rs\_Indicator)

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Future Member</b>
Description:	

Object: **Active Future Member Count**  
Type: Number  
Description: This is the active future member count for the snapshot period.  
Select equivalent: Sum(FactMemberActivityDetails.Active\_Future\_Member\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Active Future New Member Count**  
Type: Number  
Description: This is the active future new member count  
Select equivalent: Sum(FactMemberActivityDetails.Active\_Future\_New\_Member\_Indicator)  
Where equivalent:

Qualification: measure  
Aggregate function: Sum  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Active Future Renewed Member Count**  
Type: Number  
Description: This is the active future renew member count



---

Select equivalent:	Sum(FactMemberActivityDetails.Active_Future_Renewed_Member_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Active Future Reinstate Member Count</b>
Type:	Number
Description:	This is the active future reinstate member count
Select equivalent:	Sum(FactMemberActivityDetails.Active_Future_Reinstate_Member_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Active Future Transferredin Member Count</b>
Type:	Number
Description:	This is the active future transferred in member count
Select equivalent:	Sum(FactMemberActivityDetails.Active_Future_TransferredIn_Member_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Active Future Member Complementary Count</b>
Type:	Number
Description:	This is the activer future members that are complementary.
Select equivalent:	sum(FactMemberActivityDetails.Active_Future_Member_Complementary_Indicator)
Where equivalent:	

Qualification:	measure
----------------	---------

---

---

Aggregate function:	Sum
List of values:	1o0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Active Future Member Fully Paid Count</b>
Type:	Number
Description:	This is the active future members that are fully paid.
Select equivalent:	sum(FactMemberActivityDetails.Active_Future_Member_FullyPaid_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	1o1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Active Future Member Partially Paid Count</b>
Type:	Number
Description:	This is the active future members that are partially paid.
Select equivalent:	sum(FactMemberActivityDetails.Active_Future_Member_PartiallyPaid_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	1o2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Class:	<b>Proforma</b>
Description:	

Object:	<b>Renew Member Proforma Order Count</b>
Type:	Number
Description:	This is the renew members proforma order count
Select equivalent:	Sum(FactMemberActivityDetails.Renew_Member_Proforma_Order_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum

---

---

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>Renew Member Proforma Primary Dues Amount</b>
Type:	Number
Description:	This is the renew member proforma primary dues amount
Select equivalent:	Sum(FactMemberActivityDetails.Renew_Member_Proforma_Primary_Dues_Amount)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00

---

Object:	<b>New Member Proforma Order Count</b>
Type:	Number
Description:	This is the new member proforma order count.
Select equivalent:	Sum(FactMemberActivityDetails.New_Member_Proforma_Order_Indicator)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

---

Object:	<b>New Member Proforma Primary Dues Amount</b>
Type:	Number
Description:	This is the new member proforma primary dues amount
Select equivalent:	Sum(FactMemberActivityDetails.New_Member_Proforma_Primary_Dues_Amount)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no

---

Security access level:0

Can be used:in result, in condition, in sort

Object status:show

Format:Number

Category = Currency

\$#,##0.00

Object:**Reinstate Member Proforma Order Count**

Type:Number

Description:This is the reinstate member proforma order count.

Select equivalent:Sum(FactMemberActivityDetails.Reinstate\_Member\_Proforma\_Order\_Indicator)

Where equivalent:

Qualification:measure

Aggregate function:Sum

List of values:no

Security access level:0

Can be used:in result, in condition, in sort

Object status:show

Object:**Reinstate Member Proforma Primary Dues Amount**

Type:Number

Description:This is the reinstate proforma member primary dues amount.

Select equivalent:Sum(FactMemberActivityDetails.Reinstate\_Member\_Proforma\_Primary\_Dues\_Amount)

Where equivalent:

Qualification:measure

Aggregate function:Sum

List of values:no

Security access level:0

Can be used:in result, in condition, in sort

Object status:show

Format:Number

Category = Currency

\$#,##0.00

Condition List

No Conditions

Conditions

<p>Class: <b>Conditions</b></p> <p>Description:</p>
---

**Current Year**

Description:

Where Equivalent:DimDate.CalendarYear = Year(getdate())

**Last 2 Years**

Description:

Where Equivalent:DimDate.CalendarYear &gt;= Year(getdate()) - 1

**Last Year**

Description:

Where Equivalent:DimDate.CalendarYear = Year(getdate()) - 1

**Last 3 Years**

Description:

Where Equivalent:DimDate.CalendarYear &gt;= Year(getdate()) - 2

**Current Month**

Description:

Where Equivalent:DimDate.CalendarMonthOfYearNumber= month(getdate())

**New Members**

Description:

Where Equivalent:DimCustomerMembershipInfo.MembershipInstatementTypeCode='NEW'

**Renewed Member**

Description:

Where Equivalent:DimCustomerMembershipInfo.MembershipInstatementTypeCode='RENEWAL'

**Reinstated Members**

Description:

Where Equivalent:DimCustomerMembershipInfo.MembershipInstatementTypeCode='REINSTATE'

**Member**

Description:

Where Equivalent: DimCustomerMembershipInfo.MemberIndicator = 'Member'

**Lapsed Members**

Description:

Where Equivalent:DimCustomerMembershipInfo.MembershipStatusCode = 'Lapsed'

**Cancelled Members**

Description:

Where Equivalent:DimCustomerMembershipInfo.MembershipStatusCode = 'Cancelled'

#### Non Member

Description:

Where Equivalent:DimCustomerMembershipInfo.MemberIndicator = 'Non-Member'

#### Grace Member

Description:

Where Equivalent:DimCustomerMembership  
Info.MembershipStatusCode = 'Grace' and  
DimCustomerMembershipInfo.MemberIndic  
ator = 'Member'

#### Active Member

Description:

Where Equivalent:DimCustomerMembership  
Info.MembershipStatusCode='Active' and  
DimCustomerMembershipInfo.MemberIndica  
tor = 'Member'

#### Order Fully Paid

Description:

Where Equivalent:DimPaymentMethodInfo.OrderFullyPaid=1

#### Fully Paid

Description:

Where Equivalent:DimPaymentMethodInfo.OrderFullyPaid=1

#### Partially Paid

Description:

Where Equivalent:DimPaymentMethodInfo.PartiallyPaid=1

#### Complementary

Description:

Where Equivalent:DimPaymentMethodInfo.Complementary=1

#### Not Paid

Description:

Where Equivalent:DimPaymentMethodInfo.NotPaid=1

#### Primary Membership Only

Description:

Where Equivalent:DimPrimaryProduct.PrimaryMembershipIndicator= 'Primary Membership'

## Hierarchies List

Geographic Location  
Membership Info  
Rate

## Tables List

DimBillCustomer  
DimBridgeProduct  
DimCompanyDemographics  
DimCustomer  
DimCustomerDemographics  
DimCustomerMembershipInfo  
DimDate  
DimGeographicLocation  
DimNonPrimaryProduct  
DimOrderMarketing  
DimPaymentMethodInfo  
DimPrimaryBridgeProduct  
DimPrimaryProduct  
DimPrimaryProduct\_Renewed\_From  
DimPrimaryProduct\_Renewed\_Transferred\_To  
DimPrimaryProduct\_Transferred\_From  
DimProduct  
DimProduct\_Renewed\_From  
DimProduct\_Renewed\_Transferred\_To  
DimProduct\_Transferred\_From  
DimRate  
FactMemberActivityDetails

## Join List

Join0: DimRate.RateKey=FactMemberActivityDetails.RateKey  
Join1: DimPaymentMethodInfo.PaymentInfoKey=FactMemberActivityDetails.OrderPaymentMethodInfoKey  
Join2: DimGeographicLocation.GeographicLocationKey=FactMemberActivityDetails.CustomerGeographicLocationKey  
Join3: DimDate.DateKey=FactMemberActivityDetails.MembershipPeriodDateKey  
Join4: DimCustomerMembershipInfo.MembershipInfoKey=FactMemberActivityDetails.CustomerMembershipInfoKey  
Join5: DimCompanyDemographics.CompanyDemographicsKey=FactMemberActivityDetails.CompanyDemographicsKey  
Join6: DimCustomerDemographics.CustomerDemographicsKey=FactMemberActivityDetails.CustomerDemographicsKey

---

Join7: FactMemberActivityDetails.ProductKey=DimBridgeProduct.ProductKey and FactMemberActivityDetails.BridgeProductKey=DimBridgeProduct.BridgeProductKey

Join8: DimCustomer.CustomerKey=FactMemberActivityDetails.CustomerKey

Join9: FactMemberActivityDetails.ProductKey=DimPrimaryBridgeProduct.ProductKey and FactMemberActivityDetails.BridgeProductKey=DimPrimaryBridgeProduct.BridgeProductKey

Join10: DimPrimaryProduct\_Renewed\_Transferred\_To.PrimaryMembershipIndicator='Primary Membership'

Join11: DimPrimaryBridgeProduct.ProductKey=DimPrimaryProduct\_Renewed\_Transferred\_To.ProductKey

Join12: DimPrimaryProduct\_Transferred\_From.PrimaryMembershipIndicator='Primary Membership'

Join13: DimPrimaryBridgeProduct.TransferredFromProductkey=DimPrimaryProduct\_Transferred\_From.ProductKey

Join14: DimPrimaryProduct\_Renewed\_From.PrimaryMembershipIndicator='Primary Membership'

Join15: DimPrimaryBridgeProduct.RenewedFromProductKey=DimPrimaryProduct\_Renewed\_From.ProductKey

Join16: DimPrimaryProduct.PrimaryMembershipIndicator='Primary Membership'

Join17: DimBridgeProduct.ProductKey=DimNonPrimaryProduct.ProductKey

Join18: DimNonPrimaryProduct.PrimaryMembershipIndicator='Non-Primary Membership'

Join19: DimBridgeProduct.ProductKey=DimProduct\_Renewed\_Transferred\_To.ProductKey

Join20: DimProduct\_Renewed\_Transferred\_To.ProductKey!=-1

Join21: DimProduct\_Renewed\_Transferred\_To.PrimaryMembershipIndicator='Non-Primary Membership'

Join22: DimBridgeProduct.RenewedFromProductKey=DimProduct\_Renewed\_From.ProductKey

Join23: DimProduct\_Renewed\_From.PrimaryMembershipIndicator='Non-Primary Membership'

Join24: DimBridgeProduct.TransferredFromProductkey=DimProduct\_Transferred\_From.ProductKey

Join25: DimProduct\_Transferred\_From.PrimaryMembershipIndicator='Non-Primary Membership'

---




Join26: FactMemberActivityDetails.ProductKey=DimPrimaryProduct.ProductKey

Join27: DimBillCustomer.CustomerKey=FactMemberActivityDetails.BillCustomerKey

Join28: FactMemberActivityDetails.OrderMarketingKey=DimOrderMarketing.OrderMarketingKey

## Context List

No context



Alias Table . DONOT REMOVE!!!!!!

