

Object List

No classes

Object Properties

Class:

Customer Name Components

Description:

Member Name Info

Object:

Last Name, First Name

Type:

Character

Description:

Last Name, First Name of the customer. Last_Name is separated from First_Name by a comma. Used for sorting.

Select equivalent:

DimCustomer.LastFirstName

Where equivalent:

Qualification:

dimension

List of values:

no

Security access level:

0

Can be used:

in result, in condition, in sort

Object status:

show

Object:

First Name Last Name

Type:

Character

Description:

First Name Last Name. First Name is separated by a space from Last Name.

Select equivalent:

DimCustomer.FirstLastName

Where equivalent:

Qualification:

dimension

List of values:

no

Security access level:

0

Can be used:

in result, in condition, in sort

Object status:

show

Object:

Prefix

Type:

Character

Description:

The prefix in a customer's name, such as Mr., Mrs., Ms.

Select equivalent:

DimCustomer.NamePrefix

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **First Name**
Type: Character
Description: The First Name of the customer.

Select equivalent: DimCustomer.FirstName
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **First Name Middle Name**
Type: Character
Description: The First Name and Middle Name of the customer. First Name is separated from Middle Name by a space.

Select equivalent: DimCustomer.FirstNameMiddleName
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Last Name**
Type: Character
Description: The Last Name of the customer.

Select equivalent: DimCustomer.LastName

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Suffix**
Type: Character
Description: The Suffix in the customer's name, such as Jr., Sr., II, III.

Select equivalent: DimCustomer.NameSuffix
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nickname**
Type: Character
Description: The Nickname of the customer. This is typically used on badges. Defaults to a customer's first name.

Select equivalent: DimCustomer.Nickname
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Credentials**
Type: Character
Description: The professional credentials of the customer, such as CPA, ESQ, MD, PhD.

Select equivalent: DimCustomer.Credentials
Where equivalent:

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Formal Salutation
Type:	Character
Description:	Formal Salutation of the customer. Typically set to First_Name space Last_Name of the customer.

Select equivalent:	DimCustomer.FormalSalutation
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Informal Salutation
Type:	Character
Description:	Informal salutation of the customer. Typically set to the First_Name of the customer.

Select equivalent:	DimCustomer.InformalSalutation
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Shipping Address
Description:	

Object:	Ship Address City
Type:	Character
Description:	The city of the order line ship-to address.
Select equivalent:	DimCustomer.ShipAddressCity

Where equivalent:

Qualification: dimension
List of values: 1f8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship Address State**
Type: Character
Description: The state of the order line ship-to address.
Select equivalent: DimCustomer.ShipAddressState
Where equivalent:

Qualification: dimension
List of values: 1f7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship Address Zip**
Type: Character
Description: The postal code of the order line ship-to address.
Select equivalent: DimCustomer.ShipAddressZip
Where equivalent:

Qualification: dimension
List of values: 1fd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship Address Country Code**
Type: Character
Description: The country code of the order line ship-to address.
Select equivalent: DimCustomer.ShipAddressCountryCode
Where equivalent:

Qualification: dimension
List of values: 1f5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Ship Address Country Name
Type:	Character
Description:	The name of the country associated with the order line ship-to address.
Select equivalent:	DimCustomer.ShipAddressCountryName
Where equivalent:	
Qualification:	dimension
List of values:	1f6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Bill Customer Info
Description:	

Object:	Bill Master-Sub Customer ID
Type:	Character
Description:	Concatenation of master c ustomer id and sub custom erid in the following form at 00000000000X-0
Select equivalent:	DimBillCustomer.BKTIMSS6MasterSubCustomerID
Where equivalent:	
Qualification:	dimension
List of values:	1tn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Bill Master Customer ID
Type:	Character
Description:	Bill Master Customer ID
Select equivalent:	DimBillCustomer.MasterCustomerID
Where equivalent:	
Qualification:	dimension
List of values:	1tl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Bill Sub Customer ID
Type:	Number
Description:	Bill Sub Customer ID
Select equivalent:	DimBillCustomer.SubCustomerID
Where equivalent:	

Qualification:	dimension
List of values:	1tm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Bill Customer Name
Type:	Character
Description:	Bill Customer Name
Select equivalent:	DimBillCustomer.FullNameWithPrefixAndCredentials
Where equivalent:	

Qualification:	dimension
List of values:	1to, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Affinity Dates
Description:	

Object:	Calendar Year
Type:	Number
Description:	The calendar year of the affinity date.
Select equivalent:	DimDate_AfinityAnalysis.CalendarYear
Where equivalent:	

Qualification:	dimension
List of values:	264, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Number
	0

Object:	Calendar Year Quarter
Type:	Character
Description:	The quarter of the calendar year in which the affinity date falls, represented as YYYYQX; e.g., 2010Q1 identifies the first calendar quarter is 2010.
Select equivalent:	DimDate_AfinityAnalysis.CalendarYearQtr
Where equivalent:	
Qualification:	dimension
List of values:	266, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Calendar Quarter Number
Type:	Character
Description:	The numeric value that identifies the quarter of the calendar year in which the affinity date falls. Field values include 1, 2, 3 or 4.
Select equivalent:	DimDate_AfinityAnalysis.CalendarQuarterQNumber
Where equivalent:	
Qualification:	dimension
List of values:	263, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Number 0

Object:	Month
Type:	Character
Description:	Three-character abbreviation for the month.
Select equivalent:	DimDate_AfinityAnalysis.MonthShortName
Where equivalent:	
Qualification:	dimension

List of values:	261, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month(Sort)
Type:	Character
Description:	Sort order value so that months will be sorted in sequential order based on where the month falls in the calendar. For example, 01-Jan, 02-Feb, etc.
Select equivalent:	DimDate_AfinityAnalysis.MONTH_NUMBER_AND_SHORT_NAME
Where equivalent:	

Qualification:	dimension
List of values:	26u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month Full Name
Type:	Character
Description:	The name of the month, spelled out in full.
Select equivalent:	DimDate_AfinityAnalysis.MonthFullName
Where equivalent:	

Qualification:	dimension
List of values:	260, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Date
Type:	Date
Description:	The full date of the snapshot period, in yyyy-mm-dd, such as 2010-01-31 to represent January 31, 2010.
Select equivalent:	DimDate_AfinityAnalysis.FullDate
Where equivalent:	

Qualification:	dimension
List of values:	26x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Date/Time
	mm/dd/yyyy

Object:	Day of Week Name
Type:	Character
Description:	The name of the week spelled out in full, such as Monday, Tuesday, etc.
Select equivalent:	DimDate_AfinityAnalysis.DayOfWeekName
Where equivalent:	

Qualification:	dimension
List of values:	26y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day of Year Number
Type:	Number
Description:	Numeric value that represents the sequential number of the day in the calendar year. Values from 1 - 365 (or 366 for leap years).
Select equivalent:	DimDate_AfinityAnalysis.DayOfYearNumber
Where equivalent:	

Qualification:	dimension
List of values:	270, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Number
	0

Object:	Fiscal Year
Type:	Number

Description:	The fiscal year in which the affinity date falls, which is calculated based on Organization setup (App_Organization.FISCAL_YEAR_END).
Select equivalent:	DimDate_AfinityAnalysis.FiscalYear
Where equivalent:	
Qualification:	dimension
List of values:	271, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Number 0

Object:	Fiscal Year Quarter Number
Type:	Character
Description:	The numeric value that identifies the quarter of the fiscal year in which the affinity date falls. Field values include 1, 2, 3 or 4. Fiscal year is calculated based on Organization setup (App_Organization.FISCAL_YEAR_END).
Select equivalent:	DimDate_AfinityAnalysis.FiscalQuarterFQNumber
Where equivalent:	
Qualification:	dimension
List of values:	272, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Number 0

Object:	Season
Type:	Character
Description:	The season in which the af

	finity date falls. Values populated to this field include Fall, Spring, Summer and Winter.
Select equivalent:	DimDate_AfinityAnalysis.DateSeason
Where equivalent:	
Qualification:	dimension
List of values:	26r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Holiday Indicator
Type:	Character
Description:	Identifies whether the affinity date falls on a holiday. It's a place holder for data to be populated in the Data dimension.
Select equivalent:	DimDate_AfinityAnalysis.HolidayIndicator
Where equivalent:	
Qualification:	dimension
List of values:	26s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Holiday Name
Type:	Character
Description:	If the affinity date falls on a holiday, contains the name of the holiday. It's a place holder for data to be populated in the Data dimension.
Select equivalent:	DimDate_AfinityAnalysis.HolidayName
Where equivalent:	
Qualification:	dimension
List of values:	26t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Class:	Product
Description:	

Object: **Product Code A / B**

Type: Character

Description: Identifies the pair of products purchased together.
Each product is identified by product code.

Select equivalent: DimProduct_A.SubsystemCode+' - '+ DimProduct_A.ParentProduct+' - '+DimProduct_A.ProductCode+' / '+DimProduct_B.SubsystemCode+' - '+ DimProduct_B.ParentProduct+' - '+DimProduct_B.ProductCode

Where equivalent:

Qualification: dimension

List of values: 273, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Product Name A / B**

Type: Character

Description: Identifies the pair of products purchased together.
Each product is identified by product short name.

Select equivalent: DimProduct_A.ProductShortName +CHAR(13)+CHAR(10)+ DimProduct_B.ProductShortName

Where equivalent:

Qualification: dimension

List of values: 27a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object:	Parent Product Code A
Type:	Character
Description:	Identifies the parent product of the first product in the pair of products purchased together.
Select equivalent:	DimProduct_A.ParentProduct
Where equivalent:	
Qualification:	dimension
List of values:	21r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Code A
Type:	Character
Description:	Identifies the product code of the first product in the pair of products purchased together.
Select equivalent:	DimProduct_A.ProductCode
Where equivalent:	
Qualification:	dimension
List of values:	21s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Subsystem Code A
Type:	Character
Description:	Identifies the subsystem code of the first product in the pair of products purchased together.
Select equivalent:	DimProduct_A.SubsystemCode
Where equivalent:	
Qualification:	dimension
List of values:	21t, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: **Subsystem Description A**
Type: Character
Description: Identifies the subsystem name of the subsystem of the first product in the pair of products purchased together.
Select equivalent: DimProduct_A.SubsystemDescription
Where equivalent:

Qualification: dimension
List of values: 21u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Short Name A**
Type: Character
Description: Identifies the short name of the first product in the pair of products purchased together.
Select equivalent: DimProduct_A.ProductShortName
Where equivalent:

Qualification: dimension
List of values: 21v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Long Name A**
Type: Character
Description: Identifies the long name of the first product in the pair of products purchased together.
Select equivalent: DimProduct_A.ProductLongName
Where equivalent:

Qualification:	dimension
List of values:	21w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Type Code A
Type:	Character
Description:	Identifies the product type code of the first product in the pair of products purchased together.
Select equivalent:	DimProduct_A.ProductTypeCode
Where equivalent:	

Qualification:	dimension
List of values:	21y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Type Description A
Type:	Character
Description:	Identifies the description of the product type code of the first product in the pair of products purchased together.
Select equivalent:	DimProduct_A.ProductTypeDescription
Where equivalent:	

Qualification:	dimension
List of values:	220, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Class Code A
Type:	Character
Description:	Identifies the product class code of the first product in the pair of products purchased together.

Select equivalent: DimProduct_A.ProductClassCode
Where equivalent:

Qualification: dimension
List of values: 224, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Class Description A**

Type: Character

Description: Identifies the description
of the product class code
of the first product in th
e pair of products purchas
ed together.

Select equivalent: DimProduct_A.ProductClassDescription
Where equivalent:

Qualification: dimension
List of values: 225, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Code B**

Type: Character

Description: Identifies the product cod
e of the second product in
the pair of products purc
hased together.

Select equivalent: DimProduct_B.ProductCode
Where equivalent:

Qualification: dimension
List of values: 23n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Parent Product Code B**

Type: Character

Description: Identifies the parent prod

Select equivalent:	uct of the second product
Where equivalent:	in the pair of products pu rchased together. DimProduct_B.ParentProduct
Qualification:	dimension
List of values:	23m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Subsystem Code B
Type:	Character
Description:	Identifies the subsystem c ode of the second product in the pair of products pu rchased together.
Select equivalent:	DimProduct_B.SubsystemCode
Where equivalent:	
Qualification:	dimension
List of values:	23o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Subsystem Description B
Type:	Character
Description:	Identifies the subsystem n ame of the subsystem of t he second product in the p air of products purchased together.
Select equivalent:	DimProduct_B.SubsystemDescription
Where equivalent:	
Qualification:	dimension
List of values:	23p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Short Name B
Type:	Character
Description:	Identifies the short name of the second product in the pair of products purchased together.
Select equivalent:	DimProduct_B.ProductShortName
Where equivalent:	
Qualification:	dimension
List of values:	23q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Long Name B
Type:	Character
Description:	Identifies the long name of the second product in the pair of products purchased together.
Select equivalent:	DimProduct_B.ProductLongName
Where equivalent:	
Qualification:	dimension
List of values:	23r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Type Code B
Type:	Character
Description:	Identifies the product type code of the second product in the pair of products purchased together.
Select equivalent:	DimProduct_B.ProductTypeCode
Where equivalent:	
Qualification:	dimension
List of values:	23t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Type Description B
Type:	Character
Description:	Identifies the description of the product type code of the second product in the pair of products purchased together.
Select equivalent:	DimProduct_B.ProductTypeDescription
Where equivalent:	
Qualification:	dimension
List of values:	23u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Class Code B
Type:	Character
Description:	Identifies the product class code of the second product in the pair of products purchased together.
Select equivalent:	DimProduct_B.ProductClassCode
Where equivalent:	
Qualification:	dimension
List of values:	23y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Product Class Description B
Type:	Character
Description:	Identifies the description of the product class code of the second product in the pair of products purchased together.
Select equivalent:	DimProduct_B.ProductClassDescription
Where equivalent:	
Qualification:	dimension

List of values: 240, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Basket Analysis
Description:	

Object: **Basket Count**
Type: Number
Description: Identifies the number of order lines that contain the affinity products.
Select equivalent: sum(Fact_Market_Basket.Basket_Count)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Order Quantity Product A**
Type: Number
Description: Quantity sold Product A.
Select equivalent: sum(Fact_Market_Basket.Order_Quantity_Product_A)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Order Quantity Product B**
Type: Number
Description: Quantity sold Product B.
Select equivalent: sum(Fact_Market_Basket.Order_Quantity_Product_B)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Sale Amount Product A
Type:	Number
Description:	Total sale amount from Product A.
Select equivalent:	sum(Fact_Market_Basket.Sale_Amount_Product_A)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0

Object:	Sale Amount Product B
Type:	Number
Description:	Total sale amount from Product B.
Select equivalent:	sum(Fact_Market_Basket.Sale_Amount_Product_B)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$\$,##0

Condition List

No Conditions

Conditions

Class:

Conditions

Description:

Current Calendar Month

Description:

Where Equivalent:DimDate.CalendarMonthOfYearNumber= month(getdate())

Previous Calendar Month

Description:

Where Equivalent:DimDate.CalendarMonthOfYearNumber>= month(getdate())-1

Current Calendar Year

Description:

Where Equivalent:DimDate.CalendarYear = Year(getdate())

Calendar Last Year

Description:

Where Equivalent:DimDate.CalendarYear = Year(getdate()) - 1

Calendar Last 2 Years

Description:

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 1

Calendar Last 3 Years

Description:

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 2

Calendar Last 4 Years

Description:

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 3

Calendar Last 5 Years

Description:

Where Equivalent:DimDate.CalendarYear >= Year(getdate()) - 4

Year to Date

Description:

Where Equivalent:DimDate.DayOfYearNumber<= DATEPART(dy,getdate())

Quarter To Date

Description:

Where Equivalent:DimDate.CalendarQuarterQNumber = DATEPART(q,getdate()) and
DimDate.DayOfYearNumber<= DATEPART(dy,getdate())

Current Fiscal Month

Description:

Where Equivalent:DimDate.FiscalMonthOfYear=month(getdate())

Current Fiscal Year

Description:

Where Equivalent:DimDate.FiscalYear = Year(getdate())

Fiscal Last Year

Description:

Where Equivalent:DimDate.FiscalYear = Year(getdate()) - 1

Fiscal Last 2 Years

Description:

Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 1

Fiscal Last 3 Years

Description:

Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 2

Fiscal Last 4 Years

Description:

Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 3

Fiscal Last 5 Years

Description:

Where Equivalent:DimDate.FiscalYear >= Year(getdate()) - 4

Member

Description:

Where Equivalent: DimCustomerMembershipInfo.MemberIndicator = 'Member'

Non Member

Description:

Where Equivalent:DimCustomerMembershipInfo.MemberIndicator = 'Non-Member'

Grace Member

Description:

Where Equivalent:DimCustomerMembership
Info.MembershipStatusCode = 'Grace' and
DimCustomerMembershipInfo.MemberIndic
ator = 'Member'

Active Member

Description:

Where Equivalent:DimCustomerMembership
Info.MembershipStatusCode='Active' and
DimCustomerMembershipInfo.MemberIndica
tor = 'Member'

Primary Membership Only

Description:

Where Equivalent:DimProduct.PrimaryMembershipIndicator= 'Primary Membership'

Class:

Affinity Analysis Conditions

Description:

Current Calendar Month

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarMonthOfYearNumber= month(getdate())

Previous Calendar Month

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarMonthOfYearNumber>= month(getdate())-1

Current Calendar Year

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarYear = Year(getdate())

Calendar Last Year

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarYear = Year(getdate()) - 1

Calendar Last 2 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarYear >= Year(getdate()) - 1

Calendar Last 3 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarYear >= Year(getdate()) - 2

Calendar Last 4 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarYear >= Year(getdate()) - 3

Calendar Last 5 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.CalendarYear >= Year(getdate()) - 4

Current Fiscal Month

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalMonthOfYear=month(getdate())

Current Fiscal Year

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalYear = Year(getdate())

Fiscal Last Year

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalYear = Year(getdate()) - 1

Fiscal Last 2 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalYear >= Year(getdate()) - 1

Fiscal Last 3 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalYear >= Year(getdate()) - 2

Fiscal Last 4 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalYear >= Year(getdate()) - 3

Fiscal Last 5 Years

Description:

Where Equivalent:DimDate_AfinityAnalysis.FiscalYear >= Year(getdate()) - 4

Hierarchies List

Geographic Location

Membership Info

Rate

Tables List

DimBillCustomer

DimCustomer

DimCustomerDemographics

DimCustomerMembershipInfo

DimDate

DimDate_AfinityAnalysis

DimGeographicLocation

DimOrderMarketing

DimProduct

DimProduct_A

DimProduct_B
DimRate
Dim_Order_Miscellaneous_Info
Dim_Order_Status
Fact_Market_Basket
Fact_Order_Activity_Detail

Join List

Join0: Dim_Order_Miscellaneous_Info.Order
_Miscellaneous_Info_Key=Fact_Order
_Activity_Detail.Order_Miscellaneou
s_Info_Key

Join1: Fact_Order_Activity_Detail.Order_Status_Key=Dim_Order_Status.Order_Status_Key

Join2: DimBillCustomer.CustomerKey=Fact_Order_Activity_Detail.Bill_To_Customer_Key

Join3: DimCustomer.CustomerKey=Fact_Order_Activity_Detail.Ship_To_Customer_Key

Join4: DimRate.RateKey=Fact_Order_Activity_Detail.Order_Rate_Key

Join5: DimCustomerMembershipInfo.MembershipInfoKey=Fact_Order_Activity_Detail.Ship_To_Membership_Info_Key

Join6: DimDate.DateKey=Fact_Order_Activity_Detail.Order_Activity_Date_Key

Join7: DimGeographicLocation.GeographicLo
cationKey=Fact_Order_Activity_Detai
l.Ship_To_Address_Geographic_Locat
ion_Key

Join8: DimCustomerDemographics.CustomerD
emographicsKey=Fact_Order_Activity
_Detail.Ship_To_Customer_Demograph
ics_Key

Join9: DimOrderMarketing.OrderMarketingKey=Fact_Order_Activity_Detail.Order_Marketing_Key

Join10: DimProduct.ProductKey=Fact_Order_Activity_Detail.Product_Key


Join11: DimProduct_A.ProductKey=Fact_Market_Basket.Product_A_Key

Join12: Fact_Market_Basket.Product_B_Key=DimProduct_B.ProductKey

Join13: Fact_Market_Basket.DateKey=DimDate_AfinityAnalysis.DateKey

Context List

No context



***** AFFINITY ANALYSIS TABLES *****

