

---

## Object List

### Frequently Used

Master Customer ID  
Sub Customer ID  
Label Name  
Primary Phone  
Primary Fax  
Primary Email Address  
Primary Url  
Registration Date  
Certification Code  
Certification Description  
Certification Credential  
Certification Status Code  
Certification Completion Date  
Certification Expiration Date

### Certification Info

Registration Date  
Certification Code  
Certification Description  
Certification Type  
Certification Type Description  
Certification Credential  
Product ID  
Parent Product  
Product Code  
Recert Required By Date  
Approved By  
Certification Status Code  
Certification Status Description  
Certification Completion Date  
Certification Expiration Date

### Certification Registrant Info

#### Ship-To Customer Info

Ship-To Customer Master Customer ID  
Ship-To Customer ID  
Ship-To Customer Sub Customer ID

#### Ship-To Customer Name Components

Ship-To Customer Label Name  
Ship-To Customer Last First Name  
Ship-To Customer Last Name  
Ship-To Customer First Name  
Ship-To Customer Name Prefix  
Ship-To Customer Suffix  
Ship-To Customer Professional Credentials

---

**Ship-To Customer Membership Info**

Ship-To Customer Member Type  
Ship-To Customer Membership Begin Date  
Ship-To Customer Membership End Date  
Ship-To Customer Membership Grace Date  
Ship-To Customer Membership Description  
Ship-To Customer Member Since Date  
Ship-To Customer Chapter 1  
Ship-To Customer Chapter 2  
Ship-To Customer Section 1  
Ship-To Customer Section 2

**Ship-To Customer Primary Employer**

Ship-Customer Employee Relationship Code  
Employer Reciprocal Code  
Employer Master Customer ID  
Employer Sub Customer ID  
Employer Customer ID  
Employer Label Name  
Employer Customer Class Code  
Employer Customer Status Code  
Employer Primary Phone  
Employer Primary Fax  
Employer Primary Email  
Employer Primary Address

**Ship-To Customer All Relationships**

Relationship Code  
Relationship Type  
Reciprocal Code  
Begin Date  
End Date  
Related Master Customer ID  
Related Sub Customer ID  
Related Customer ID  
Related Customer Last First Name  
Related Customer Label Name  
Related Customer Class Code  
Related Customer Status Code  
Related Customer Primary Phone  
Related Customer Primary Fax  
Related Customer Primary Email  
Related Customer Primary Address

**Ship-To Customer Demographics**

Ship-To Customer Class Code  
Ship-To Customer Status Code  
Ship-To Customer Status Date  
Ship-To Customer Primary Job Title

Ship-To Customer Job Function Code

Ship-To Customer Gender Code

Ship-To Customer Ethnicity Code

Ship-To Customer Birthdate

Ship-To Customer Age

### **Ship-To Customer List Demographics**

List Demographic Code

List Demographic Code Description

List Demographic Subcode

List Demographic Subcode Description

List Demographic Begin Date

List Demographic End Date

### **Ship-To Customer Specialty**

Specialty Code

Specialty Description

Specialty Level Code

Specialty Level Description

### **Shipping Address**

Ship-To Address ID

Ship-To Address Type Code

Ship-To Address Line 1

Ship-To Address Line 2

Ship-To Address Line 3

Ship-To Address Line 4

Ship-To City

Ship-To State

Ship-To Zip

Ship-To Country Code

Ship-To Country Description

Ship-To Full Address

Ship-To Formatted City State Zip

### **Ship-To Customer Communication Info**

Ship-To Primary Fax

Ship-To Primary Phone

Ship-To Primary Email Address

Preferred Communication Method Code

### **Ship-To Customer Communication Rules**

Allow Phone?

Allow Fax?

Allow Label Sales?

Allow Solicitation?

Allow Internal Mail?

Publish Primary Phone?

Publish Primary Email?

Publish Primary Fax?

Publish Home Phone?

---

Publish Work Phone

### **Ship-To Customer Creation & Modification Info**

Ship-To Customer Creation Date

Ship-To Customer Creation User

Ship-To Customer Modification Date

Ship-To Customer Modification User

### **Bill Customer Info**

Bill-Customer ID

Bill-Customer Master Customer ID

Bill-Customer Sub Customer ID

### **Bill-Customer Name Components**

Bill-Customer Label Name

Bill-Customer Last First Name

Bill-Customer Last Name

Bill-Customer First Name

Bill-Customer Name Prefix

Bill-Customer Suffix

Bill-Customer Professional Credentials

### **Bill Customer Membership Info**

Bill Customer Member Type

Bill Customer Membership Begin Date

Bill Customer Membership End Date

Bill Customer Membership Grace Date

Bill Customer Membership Description

Bill Customer Member Since Date

Bill Customer Chapter 1

Bill Customer Chapter 2

Bill Customer Section 1

Bill Customer Section 2

### **Bill-Customer Corporate Relationships**

Subsidiary Customer ID

Subsidiary Master Customer ID

Subsidiary Sub Customer ID

Subsidiary Full Name

Relationship Code

Reciprocal Code

Relationship Begin Date

Relationship End Date

Subsidiary Customer Class Code

Subsidiary Record Type

### **Bill-Customer All Relationships**

Relationship Code

Relationship Type

Reciprocal Code

Begin Date

End Date  
Related Master Customer ID  
Related Sub Customer ID  
Related Customer ID  
Related Customer Last First Name  
Related Customer Label Name  
Related Customer Class Code  
Related Customer Status Code  
Related Customer Primary Phone  
Related Customer Primary Fax  
Related Customer Primary Email  
Related Customer Primary Address

### **Bill-Customer Demographics**

Bill-Customer Class Code  
Bill-Customer Status Code  
Bill-Customer Status Date

### **Billing Address**

Bill-To Address ID  
Bill-To Address Type Code  
Bill-To Address Line 1  
Bill-To Address Line 2  
Bill-To Address Line 3  
Bill-To Address Line 4  
Bill-To City  
Bill-To State  
Bill-To Zip  
Bill-To Country Code  
Bill-To Country Description  
Bill-To Full Address  
Bill-To Formatted City State Zip

### **Bill-Customer Communication Info**

Bill-To Primary Fax  
Bill-To Primary Phone  
Bill-To Primary Email Address  
Preferred Communication Method Code

### **Bill-To Customer Creation & Modification Info**

Bill-To Customer Creation Date  
Bill-To Customer Creation User  
Bill-To Customer Modification Date  
Bill-To Customer Modification User

### **Certification Requirement**

Requirement Id  
Requirement Satisfied Date  
Requirement Status Code  
Requirement Status Description  
Nth Within Option

---

Application Date

**Certification Requirement Detail**

Option Number

Requirement Type Code

Requirement Type Description

Course Code

Exam Code

Program ID

Grade Code

Description

Ce Credit Type Code

Ce Credits

Ce Credit Date

Order No

Order Line No

Order Date

Completed Flag

Completed Date

Accepted Flag

Transcript ID

CE Earned

Previous Certification

Add To Transcript Flag

**Certification Fee Order Information**

Order Date

Order Number

Order Line Number

Order No Line No

Subsystem

Cycle Begin Date

Cycle End Date

Grace Date

Rate Code

Rate Structure

Base Total Amount

Order Quantity

**Order Line Status Info**

Order Line Status Code

Order Line Status Date

Order Line Status Reason Code

Order Line Fulfill Status Code

Order Line Fulfill Status Date

**Misc Order Line Info**

Original Order Number

Original Order Line Number

Transfer From Order Number

Transfer From Order Line Number  
Transfer To Order Number  
Transfer To Order Line Number  
Order Line Type Code  
Order Line Level  
Related Order Line Number  
Line Complete?

### **Order Creation & Modification Info**

Order Creation Date  
Order Creation User  
Order Modification Date  
Order Modification User

### **Product Info**

Product ID  
Subsystem  
Parent Product  
Product Code  
Product Short Name  
Product Long Name  
Master Product?  
Product Type Code  
Product Type Description  
Product Type Sort Order  
Product Class  
Product Class Description  
Product Status Code  
Product Status Date  
Product Available Date  
Product Expiration Date

### **Product Creation & Modification Info**

Product Creation Date  
Product Creation User  
Product Modification Date  
Product Modification User

### **Conditions**

## **Object Properties**

Class:	<b>Frequently Used</b>
Description:	

Object: **Master Customer ID**  
Type: Character

Description: The Customer ID of the person who is registered in the certification program.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.MASTER\_CUSTOMER\_ID

Where equivalent:

Qualification: dimension

List of values: 001, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Sub Customer ID**

Type: Number

Description: The Sub- Customer ID of the person who is registered in the certification program.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.SUB\_CUSTOMER\_ID

Where equivalent:

Qualification: dimension

List of values: 002, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Label Name**

Type: Character

Description: This is a full name of the certification registrant and using prefix, first, middle, last name, and suffix.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.LABEL\_NAME

Where equivalent:

Qualification: dimension

List of values: 005, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

---

Object: **Primary Phone**  
Type: Character  
Description: The primary phone number of the individual who is registered for a certification.  
Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PRIMARY\_PHONE  
Where equivalent:  
Qualification: dimension  
List of values: 087, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Primary Fax**  
Type: Character  
Description: The primary fax number for the individual who is registered for a certification.  
Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PRIMARY\_FAX  
Where equivalent:  
Qualification: dimension  
List of values: 088, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Primary Email Address**  
Type: Character  
Description: The primary Email address for the individual who is a registered for a certification.  
Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PRIMARY\_EMAIL\_ADDRESS  
Where equivalent:  
Qualification: dimension  
List of values: 089, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

**Object:** **Primary Url**  
**Type:** Character  
**Description:** The primary Web address of the individual register for certification.  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PRIMARY\_URL  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 08a, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Registration Date**  
**Type:** Date  
**Description:** Date of registration for the certification program.  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.REGISTRATION\_DATE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 080, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Certification Code**  
**Type:** Character  
**Description:** The code that represents the certification.  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.CERTIFICATION\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 081, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Certification Description**  
**Type:** Character  
**Description:** The text description of the certification program.  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INF  
O\_VW.CERTIFICATION\_DESCR

---

Where equivalent: IPTION

Qualification: dimension  
 List of values: 082, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Credential**  
 Type: Character  
 Description: The credential that the customer will receive upon completion of the certification program.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.CERTIFICATION\_CREDENTIAL  
 Where equivalent:

Qualification: dimension  
 List of values: 083, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Status Code**  
 Type: Character  
 Description: The status of the certification program for the customer. For example, Pending, Expired, or Completed.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.CERTIFICATION\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 084, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Completion Date**  
 Type: Date  
 Description: Date of completion for the customer's registration i

n the certification progra  
m.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INF  
O\_VW.CERTIFICATION\_COMPL  
ETION\_DATE

Where equivalent:

Qualification: dimension  
List of values: 085, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Certification Expiration Date**  
Type: Date  
Description: Date of expiration for the  
completed certification p  
rogram. The customer wi  
ll have to re-certify befo  
re this date to retain his  
certification.

Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INF  
O\_VW.CERTIFICATION\_EXPIR  
ATION\_DATE

Where equivalent:

Qualification: dimension  
List of values: 086, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Certification Info</b>
Description:	Contains information about the certification

Object: **Registration Date**  
Type: Date  
Description: The date that the customer started the certification program.  
Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.REGISTRATION\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 011, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort

Object status: show

---

Object: **Certification Code**  
 Type: Character  
 Description: The code assigned to the certification program.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.CERTIFICATION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 012, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Description**  
 Type: Character  
 Description: The text title of the certification program.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INF  
 O\_VW.CERTIFICATION\_DESCR  
 IPTION

Where equivalent:

Qualification: dimension  
 List of values: 013, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Type**  
 Type: Character  
 Description: A certification program can be an original "certification" or a "recertification".  
 Select equivalent: CRT\_CERTIFICATION.CERTIFICATION\_TYPE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 2m0, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Type Description**  
 Type: Character  
 Description: The text description of the recertification or certification code.  
 Select equivalent: CERTIFICATION\_TYPE\_APP\_CODE.DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: 2m3, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Credential**  
 Type: Character  
 Description: The credential that the customer will receive upon completion of the certification program.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.CERTIFICATION\_CREDENTIAL  
 Where equivalent:

Qualification: dimension  
 List of values: 014, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product ID**  
 Type: Number  
 Description: The sequence number of the product used in the registration order for this customer's Certification.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PRODUCT\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: 017, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** **Parent Product**  
**Type:** Character  
**Description:** The parent product code of the product used in the registration order for this customer's Certification.  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PARENT\_PRODUCT  
**Where equivalent:** .  
**Qualification:** dimension  
**List of values:** 018, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Product Code**  
**Type:** Character  
**Description:** The product code used in the registration order for this customer's Certification.  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.PRODUCT\_CODE  
**Where equivalent:**  
**Qualification:** dimension  
**List of values:** 019, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Recert Required By Date**  
**Type:** Date  
**Description:** NOT USED  
**Select equivalent:** CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.RECERT\_REQUIRED\_BY\_DATE  
**Where equivalent:**  
**Qualification:** dimension  
**List of values:** 01b, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

---

Object: **Approved By**  
 Type: Character  
 Description: The Personify user who manually updates the completion date.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.APPROVED\_BY  
 Where equivalent:

Qualification: dimension  
 List of values: 01f, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Status Code**  
 Type: Character  
 Description: The status of the certification program for the customer. For example, Pending, Expired, or Completed.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INF  
 O\_VW.CERTIFICATION\_STATU  
 S\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 01g, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Status Description**  
 Type: Character  
 Description: A text description of the current Certification Status Code for the certification registration.  
 Select equivalent: CERTIFICATION\_STATUS\_APP\_CODE.DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: 2lw, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Certification Completion Date**

---

Type: Date  
 Description: Date of completion for the customer's registration in the certification program.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_INFO\_VW.CERTIFICATION\_COMPLETION\_DATE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 01h, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Certification Expiration Date**  
 Type: Date  
 Description: Date of expiration for the customer's completed certification program. The customer will need to re-certify before this date to retain his certification.  
 Select equivalent: CRT\_CERT\_CUS\_PRIMARY\_EXPIRATION\_DATE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 01i, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class: **Certification Registrant Info**  
 Description:

No objects

Class: **Ship-To Customer Info**  
 Description: This folder contains information about the Ship-to customer (registrant) as it rel

ates to a certification prod  
uct order for the registrant

Object: **Ship-To Customer Master Customer ID**  
 Type: Character  
 Description: This is the master customer id of the ship customer on the order line of the certification and product order.  
 Select equivalent: SHIP\_CUSTOMER.MASTER\_CUSTOMER\_ID  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer ID**  
 Type: Character  
 Description: This field contains the master customer id if the ship sub customer id = 0. If the ship sub customer id is not 0 then it contains the master customer id concatenated with sub customer id separated by a hyphen.  
 Select equivalent: CASE WHEN SHIP\_CUSTOMER.SUB\_CUSTOMER\_ID = 0 THEN SHIP\_CUSTOMER.MASTER\_CUSTOMER\_ID ELSE SHIP\_CUSTOMER.MASTER\_CUSTOMER\_ID + '-' + Convert(char, SHIP\_CUSTOMER.SUB\_CUSTOMER\_ID) END  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0

Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer Sub Customer ID**  
 Type: Number  
 Description: The sub customer id of the ship customer on the order line.  
 Select equivalent: SHIP\_CUSTOMER.SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Ship-To Customer Name Components</b>
Description:	

Object: **Ship-To Customer Label Name**  
 Type: Character  
 Description: The label name of the ship customer on the order line. This includes the prefix, first name, middle name, last name and suffix.  
 Select equivalent: SHIP\_CUSTOMER.LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer Last First Name**  
 Type: Character  
 Description: This is the last name concatenated with first name for an individual ship customer. For a company ship customer this is the company name.

Select equivalent: SHIP\_CUSTOMER.LAST\_FIRST\_NAME  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Last Name**  
Type: Character  
Description: The last name for an individual ship customer from the Certification order.

Select equivalent: SHIP\_CUSTOMER.LAST\_NAME  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer First Name**  
Type: Character  
Description: The first name for an individual ship customer from the Certification order.

Select equivalent: SHIP\_CUSTOMER.FIRST\_NAME  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Name Prefix**  
Type: Character  
Description: The name prefix for an individual ship customer from

the Certification order.

Select equivalent: SHIP\_CUSTOMER.NAME\_PREFIX  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Suffix**  
Type: Character  
Description: The name suffix for an individual ship customer from the Certification order.

Select equivalent: SHIP\_CUSTOMER.NAME\_SUFFIX  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Professional Credentials**  
Type: Character  
Description: The credential(s) for an individual ship customer from the Certification order.

Select equivalent: SHIP\_CUSTOMER.NAME\_CREDENTIALS  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Ship-To Customer Membership Info</b>
Description:	

---

**Object:** **Ship-To Customer Member Type**  
**Type:** Character  
**Description:** The current level2 member type of the ship customer's membership at the national level.  
**Select equivalent:** SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.NATIONAL\_LEVEL2  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 2k7, editable, automatic refresh, exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Ship-To Customer Membership Begin Date**  
**Type:** Date  
**Description:** This is the begin date of the current membership of the ship customer.  
**Select equivalent:** SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CYCLE\_BEGIN\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Ship-To Customer Membership End Date**  
**Type:** Date  
**Description:** This is the end date of the current membership of the ship customer.  
**Select equivalent:** SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CYCLE\_END\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

---

**Object:** **Ship-To Customer Membership Grace Date**  
**Type:** Date  
**Description:** This is the grace date of the ship customer's current membership.  
  
**Select equivalent:** SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.GRACE\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Ship-To Customer Membership Description**  
**Type:** Character  
**Description:** This is the description of the national membership of the ship customer.  
  
**Select equivalent:** SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.NATIONAL\_DESCR  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Ship-To Customer Member Since Date**  
**Type:** Date  
**Description:** The ship customer's current national membership original start date.  
**Select equivalent:** SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.NATIONAL\_SINCE\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

---

Object: **Ship-To Customer Chapter 1**  
Type: Character  
Description: The chapter description of the ship customer's 1st chapter.  
Select equivalent: SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CHAPTER\_DESCR  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Chapter 2**  
Type: Character  
Description: The chapter description of the ship customer's 2nd chapter.  
Select equivalent: SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CHAPTER2\_DESCR  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Section 1**  
Type: Character  
Description: The chapter description of the ship customer's 1st section.  
Select equivalent: SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.SECTION\_DESCR  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Section 2**  
Type: Character  
Description: The chapter description of the ship customer's 2nd section.  
Select equivalent: SHIP\_CUS\_CURRENT\_MEMBERSHIP\_INFO.SECTION2\_DESCR  
Where equivalent:

Qualification: dimension

List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Ship-To Customer Primary Employer</b>
Description:	

Object: **Ship-Customer Employee Relationship Code**  
 Type: Character  
 Description: The ship customer's primary employment employee relationship code from the customer's registration order.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATIONSHIP\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 01t, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Employer Reciprocal Code**  
 Type: Character  
 Description: The ship customer's primary employment employer relationship code.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RECIPROCAL\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 01u, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Employer Master Customer ID**  
 Type: Character  
 Description: The master customer id of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_MASTER\_CUS

---

Where equivalent: TOMER\_ID

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Sub Customer ID**  
 Type: Number  
 Description: The sub customer id of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Customer ID**  
 Type: Character  
 Description: The master customer id concatenated with the sub customer id of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_CUS\_CusMastSubID  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Label Name**  
 Type: Character  
 Description: The label name (company) of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_CUS\_LABEL\_NAME  
 Where equivalent:

Qualification: dimension

---

List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Customer Class Code**  
 Type: Character  
 Description: The customer class of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOY  
 MENT.RELATED\_CUS\_CUSTOM  
 ER\_CLASS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 020, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Customer Status Code**  
 Type: Character  
 Description: The customer status of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOY  
 MENT.RELATED\_CUS\_CUSTOM  
 ER\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 021, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Primary Phone**  
 Type: Character  
 Description: The first phone number of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOY  
 MENT.RELATED\_CUS\_PRIMAR  
 Y\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: no

---

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Primary Fax**  
 Type: Character  
 Description: The first fax number of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_CUS\_PRIMARY\_FAX  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Primary Email**  
 Type: Character  
 Description: The first email of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_CUS\_PRIMARY\_EMAIL\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Employer Primary Address**  
 Type: Character  
 Description: The mailing address of the ship customer's primary employer.  
 Select equivalent: SHIP\_CUS\_PRIMARY\_EMPLOYMENT.RELATED\_CUS\_ADDRESSES\_LABEL  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Class:	<b>Ship-To Customer All Relationships</b>
Description:	This folder is referencing a ll of the customer's relatio nships, past and present.

Object: **Relationship Code**  
 Type: Character  
 Description: The ship customer's relati  
onship codes. There may  
be several relationships t  
o the ship customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATIONSHIP\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 0wt, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Relationship Type**  
 Type: Character  
 Description: The ship customer's relationship type.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATIONSHIP\_TYPE  
 Where equivalent:

Qualification: dimension  
 List of values: 2ia, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Reciprocal Code**  
 Type: Character  
 Description: The ship customer's relati  
onship reciprocal code for  
the related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RECIPROCAL\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 0wu, editable, automatic refresh, exportable  
 Security access level: 0

Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Begin Date**  
Type: Date  
Description: The start date for this relationship.  
Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.BEGIN\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 2if, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **End Date**  
Type: Date  
Description: The end date for this relationship. This date can be blank for any relationship.  
Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.END\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 2ig, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Related Master Customer ID**  
Type: Character  
Description: The master customer id of the ship customer's related customer.  
Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_MASTER\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

---

Object: **Related Sub Customer ID**  
 Type: Number  
 Description: The sub customer id of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_SUB\_CUSTOMER\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer ID**  
 Type: Character  
 Description: The master customer id concatenated with the sub customer id of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_CusMastSubID  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Last First Name**  
 Type: Character  
 Description: The last and first name of the related customer in this relationship.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_LAST\_FIRST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 2cd, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Label Name**  
 Type: Character  
 Description: The label name of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_LABEL\_NAME

---

Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Class Code**  
 Type: Character  
 Description: The customer class of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHI  
 PS.RELATED\_CUS\_CUSTOMER  
 \_CLASS\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 0x0, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Status Code**  
 Type: Character  
 Description: The customer status of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHI  
 PS.RELATED\_CUS\_CUSTOMER  
 \_STATUS\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 0x1, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Primary Phone**  
 Type: Character  
 Description: The primary phone number of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_PRIMARY\_PHONE  
 Where equivalent:

Qualification: dimension

---

List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Primary Fax**  
 Type: Character  
 Description: The primary fax number of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_PRIMARY\_FAX  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Primary Email**  
 Type: Character  
 Description: The primary email of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHI  
 PS.RELATED\_CUS\_PRIMARY\_E  
 MAIL\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Primary Address**  
 Type: Character  
 Description: The primary address of the ship customer's related customer.  
 Select equivalent: SHIP\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_ADDRESS\_LABEL  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class: **Ship-To Customer Demographics**  
 Description:

Object: **Ship-To Customer Class Code**  
 Type: Character  
 Description: The customer class of the ship customer. This is validated against the system type Customer\_class.  
 Select equivalent: SHIP\_CUSTOMER.CUSTOMER\_CLASS\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 026, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer Status Code**  
 Type: Character  
 Description: The customer status of the ship customer. This is validated against the system type Customer\_Status.  
 Select equivalent: SHIP\_CUSTOMER.CUSTOMER\_STATUS\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 027, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer Status Date**  
 Type: Date  
 Description: The date the ship customer's status was last changed.  
 Select equivalent: SHIP\_CUSTOMER.CUSTOMER\_STATUS\_DATE  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort

Object status: show

---

Object: **Ship-To Customer Primary Job Title**  
 Type: Character  
 Description: The primary job title of the ship customer.  
 Select equivalent: SHIP\_CUSTOMER.PRIMARY\_JOB\_TITLE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer Job Function Code**  
 Type: Character  
 Description: The job function of the ship customer. This is validated against subsystem type Job\_Function.  
 Select equivalent: SHIP\_CUSTOMER.JOB\_FUNCTION\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 02a, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Customer Gender Code**  
 Type: Character  
 Description: The gender of the ship customer. This is validated against the system type Gender.  
 Select equivalent: SHIP\_CUSTOMER.GENDER\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 02b, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** **Ship-To Customer Ethnicity Code**  
**Type:** Character  
**Description:** The ethnicity of the ship customer. This is validated against the system type Ethnicity.  
**Select equivalent:** SHIP\_CUSTOMER.ETHNICITY\_CODE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 02c, editable, automatic refresh, exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Ship-To Customer Birthdate**  
**Type:** Date  
**Description:** The birthdate of the ship customer.  
**Select equivalent:** SHIP\_CUSTOMER.BIRTH\_DATE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Ship-To Customer Age**  
**Type:** Number  
**Description:** The age of the ship customer. This is a computed number using birthday and today's date.  
**Select equivalent:**

```

CASE WHEN cast(datepart(m
,getdate()) as int) > cast
(datepart(m,SHIP_CUSTOME
R.BIRTH_DATE) as int)
THEN cast(datediff(yyyy,S
HIP_CUSTOMER.BIRTH_DATE,
getdate()) as int)
WHEN cast(datepart(m,getd
ate()) as int) = cast(date

```

---

```

part(m,SHIP_CUSTOMER.BIRTH_DATE) as int)
AND datepart(d,getdate()
) >= datepart(d,SHIP_CUSTOMER.BIRTH_DATE)
THEN cast(datediff(yyyy,SHIP_CUSTOMER.BIRTH_DATE,
getdate()) as int)
ELSE cast(datediff(yyyy,SHIP_CUSTOMER.BIRTH_DATE,
getdate()) as int) -1
END

```

Where equivalent:

Qualification: measure  
Aggregate function: None  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Ship-To Customer List Demographics</b>
Description:	

Object: **List Demographic Code**  
Type: Character  
Description: The ship customer's demographic code.  
Select equivalent: SHIP\_CUS\_DEMOGRAPHIC.DEMOGRAPHIC\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 02g, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **List Demographic Code Description**  
Type: Character  
Description: This is description of the ship customer's demographic code.  
Select equivalent: SHIP\_CUS\_DEMOGRAPHIC.DEMOGRAPHIC\_CODE\_DESCR  
Where equivalent:

Qualification: dimension  
List of values: no

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **List Demographic Subcode**  
 Type: Character  
 Description: The ship customer's demographic subcode.  
 Select equivalent: SHIP\_CUS\_DEMOGRAPHIC.DEMOGRAPHIC\_SUBCODE  
 Where equivalent:

Qualification: dimension  
 List of values: 02i, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **List Demographic Subcode Description**  
 Type: Character  
 Description: The description of the ship customer's demographic subcode.  
 Select equivalent: SHIP\_CUS\_DEMOGRAPHIC.DEMOGRAPHIC\_SUBCODE\_DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **List Demographic Begin Date**  
 Type: Date  
 Description: The begin date of the ship customer's demographic information.  
 Select equivalent: SHIP\_CUS\_DEMOGRAPHIC.USER\_D1  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **List Demographic End Date**  
 Type: Date

Description: The end date of the ship customer's demographic information.  
 Select equivalent: SHIP\_CUS\_DEMOGRAPHIC.USER\_D2  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Ship-To Customer Specialty</b>
Description:	

Object: **Specialty Code**  
 Type: Character  
 Description: The specialty code of the ship customer.  
 Select equivalent: SHIP\_CUS\_SPECIALTY.CUS\_SPECIALTY\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 02n, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Specialty Description**  
 Type: Character  
 Description: The specialty description of the ship customer.  
 Select equivalent: SHIP\_CUS\_SPECIALTY.COMMENTS  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Specialty Level Code**  
 Type: Character  
 Description: The status of the customer specialty.  
 Select equivalent: SHIP\_CUS\_SPECIALTY.SPECIALTY\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 02p, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Specialty Level Description**  
 Type: Character  
 Description: The description of the ship customer's specialty.  
 Select equivalent: SHIP\_CUS\_SPECIALTY.SPECIALTY\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Shipping Address</b>
Description:	

Object: **Ship-To Address ID**  
 Type: Number  
 Description: The ship customer's address internal unique id.  
 Select equivalent: SHIP\_CUS\_ADDRESS\_DETAIL.CUS\_ADDRESS\_ID  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Address Type Code**  
 Type: Character  
 Description: The ship customer's address type. This is validated against the system type Address\_Type.  
 Select equivalent: SHIP\_CUS\_ADDRESS\_DETAIL.ADDRESS\_TYPE\_CODE  
 Where equivalent:

Qualification: dimension

---

List of values: 02s, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Address Line 1**  
Type: Character  
Description: The ship customer's address line 1 from the Certification order.  
Select equivalent: SHIP\_CUS\_ADDRESS.ADDRESS\_1  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Address Line 2**  
Type: Character  
Description: The ship customer's address line 2 from the Certification order.  
Select equivalent: SHIP\_CUS\_ADDRESS.ADDRESS\_2  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Address Line 3**  
Type: Character  
Description: The ship customer's address line 3 from the Certification order.  
Select equivalent: SHIP\_CUS\_ADDRESS.ADDRESS\_3  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Address Line 4**

---

---

Type: Character  
 Description: The ship customer's address line 4 from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.ADDRESS\_4  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To City**  
 Type: Character  
 Description: The ship customer's address city from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.CITY  
 Where equivalent:

Qualification: dimension  
 List of values: 02x, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To State**  
 Type: Character  
 Description: The ship customer's address state from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.STATE  
 Where equivalent:

Qualification: dimension  
 List of values: 02y, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Zip**  
 Type: Character  
 Description: The ship customer's address zipcode from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.POSTAL\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 030, editable, manual refresh, not exportable

---

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Country Code**  
 Type: Character  
 Description: The ship customer's address country code from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.COUNTRY\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 031, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Country Description**  
 Type: Character  
 Description: The ship customer's address country description from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.COUNTRY\_DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Full Address**  
 Type: Character  
 Description: The complete shipping address of the ship customer from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS\_DETAIL.FORMATTED\_DETAIL + SHIP\_CUS\_ADDRESS.FORMATTED\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Formatted City State Zip**  
 Type: Character  
 Description: The Formatted address with City State Zip of the ship customer from the Certification order.  
 Select equivalent: SHIP\_CUS\_ADDRESS.FORMATTED\_CITY\_STATE\_POSTAL  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Ship-To Customer Communication Info</b>
Description:	

Object: **Ship-To Primary Fax**  
 Type: Character  
 Description: The primary fax number of the ship customer from the Certification order.  
 Select equivalent: SHIP\_CUSTOMER.PRIMARY\_FAX  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ship-To Primary Phone**  
 Type: Character  
 Description: The primary phone number of the ship customer from

Select equivalent: the Certification order.  
SHIP\_CUSTOMER.PRIMARY\_PHONE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Primary Email Address**  
Type: Character  
Description: The primary email address  
of the ship customer from  
the Certification order.  
Select equivalent: SHIP\_CUSTOMER.PRIMARY\_EMAIL\_ADDRESS  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Preferred Communication Method Code**  
Type: Character  
Description: The preferred communicati  
on method of the ship cust  
omer from the Certificatio  
n order.  
Select equivalent: SHIP\_CUSTOMER.PREFERRED\_COMM\_METHOD\_CODE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Ship-To Customer Communication Rules</b>
Description:	

Object: **Allow Phone?**

---

Type: Character  
Description: Does the ship customer allow soliciting phone calls made for marketing purposes?  
Select equivalent: SHIP\_CUSTOMER.ALLOW\_PHONE\_FLAG  
Where equivalent:  
  
Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Allow Fax?**  
Type: Character  
Description: Does the ship customer allow soliciting faxes made for or marketing purposes?  
Select equivalent: SHIP\_CUSTOMER.ALLOW\_EMAIL\_FLAG  
Where equivalent:  
  
Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Allow Label Sales?**  
Type: Character  
Description: Does the ship customer allow soliciting label sales for or marketing purposes?  
Select equivalent: SHIP\_CUSTOMER.ALLOW\_FAX\_FLAG  
Where equivalent:  
  
Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Allow Solicitation?**

---

Type: Character  
 Description: Does the ship customer allow any solicitation for marketing purposes?  
 Select equivalent: SHIP\_CUSTOMER.ALLOW\_LABEL\_SALES\_FLAG  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Allow Internal Mail?**  
 Type: Character  
 Description: Does the ship customer allow any internal mail sent for marketing purposes?  
 Select equivalent: SHIP\_CUSTOMER.ALLOW\_SOLICITATION\_FLAG  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Publish Primary Phone?**  
 Type: Character  
 Description: Does the ship customer allow the publishing of the primary phone number.  
 Select equivalent: SHIP\_CUSTOMER.ALLOW\_INTERNAL\_MAIL\_FLAG  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Publish Primary Email?**  
 Type: Character

---

Description: Does the ship customer allow the publishing of the primary email address.

Select equivalent: SHIP\_CUSTOMER.PUBLISH\_PRIMARY\_PHONE\_FLAG

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Publish Primary Fax?**

Type: Character

Description: Does the ship customer allow the publishing of the primary fax number.

Select equivalent: SHIP\_CUSTOMER.PUBLISH\_PRIMARY\_FAX\_FLAG

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Publish Home Phone?**

Type: Character

Description: Does the ship customer allow the publishing of the primary home phone number.

Select equivalent: SHIP\_CUSTOMER.PUBLISH\_HOME\_PHONE\_FLAG

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Publish Work Phone**

Type: Character

Description: Does the ship customer all

---

ow the publishing of the w  
ork phone number.

Select equivalent: SHIP\_CUSTOMER.PUBLISH\_WORK\_PHONE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Ship-To Customer Creation &amp; Modification Info</b>
Description:	

Object: **Ship-To Customer Creation Date**  
Type: Date  
Description: The date when the custome  
r record of the ship-to cu  
stomer was created.

Select equivalent: SHIP\_CUSTOMER.ADDDATE  
Where equivalent:

Qualification: dimension  
List of values: Owe, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Creation User**  
Type: Character  
Description: The username of the user  
who created the customer  
record of the ship-to cust  
omer.

Select equivalent: SHIP\_CUSTOMER.ADDOPER  
Where equivalent:

Qualification: dimension  
List of values: Owf, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Ship-To Customer Modification Date**  
 Type: Date  
 Description: The date when the customer record of the ship-to customer was last modified.  
 Select equivalent: SHIP\_CUSTOMER.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0wd, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Ship-To Customer Modification User**  
 Type: Character  
 Description: The user name of the user who last modified the customer record of the ship-to customer.  
 Select equivalent: SHIP\_CUSTOMER.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 0wg, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill Customer Info</b>
Description:	This folder contains information about the Bill-to customer as it relates to a certification product order for the registrant.

Object: **Bill-Customer ID**  
 Type: Character  
 Description: This field contains the bill master customer id if the bill sub customer id = 0. If the bill sub customer id is not 0 then it contains the bill master customer id concatenated with

Select equivalent: bill sub customer id separated by a hyphen.  
CASE WHEN BILL\_CUSTOMER.SUB\_CUSTOMER\_ID = 0 THEN BILL\_CUSTOMER.MASTER\_CUSTOMER\_ID ELSE BILL\_CUSTOMER.MASTER\_CUSTOMER\_ID + '-' + Convert(char, BILL\_CUSTOMER.SUB\_CUSTOMER\_ID) END

Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-Customer Master Customer ID**  
Type: Character  
Description: The bill master customer id of the bill customer on the order from the Certification order.

Select equivalent: BILL\_CUSTOMER.MASTER\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-Customer Sub Customer ID**  
Type: Number  
Description: The bill sub customer id of the bill customer on the order from the Certification order.

Select equivalent: BILL\_CUSTOMER.SUB\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: no

Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill-Customer Name Components</b>
Description:	

Object: **Bill-Customer Label Name**  
 Type: Character  
 Description: The label name of the bill customer. This includes the prefix, first name, middle name, last name and suffix.  
 Select equivalent: BILL\_CUSTOMER.LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-Customer Last First Name**  
 Type: Character  
 Description: In case the bill customer is an individual this is the concatenation of the last name and the first name. But if it is a company then this is the name of the company.  
 Select equivalent: BILL\_CUSTOMER.LAST\_FIRST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-Customer Last Name**  
 Type: Character

---

Description: The last name of the bill customer on the order line from the Certification order.

Select equivalent: BILL\_CUSTOMER.LAST\_NAME

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Bill-Customer First Name**

Type: Character

Description: The first name of the bill customer on the order from the Certification order.

Select equivalent: BILL\_CUSTOMER.FIRST\_NAME

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Bill-Customer Name Prefix**

Type: Character

Description: The name prefix of the bill customer on the order from the Certification order.

Select equivalent: BILL\_CUSTOMER.NAME\_PREFIX

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Bill-Customer Suffix**

---

Type: Character  
 Description: The name suffix of the bill customer on the order from the Certification order  
 .  
 Select equivalent: BILL\_CUSTOMER.NAME\_SUFFIX  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-Customer Professional Credentials**  
 Type: Character  
 Description: These are the professional credentials of the bill customer on the order from the Certification order  
 Select equivalent: BILL\_CUSTOMER.NAME\_CREDENTIALS  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill Customer Membership Info</b>
Description:	

Object: **Bill Customer Member Type**  
 Type: Character  
 Description: The current level2 member type of the bill to customer's membership at the national level.  
 Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.NATIONAL\_LEVEL2  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0

Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Membership Begin Date**  
Type: Date  
Description: The begin date of the bill to customers current membership.  
Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CYCLE\_BEGIN\_DATE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Membership End Date**  
Type: Date  
Description: The end date of the bill to customer's current membership.  
Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CYCLE\_END\_DATE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Membership Grace Date**  
Type: Date  
Description: The grace date of the bill to customer's current membership.  
Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.GRACE\_DATE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Membership Description**  
Type: Character  
Description: The description of the cur

rent level2 member type o  
f the bill to customer's m  
embership at the national  
level.

Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.NATIONAL\_DESCR  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Member Since Date**

Type: Date

Description: The member's original join  
date of the bill to custo  
mer's current membership.

Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.NATIONAL\_SINCE\_DATE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Chapter 1**

Type: Character

Description: The description of the 1st chapter to which the bill customer belongs.

Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CHAPTER\_DESCR

Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill Customer Chapter 2**

Type: Character

Description: The description of the 2nd  
chapter to which the bill

customer belongs.  
 Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.CHAPTER2\_DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill Customer Section 1**  
 Type: Character  
 Description: The description of the 1st section to which the bill customer belongs.  
 Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.SECTION\_DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill Customer Section 2**  
 Type: Character  
 Description: The description of the 2nd section to which the bill customer belongs.  
 Select equivalent: BILL\_CUS\_CURRENT\_MEMBERSHIP\_INFO.SECTION2\_DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill-Customer Corporate Relationships</b>
Description:	This folder has information about relationships through the bill to customer of the certification order. These relationships could be of a subsidiary company or any other type of relationship.

---

Object: **Subsidiary Customer ID**  
Type: Character  
Description: The Bill Customer's related customer's Customer ID from a relationship.

Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.RELATED\_CUS\_CusMastSubID  
Where equivalent:

Qualification: dimension  
List of values: 2bv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Subsidiary Master Customer ID**  
Type: Character  
Description: The Bill Customer's related customer's Customer ID from a relationship.

Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.RELATED\_MASTE  
R\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: 2bw, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Subsidiary Sub Customer ID**  
Type: Number  
Description: The Bill Customer's related customer's Sub Customer ID from a relationship.

Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.RELATED\_SUB\_CUSTOMER\_ID  
Where equivalent:

---

Qualification: dimension  
 List of values: 2bx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Subsidiary Full Name**  
 Type: Character  
 Description: The Bill Customer's related customer's Full Name.  
 Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.RELATED\_CUS\_LABEL\_NAME

Where equivalent:

Qualification: dimension  
 List of values: 2bm, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Relationship Code**  
 Type: Character  
 Description: The Bill Customer's related customer's Relationship Code.

Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.RELATIONSHIP\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 2bn, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Reciprocal Code**  
 Type: Character  
 Description: The Bill Customer's related customer's Reciprocal Code

Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.RECIPROCAL\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 2bo, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Relationship Begin Date**  
 Type: Date  
 Description: The Bill Customer's related customer's Relationship Begin Date  
 Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.BEGIN\_DATE

Where equivalent:

Qualification: dimension  
 List of values: 2bp, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Relationship End Date**  
 Type: Date  
 Description: The Bill Customer's related customer's Relationship End Date  
 Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.END\_DATE

Where equivalent:

Qualification: dimension  
 List of values: 2bq, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Subsidiary Customer Class Code**  
 Type: Character  
 Description: The Bill Customer's related customer's Customer Class Code

Select equivalent: Cus\_Relationship\_Subsidia  
 ry\_Info\_VW.Related\_Cus\_Cu  
 stomer\_Class\_Code

Where equivalent:

Qualification: dimension  
 List of values: 2br, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Subsidiary Record Type**  
 Type: Character  
 Description: The Bill Customer's related customer's Record Type.  
 Select equivalent: Cus\_Relationship\_Subsiary\_Info\_VW.Related\_Cus\_Record\_Type

Where equivalent:

Qualification: dimension  
 List of values: 2bs, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill-Customer All Relationships</b>
Description:	

Object: **Relationship Code**  
 Type: Character  
 Description: The Bill Customer's related customer's Relationship Code.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATIONSHIP\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 2c1, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Relationship Type**  
 Type: Character  
 Description: The bill customer's relationship type. This could be Corporate, Employer or Employee.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATIONSHIP\_TYPE

Where equivalent:

Qualification: dimension  
 List of values: 2ib, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Reciprocal Code**  
 Type: Character  
 Description: The bill customer's relationship reciprocal code. The code that defines the related customer's relationship to the bill to customer.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RECIPROCAL\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 2c2, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Begin Date**  
 Type: Date  
 Description: The Bill Customer's related customer's Relationship Begin Date  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.BEGIN\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 2ih, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **End Date**  
 Type: Date  
 Description: The Bill Customer's related customer's Relationship End Date. This date is not required.

Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.END\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 2ii, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Related Master Customer ID**  
Type: Character  
Description: The master customer id of the bill customer's related customer.  
Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_MASTER\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Related Sub Customer ID**  
Type: Number  
Description: The sub customer id of the bill to customer's related customer.  
Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_SUB\_CUSTOMER\_ID  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Related Customer ID**  
Type: Character  
Description: The master customer id concatenated with the sub customer id of the bill to customer's related customer.  
Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_CusMastSubID  
Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Last First Name**  
 Type: Character  
 Description: In case the bill customer is an individual this is the concatenation of the last name and the first name. But if it is a company then this is the name of the company.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_LAST\_FIRST\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: 2ce, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Label Name**  
 Type: Character  
 Description: The label name of the bill to customer's related customer. This includes the prefix, first name, middle name, last name and suffix.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_LABEL\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Class Code**  
 Type: Character

Description: The customer class of the bill to customer's related customer.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHI  
 PS.RELATED\_CUS\_CUSTOMER  
 \_CLASS\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 2c7, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Status Code**  
 Type: Character  
 Description: The customer status of the bill to customer's related customer.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHI  
 PS.RELATED\_CUS\_CUSTOMER  
 \_STATUS\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 2c8, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Primary Phone**  
 Type: Character  
 Description: The primary phone number  
 of the bill to customer's  
 related customer.  
 Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_PRIMARY\_PHONE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Customer Primary Fax**  
 Type: Character  
 Description: The primary fax number of the bill to customer's related customer.

---

Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_PRIMARY\_FAX  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Related Customer Primary Email**  
Type: Character  
Description: The primary email of the bill to customer's related customer.  
Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_PRIMARY\_EMAIL\_ADDRESS

Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Related Customer Primary Address**  
Type: Character  
Description: The complete primary address of the bill to customer's related customer.  
Select equivalent: BILL\_CUS\_ALL\_RELATIONSHIPS.RELATED\_CUS\_ADDRESS\_LABEL  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Bill-Customer Demographics</b>
Description:	

Object: **Bill-Customer Class Code**  
Type: Character  
Description: The customer class of the

bill customer in the Certification product order.

Select equivalent: BILL\_CUSTOMER.CUSTOMER\_CLASS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 043, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-Customer Status Code**  
Type: Character  
Description: The customer status of the bill to customer.  
Select equivalent: BILL\_CUSTOMER.CUSTOMER\_STATUS\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 044, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-Customer Status Date**  
Type: Date  
Description: The date when the bill customer's customer status was last changed.  
Select equivalent: BILL\_CUSTOMER.CUSTOMER\_STATUS\_DATE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Billing Address</b>
Description:	

Object: **Bill-To Address ID**  
Type: Number  
Description: The internal unique id of the bill customer's address.  
Select equivalent: BILL\_CUS\_ADDRESS\_DETAIL.CUS\_ADDRESS\_ID  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-To Address Type Code**

Type: Character

Description: The address type of the bill customer address. This is validated against the system type Address\_Type

Select equivalent: BILL\_CUS\_ADDRESS\_DETAIL.ADDRESS\_TYPE\_CODE

Where equivalent:

Qualification: dimension  
List of values: 047, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-To Address Line 1**

Type: Character

Description: The address line 1 of the bill customer's address from the Certification order

Select equivalent: BILL\_CUS\_ADDRESS.ADDRESS\_1

Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-To Address Line 2**

Type: Character

Description: The address line 2 of the bill customer's address from the Certification order

---

Select equivalent: BILL\_CUS\_ADDRESS.ADDRESS\_2  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Address Line 3**  
 Type: Character  
 Description: The address line 3 of the bill customer's address from the Certification order

Select equivalent: BILL\_CUS\_ADDRESS.ADDRESS\_3  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Address Line 4**  
 Type: Character  
 Description: The address line 4 of the bill customer's address from the Certification order

Select equivalent: BILL\_CUS\_ADDRESS.ADDRESS\_4  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To City**  
 Type: Character  
 Description: The city of the bill customer's address from the Certification order.

---

Select equivalent: BILL\_CUS\_ADDRESS.CITY  
Where equivalent:

Qualification: dimension  
List of values: 04c, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-To State**  
Type: Character  
Description: The state code of the bill customer's address from the Certification order.  
Select equivalent: BILL\_CUS\_ADDRESS.STATE  
Where equivalent:

Qualification: dimension  
List of values: 04d, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-To Zip**  
Type: Character  
Description: The zip code of the bill customer's address from the Certification order.  
Select equivalent: BILL\_CUS\_ADDRESS.POSTAL\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 04e, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Bill-To Country Code**  
Type: Character  
Description: The country code of the bill customer's address from the Certification order.  
Select equivalent: BILL\_CUS\_ADDRESS.COUNTRY\_CODE

Where equivalent:

Qualification: dimension  
 List of values: 04f, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Country Description**

Type: Character

Description: The country description of the bill customer's address from the Certification order.

Select equivalent: BILL\_CUS\_ADDRESS.COUNTRY\_DESCR

Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Full Address**

Type: Character

Description: The full address of the bill to customer from the Certification order.

Select equivalent: BILL\_CUS\_ADDRESS\_DETAIL.  
 FORMATTED\_DETAIL + BILL\_CUS\_ADDRESS.FORMATTED\_ADDRESS

Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Formatted City State Zip**

Type: Character

Description: The Formatted City State Zip portion of the bill to customer from the Certific

ation order.  
 Select equivalent: BILL\_CUS\_ADDRESS.FORMATTED\_CITY\_STATE\_POSTAL  
 Where equivalent:  
  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill-Customer Communication Info</b>
Description:	

Object: **Bill-To Primary Fax**  
 Type: Character  
 Description: The primary fax number of the bill to customer.  
 Select equivalent: BILL\_CUSTOMER.PRIMARY\_FAX  
 Where equivalent:  
  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Bill-To Primary Phone**  
 Type: Character  
 Description: The primary phone number of the bill customer.  
 Select equivalent: BILL\_CUSTOMER.PRIMARY\_PHONE  
 Where equivalent:  
  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Object: **Bill-To Primary Email Address**  
 Type: Character  
 Description: The primary email address of the bill to customer.  
 Select equivalent: BILL\_CUSTOMER.PRIMARY\_EMAIL\_ADDRESS  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Preferred Communication Method Code**  
 Type: Character  
 Description: The preferred communication method code of the bill to customer.  
 Select equivalent: SHIP\_CUSTOMER.PREFERRED\_COMM\_METHOD\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Bill-To Customer Creation &amp; Modification Info</b>
Description:	

Object: **Bill-To Customer Creation Date**  
 Type: Date  
 Description: The date when the customer record of the bill-to customer was created. CUSTOMER.ADDDATE  
 Select equivalent: BILL\_CUSTOMER.ADDDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0wh, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Customer Creation User**  
 Type: Character  
 Description: The username of the user who created the customer record of the bill-to customer. CUSTOMER.ADDOPER  
 Select equivalent: BILL\_CUSTOMER.ADDOPER

Where equivalent:

Qualification: dimension  
 List of values: 0wj, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Customer Modification Date**  
 Type: Date  
 Description: The date when the customer record of the bill-to customer was last modified.  
 CUSTOMER.MODDATE  
 Select equivalent: BILL\_CUSTOMER.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0wj, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Bill-To Customer Modification User**  
 Type: Character  
 Description: The username of the user who last modified the bill-to customer's record. CUSTOMER.MODOPER  
 Select equivalent: BILL\_CUSTOMER.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 0wk, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Certification Requirement</b>
Description:	

Object: **Requirement Id**  
 Type: Character

Description: The sequence number for the first, second, third ... .. requirement need for certification.

Select equivalent: CRT\_CUS\_REQUIREMENT.REQUIREMENT\_ID

Where equivalent:

Qualification: dimension

List of values: 2ke, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Requirement Satisfied Date**

Type: Date

Description: The date when the customer satisfied all aspects of a single requirement. The requirement status code will be "Completed".

Select equivalent: CRT\_CUS\_REQUIREMENT.REQUIREMENT\_SATISFIED\_DATE

Where equivalent:

Qualification: dimension

List of values: 2ki, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

Object: **Requirement Status Code**

Type: Character

Description: The status of one requirement of a customer's certification. Valid codes are "Pending" and "Completed".

Select equivalent: CRT\_CUS\_REQUIREMENT.REQUIREMENT\_STATUS\_CODE

Where equivalent:

Qualification: dimension

List of values: 2kj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

---

---

Object: **Requirement Status Description**  
 Type: Character  
 Description: The text description about how the requirement is satisfied.  
 Select equivalent: REQUIREMENT\_STATUS\_APP\_CODE.DESCR  
 Where equivalent:

Qualification: dimension  
 List of values: 2lx, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Nth Within Option**  
 Type: Number  
 Description: Defines how many optional requirements it will take the registrant to fulfill the master requirement.  
 Select equivalent: CRT\_CUS\_REQUIREMENT.NTH\_WITHIN\_OPTION  
 Where equivalent:

Qualification: dimension  
 List of values: 2kq, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Application Date**  
 Type: Date  
 Description: The date the customer's certification record was created.  
 Select equivalent: CRT\_CUS\_REQUIREMENT.APPLICATION\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 2kr, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Certification Requirement Detail</b>
Description:	

---

**Object:** **Option Number**  
**Type:** Number  
**Description:** The number assigned to an option that will fulfill a certification requirement  
 .  
**Select equivalent:** CRT\_CUS\_REQUIREMENT\_DETAIL.OPTION\_NUMBER  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 2kw, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Requirement Type Code**  
**Type:** Character  
**Description:** The code that represents the category of the requirement. Valid codes are: CE, Certification, Course, Exam, MISC, Product and Transcript.  
**Select equivalent:** CRT\_CUS\_REQUIREMENT\_DETAIL.REQUIREMENT\_TYPE\_CODE  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 211, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Requirement Type Description**  
**Type:** Character  
**Description:** The text description of the Requirement Type code.  
**Select equivalent:** REQUIREMENT\_TYPE\_APP\_CODE.DESCR  
**Where equivalent:**  
  
**Qualification:** dimension  
**List of values:** 2ly, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

---

**Object:** **Course Code**  
**Type:** Character  
**Description:** The code represents the course that is taken to satisfy this requirement.  
**Select equivalent:** CRT\_CUS\_REQUIREMENT\_DETAIL.COURSE\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 212, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Exam Code**  
**Type:** Character  
**Description:** The code represents the Exam that is taken to satisfy this requirement.  
**Select equivalent:** CRT\_CUS\_REQUIREMENT\_DETAIL.EXAM\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 213, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Program ID**  
**Type:** Character  
**Description:** The code for the Transcript Program assigned to the requirement.  
**Select equivalent:** CRT\_CUS\_REQUIREMENT\_DETAIL.PROGRAM\_ID  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 214, editable, manual refresh, not exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Grade Code**

---

---

Type: Character  
 Description: The grade attained in the Exam by the registrant for this requirement.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.GRADE\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 2l9, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Description**  
 Type: Character  
 Description: The text description of what is required to satisfy this option.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.DESCRPTION  
 Where equivalent:  
 Qualification: dimension  
 List of values: 2la, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ce Credit Type Code**  
 Type: Character  
 Description: The code for the category of credit required for this option.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.CE\_CREDIT\_TYPE\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 2lb, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ce Credits**  
 Type: Number  
 Description: The number of CE credits of the credit type required to satisfy this option.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.CE\_CREDITS

---

Where equivalent:

Qualification: dimension  
 List of values: 2lc, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Ce Credit Date**  
 Type: Date  
 Description: The date that the CE credit was awarded.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.CE\_CREDIT\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 2ld, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order No**  
 Type: Character  
 Description: The order number of the purchased product selected to satisfy this option.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.ORDER\_NO  
 Where equivalent:

Qualification: dimension  
 List of values: 2le, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Line No**  
 Type: Number  
 Description: The line number in the order number of the purchased product selected to satisfy this option.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.ORDER\_LINE\_NO  
 Where equivalent:

Qualification: dimension  
 List of values: 2lf, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Date**  
 Type: Date  
 Description: The date the order was created for the order number of the purchased product selected to satisfy this option.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.ORDER\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: 2lg, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Completed Flag**  
 Type: Character  
 Description: A value of 'Y' indicates that the requirement option is completed. The default value is 'N'.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.COMPLETED\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: 2lh, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Completed Date**  
 Type: Date  
 Description: The date that this option was deemed completed based on the requirement type.  
 Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.COMPLETED\_DATE

Where equivalent:

Qualification: dimension  
 List of values: 2li, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Accepted Flag**

Type: Character

Description: Indicates that a product o  
 rder was purchased to fulf  
 ill the option requirement

Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.ACCEPTED\_FLAG

Where equivalent:

Qualification: dimension  
 List of values: 2lj, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Transcript ID**

Type: Number

Description: The sequence number from  
 the customer's transcripts  
 which was used to fulfill  
 an option requirement tha  
 t has a requirement type o  
 f Transcript.

Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.TRN\_CUS\_TRANSCRIPT\_ID

Where equivalent:

Qualification: dimension  
 List of values: 2lk, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **CE Earned**

Type: Number

Description: NOT USED

Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.CE\_EARNED  
Where equivalent:

Qualification: dimension  
List of values: 2lr, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Previous Certification**  
Type: Character  
Description: The certification code used to fulfill the option requirement when requirement type is Certification.  
Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.PREVIOUS\_CERTIFICATION  
Where equivalent:

Qualification: dimension  
List of values: 2lu, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Add To Transcript Flag**  
Type: Character  
Description: Indicates that on completion of an option a Transcript record will be created for the customer.  
Select equivalent: CRT\_CUS\_REQUIREMENT\_DETAIL.ADD\_TO\_TRANSCRIPT\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 2lv, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Certification Fee Order Information</b>
Description:	

---

Object: **Order Date**  
Type: Date  
Description: The date when the certification order was placed.  
Select equivalent: ORDER\_DETAIL.ORDER\_DATE  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Order Number**  
Type: Character  
Description: The order number of the certification order.  
Select equivalent: ORDER\_DETAIL.ORDER\_NO  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Order Line Number**  
Type: Number  
Description: The order line number of the certification order.  
Select equivalent: ORDER\_DETAIL.ORDER\_LINE\_NO  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Order No Line No**  
Type: Character  
Description: The order number and line number in the format order number + '-' + order line number i.e. 1000002345  
-1

Select equivalent: rtrim(Convert(char,ORDER\_  
DETAIL.ORDER\_NO)) + '-' +  
rtrim(Convert(char,ORDER  
\_DETAIL.ORDER\_LINE\_NO))

Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: **Subsystem**  
Type: Character  
Description: The subsystem to which th  
e order belongs. Certifi  
cation will have the value  
of CRT.

Select equivalent: ORDER\_DETAIL.SUBSYSTEM  
Where equivalent:

Qualification: dimension  
List of values: Or3, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Object: **Cycle Begin Date**  
Type: Date  
Description: The begin date of a Membe  
rship or Subscription. It  
is not used in Certificati  
on orders.

Select equivalent: ORDER\_DETAIL.CYCLE\_BEGIN\_DATE  
Where equivalent:

Qualification: dimension  
List of values: 2ic, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Cycle End Date**  
Type: Date  
Description: The end date of a Members  
hip or Subscription. It is  
not used in Certification  
orders.  
Select equivalent: ORDER\_DETAIL.CYCLE\_END\_DATE  
Where equivalent:  
  
Qualification: dimension  
List of values: 2id, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Grace Date**  
Type: Date  
Description: The grace date of a Membe  
rship or Subscription. It  
is not used in Certificati  
on orders.  
Select equivalent: ORDER\_DETAIL.GRACE\_DATE  
Where equivalent:  
  
Qualification: dimension  
List of values: 2ie, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Rate Code**  
Type: Character  
Description: The code used in an order that defines the price.  
Select equivalent: ORDER\_DETAIL.RATE\_CODE  
Where equivalent:  
  
Qualification: dimension  
List of values: 2m1, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Rate Structure**

---

Type: Character  
 Description: The category of rates that a customer is qualified to receive. This is usually governed by their membership.  
 Select equivalent: ORDER\_DETAIL.RATE\_STRUCTURE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 2m2, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Base Total Amount**  
 Type: Number  
 Description: The net total amount for the order in base currency, not including receipts.  
 Select equivalent: SUM(ORDER\_DETAIL.BASE\_TOTAL\_AMOUNT)  
 Where equivalent:  
 Qualification: measure  
 Aggregate function: Sum  
 List of values: 2dv, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show  
 Format: Number  
 Category = Currency  
 \$#,##0;\$-#,##0[Red]

---

Object: **Order Quantity**  
 Type: Number  
 Description: The order quantity for all order lines.  
 Select equivalent: SUM(ORDER\_DETAIL.ORDER\_QTY)  
 Where equivalent:  
 Qualification: measure  
 Aggregate function: Sum  
 List of values: 2dw, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort

Object status: show

Class:	<b>Order Line Status Info</b>
Description:	

Object: **Order Line Status Code**  
 Type: Character  
 Description: The status of the order line item. The values are Proforma, Active, Cancelled, Held.  
 Select equivalent: ORDER\_DETAIL.LINE\_STATUS\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 00m, editable, manual refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Line Status Date**  
 Type: Date  
 Description: The last change date for the order line item status.  
 Select equivalent: ORDER\_DETAIL.LINE\_STATUS\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Line Status Reason Code**  
 Type: Character  
 Description: The reason for change in the order line status.  
 Select equivalent: ORDER\_DETAIL.LINE\_STATUS\_REASON\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 00o, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

**Object:** **Order Line Fulfill Status Code**  
**Type:** Character  
**Description:** The fulfill status for the order line item. Values are Active, Expired, Complete.  
**Select equivalent:** ORDER\_DETAIL.FULFILL\_STATUS\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 00p, editable, automatic refresh, exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Order Line Fulfill Status Date**  
**Type:** Date  
**Description:** The last change date for the order line item fulfill status.  
**Select equivalent:** ORDER\_DETAIL.FULFILL\_DATE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

<b>Class:</b> <b>Misc Order Line Info</b> <b>Description:</b>
--

**Object:** **Original Order Number**  
**Type:** Character  
**Description:** If an order was transferred to this order then this is the order number of the original order. This is not used for Certification products.  
**Select equivalent:** ORDER\_DETAIL.ORIGINAL\_ORDER\_NO  
**Where equivalent:**

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Original Order Line Number**

Type: Number

Description: If an order was transferred to this order then this is the order line number of the original order. This is not used for Certification products.

Select equivalent: ORDER\_DETAIL.ORIGINAL\_ORDER\_LINE\_NO

Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Transfer From Order Number**

Type: Character

Description: If this order was created because an order was transferred to this order then this is the order number of the original order. This is not used for a Certification product.

Select equivalent: ORDER\_DETAIL.TRANSFER\_FROM\_ORDER\_NO

Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Transfer From Order Line Number**

Type: Number  
 Description: If this order was created because an order was transferred to this order then this is the order line number of the original order . This is not used for a Certification product.  
 Select equivalent: ORDER\_DETAIL.TRANSFER\_FROM\_ORDER\_LINE\_NO  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Transfer To Order Number**  
 Type: Character  
 Description: If this order was transfer red to another order then this is the new order number. This is not used for a Certification product.  
 Select equivalent: ORDER\_DETAIL.TRANSFER\_TO\_ORDER\_NO  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Transfer To Order Line Number**  
 Type: Number  
 Description: If this order was transfer red to another order then this is the new order line number. This is not used for a Certification product.  
 Select equivalent: ORDER\_DETAIL.TRANSFER\_TO\_ORDER\_LINE\_NO  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Line Type Code**  
 Type: Character  
 Description: This signifies the type of product present in the order line item. Possible values are 'IP' - Individual Product, 'IC' - Individual Component, 'PC' - Package Component, 'PK' - Package.  
 Select equivalent: ORDER\_DETAIL.LINE\_TYPE\_CODE  
 Where equivalent:

Qualification: dimension  
 List of values: 00x, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Line Level**  
 Type: Number  
 Description: The level to which line relates to. For instance, if line #2 is a child of line #1, then it would exist at level 2.  
 Select equivalent: ORDER\_DETAIL.LINE\_LEVEL  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Related Order Line Number**  
 Type: Number

Description: The line number of a related line item. E.g., if an event is related to a meeting then this will contain the order line number of the meeting in the event line item.

Select equivalent: ORDER\_DETAIL.RELATED\_LINE\_NO  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Line Complete?**  
Type: Character  
Description: Is the order detail line complete? Possible values will be 'Y' or 'N'.  
Select equivalent: ORDER\_DETAIL.LINE\_COMPLETE\_FLAG  
Where equivalent:

Qualification: dimension  
List of values: 2ka, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

Class:	<b>Order Creation &amp; Modification Info</b>
Description:	

Object: **Order Creation Date**  
Type: Date  
Description: The date when the order record was created.  
Select equivalent: ORDER\_DETAIL.ADDDATE  
Where equivalent:

Qualification: dimension  
List of values: 0wp, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Order Creation User**  
 Type: Character  
 Description: The username of the user who created the order record.  
 Select equivalent: ORDER\_DETAIL.ADDOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 0wq, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Modification Date**  
 Type: Date  
 Description: The date when the order record was last modified.  
 Select equivalent: ORDER\_DETAIL.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: 0wr, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Order Modification User**  
 Type: Character  
 Description: The username of the user who last modified the order record.  
 Select equivalent: ORDER\_DETAIL.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: 0ws, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Class: <b>Product Info</b>
Description:

Object: **Product ID**  
 Type: Number  
 Description: The internal sequence number assigned to a product.

---

Select equivalent: PRODUCT.PRODUCT\_ID  
Where equivalent:

Qualification: dimension  
List of values: 0vb, editable, manual refresh, not exportable  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Subsystem**  
Type: Character  
Description: The subsystem of the product on the order line item.  
Select equivalent: PRODUCT.SUBSYSTEM  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Parent Product**  
Type: Character  
Description: The parent product of the order line item.  
Select equivalent: PRODUCT.PARENT\_PRODUCT  
Where equivalent:

Qualification: dimension  
List of values: no  
Security access level: 0  
Can be used: in result, in condition, in sort  
Object status: show

---

Object: **Product Code**  
Type: Character  
Description: The product code of the order line item.  
Select equivalent: PRODUCT.PRODUCT\_CODE  
Where equivalent:

Qualification: dimension  
List of values: 091, editable, automatic refresh, exportable  
Security access level: 0  
Can be used: in result, in condition, in sort

Object status: show

---

Object: **Product Short Name**  
 Type: Character  
 Description: The product short name of the order line item.  
 Select equivalent: PRODUCT.SHORT\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Long Name**  
 Type: Character  
 Description: The product long name text description of the order line item. It is used as the invoice description for the product.  
 Select equivalent: PRODUCT.LONG\_NAME  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Master Product?**  
 Type: Character  
 Description: This indicates if the product is a master product. Only a master product can be in an order by itself.  
 Select equivalent: PRODUCT.MASTER\_PRODUCT\_FLAG  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort

---

Object status: show

---

Object: **Product Type Code**  
 Type: Character  
 Description: The type of product on the order line item. This is always "Certification" for a certification product.  
 Select equivalent: PRODUCT.PRODUCT\_TYPE\_CODE  
 Where equivalent:  
 Qualification: dimension  
 List of values: 095, editable, automatic refresh, exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Type Description**  
 Type: Character  
 Description: The description of the product type.  
 Select equivalent: PRODUCT\_TYPE\_APP\_CODE.DESCR  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Type Sort Order**  
 Type: Number  
 Description: The product type sort order found in System Codes for type Product\_Type in all subsystems.  
 Select equivalent: PRODUCT\_TYPE\_APP\_CODE.DISPLAY\_ORDER  
 Where equivalent:  
 Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

---

**Object:** **Product Class**  
**Type:** Character  
**Description:** The product category of the product. This is often "Certification" and "Recertification".  
**Select equivalent:** PRODUCT.PRODUCT\_CLASS\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Product Class Description**  
**Type:** Character  
**Description:** The text description of the product class code.  
**Select equivalent:** PRODUCT\_CLASS\_APP\_CODE.DESCR  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** no  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

**Object:** **Product Status Code**  
**Type:** Character  
**Description:** The status of the product.  
 Values are Active, Canceled and Discontinued.  
**Select equivalent:** PRODUCT.PRODUCT\_STATUS\_CODE  
**Where equivalent:**

**Qualification:** dimension  
**List of values:** 09a, editable, automatic refresh, exportable  
**Security access level:** 0  
**Can be used:** in result, in condition, in sort  
**Object status:** show

---

Object: **Product Status Date**  
 Type: Date  
 Description: The date the status of the product last changed.  
 Select equivalent: PRODUCT.PRODUCT\_STATUS\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Available Date**  
 Type: Date  
 Description: The date when the product is available to be sold.  
 Select equivalent: PRODUCT.AVAILABLE\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Expiration Date**  
 Type: Date  
 Description: The last date the product can be sold.  
 Select equivalent: PRODUCT.EXPIRATION\_DATE  
 Where equivalent:

Qualification: dimension  
 List of values: no  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

Class:	<b>Product Creation &amp; Modification Info</b>
Description:	

Object: **Product Creation Date**  
 Type: Date  
 Description: The date the product was created.  
 Select equivalent: PRODUCT.ADDDATE

Where equivalent:

Qualification: dimension  
 List of values: Owl, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Creation User**  
 Type: Character  
 Description: The username who created the product.  
 Select equivalent: PRODUCT.ADDOPER  
 Where equivalent:

Qualification: dimension  
 List of values: Owm, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Modification Date**  
 Type: Date  
 Description: The date the product was last changed.  
 Select equivalent: PRODUCT.MODDATE  
 Where equivalent:

Qualification: dimension  
 List of values: Own, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Object: **Product Modification User**  
 Type: Character  
 Description: The username who last changed the product.  
 Select equivalent: PRODUCT.MODOPER  
 Where equivalent:

Qualification: dimension  
 List of values: Owo, editable, manual refresh, not exportable  
 Security access level: 0  
 Can be used: in result, in condition, in sort  
 Object status: show

---

Class:

**Conditions**

Description:

No objects